MADANAPALLE INSTITUTE OF TECHNOLOGY AND SCIENCE

(UGC - Autonomous)
(Approved by AICTE, New Delhi & Affiliated to JNTUA,Ananthapuramu)
P.B NO:14,Angallu,Kadiri Road,Madanapalle - 517325, Chittor Dist,A.P.

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - CIVIL ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						14CE109		14CE110		14CE111		14CE112		14CE205		14CE206		14CHE401		14CSE302		14CSU402		14ECE402		14ENG103-M2		14ENG303		14HUM303		14HUM401		14MAT401		14MBA301		14ME402	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
1	**16691A0138**	22.0	19.0	6.32	6.18	6.0	B	5.0	C	6.0	B	-	F	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	4.0	P
2	**17691A0101**	22.0	22.0	9.18	9.29	8.0	A	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	-	-	10.0	O	-	-	-	-
3	**17691A0102**	22.0	22.0	7.09	7.85	7.0	B+	8.0	A	8.0	A	6.0	B	9.0	A+	9.0	A+	5.0	C	-	-	-	-	-	-	6.0	B	-	-	0.0	P	-	-	-	-	-	-	-	-
4																						-	-	-	-			-	-	-	-	-	-	-	-	-	-	-	-
5	**17691A0104**	22.0	22.0	7.77	8.42	8.0	A	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	5.0	C	-	-	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	-	-
6	**17691A0105**	22.0	7.0	6.29	5.98	-	F	-	F	-	F	-	F	9.0	A+	7.0	B+	-	-	-	-	-	-	-	-	-	F	-	-	0.0	P	-	-	-	-	-	-	4.0	P
7	**17691A0108**	22.0	22.0	9.09	9.35	9.0	A+	10.0	O	10.0	O	9.0	A+	10.0	O	9.0	A+	-	-	0.0	P	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	9.0	A+
8	**17691A0110**	22.0	19.0	6.79	6.84	7.0	B+	6.0	B	6.0	B	6.0	B	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	F	0.0	P	-	-	-	-	-	-	-	-	6.0	B
9	**17691A0111**	22.0	13.0	6.85	6.3	6.0	B	-	F	-	F	-	F	8.0	A	8.0	A	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	6.0	B
10	**17691A0112**	22.0	22.0	7.32	7.8	7.0	B+	8.0	A	8.0	A	6.0	B	8.0	A	8.0	A	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	8.0	A	-	-	0.0	P	-	-
11	**17691A0113**	22.0	22.0	7.59	8.22	7.0	B+	8.0	A	7.0	B+	7.0	B+	10.0	O	9.0	A+	-	-	0.0	P	-	-	7.0	B+	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-
12	**17691A0114**	22.0	10.0	5.9	6.03	4.0	P	-	F	-	F	-	F	8.0	A	8.0	A	-	-	-	-	-	-	-	-	-	F	-	-	0.0	P	5.0	C	-	-	-	-	-	-
13	**17691A0115**	22.0	19.0	6.16	6.48	5.0	C	6.0	B	6.0	B	4.0	P	9.0	A+	9.0	A+	-	F	-	-	-	-	-	-	6.0	B	-	-	0.0	P	-	-	-	-	-	-	-	-
14	**17691A0116**	22.0	22.0	6.64	7.45	7.0	B+	6.0	B	6.0	B	6.0	B	8.0	A	8.0	A	-	-	-	-	-	-	-	-	6.0	B	-	-	0.0	P	-	-	-	-	-	-	7.0	B+
15	**17691A0117**	22.0	19.0	6.58	7.05	6.0	B	6.0	B	6.0	B	6.0	B	8.0	A	8.0	A	-	-	-	-	-	-	-	-	-	F	0.0	P	-	-	-	-	-	-	-	-	7.0	B+
16	**17691A0118**	22.0	22.0	9.0	9.38	9.0	A+	9.0	A+	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	0.0	P	-	-	-	-	9.0	A+	-	-	-	-	-	-	10.0	O	-	-	-	-
17	**17691A0119**	22.0	10.0	6.3	6.24	6.0	B	-	F	5.0	C	-	F	7.0	B+	8.0	A	-	-	-	-	-	-	-	-	-	F	-	-	0.0	P	-	-	-	-	-	-	-	F
18	**17691A0120**	22.0	22.0	8.59	9.18	8.0	A	9.0	A+	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	10.0	O	-	-	-	-
19	**17691A0121**	22.0	22.0	8.68	8.65	8.0	A	10.0	O	9.0	A+	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	9.0	A+	-	-	-	-
20	**17691A0123**	22.0	22.0	8.41	8.38	8.0	A	8.0	A	9.0	A+	7.0	B+	10.0	O	9.0	A+	-	-	0.0	P	9.0	A+	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-
21	**17691A0124**	22.0	22.0	7.27	7.13	6.0	B	7.0	B+	8.0	A	6.0	B	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	-	-	-	-
22	**17691A0125**	22.0	22.0	7.09	7.07	6.0	B	7.0	B+	6.0	B	6.0	B	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	-	-	7.0	B+	-	-	-	-
23	**17691A0126**	22.0	19.0	5.79	6.04	6.0	B	5.0	C	6.0	B	4.0	P	8.0	A	8.0	A	-	-	-	-	-	-	-	-	-	F	-	-	0.0	P	-	-	-	-	-	-	5.0	C
24	**17691A0127**	22.0	7.0	6.43	5.79	-	F	5.0	C	-	F	-	F	7.0	B+	8.0	A	-	-	-	-	-	-	-	-	-	F	-	-	0.0	P	-	-	-	-	-	-	-	F
25	**17691A0128**	22.0	22.0	7.14	7.58	6.0	B	7.0	B+	7.0	B+	7.0	B+	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	6.0	B	0.0	P	-	-	-	-	-	-	-	-	8.0	A
26	**17691A0130**	22.0	22.0	7.14	7.73	8.0	A	8.0	A	7.0	B+	6.0	B	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	6.0	B	0.0	P	-	-	-	-	-	-	-	-	6.0	B
27	**17691A0131**	22.0	16.0	6.31	6.89	6.0	B	5.0	C	5.0	C	-	F	9.0	A+	7.0	B+	-	F	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	-	-
28	**17691A0132**	22.0	22.0	8.45	8.79	8.0	A	9.0	A+	9.0	A+	8.0	A	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	9.0	A+	-	-	-	-
29	**17691A0133**	22.0	22.0	8.73	9.0	8.0	A	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	-	-	-	-	9.0	A+	-	-	8.0	A	0.0	P	-	-	-	-	-	-	-	-	-	-
30	**17691A0134**	22.0	10.0	6.0	6.34	-	F	-	F	6.0	B	-	F	7.0	B+	8.0	A	-	-	-	-	4.0	P	-	-	-	F	-	-	0.0	P	-	-	-	-	-	-	-	-
31	**17691A0135**	22.0	22.0	7.77	7.96	7.0	B+	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	8.0	A
32	**17691A0137**	22.0	4.0	7.0	6.49	-	F	-	F	-	F	-	F	7.0	B+	7.0	B+	-	-	-	-	-	-	-	-	-	F	-	-	0.0	P	-	-	-	-	-	-	-	F
33	**17691A0139**	22.0	22.0	7.5	7.87	7.0	B+	7.0	B+	8.0	A	6.0	B	9.0	A+	9.0	A+	-	-	0.0	P	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	8.0	A
34	**17691A0140**	22.0	22.0	7.91	8.34	8.0	A	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	-	-	0.0	P	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	8.0	A
35	**17691A0141**	22.0	19.0	6.68	6.77	6.0	B	7.0	B+	7.0	B+	5.0	C	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	-	F	-	-	0.0	P	-	-	-	-	-	-	6.0	B
36	**17691A0142**	22.0	22.0	5.95	6.03	5.0	C	6.0	B	6.0	B	4.0	P	8.0	A	8.0	A	-	-	-	-	-	-	-	-	6.0	B	-	-	0.0	P	6.0	B	-	-	-	-	-	-
37	**17691A0143**	22.0	19.0	6.16	5.93	6.0	B	5.0	C	6.0	B	-	F	7.0	B+	8.0	A	-	-	-	-	-	-	-	-	6.0	B	-	-	0.0	P	6.0	B	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - CIVIL ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						14CE109		14CE110		14CE111		14CE112		14CE205		14CE206		14CHE401		14CSE302		14CSU402		14ECE402		14ENG103-M2		14ENG303		14HUM303		14HUM401		14MAT401		14MBA301		14ME402	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
38	**17691A0144**	22.0	22.0	7.32	8.4	7.0	B+	7.0	B+	8.0	A	7.0	B+	8.0	A	8.0	A	-	-	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	7.0	B+
39	**17691A0145**	22.0	19.0	6.68	6.97	7.0	B+	5.0	C	7.0	B+	6.0	B	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	-	F	-	-	0.0	P	-	-	-	-	-	-	6.0	B
40	**17691A0146**	22.0	19.0	6.47	7.47	7.0	B+	5.0	C	7.0	B+	6.0	B	6.0	B	9.0	A+	-	-	-	-	-	-	-	-	-	F	-	-	0.0	P	-	-	-	-	-	-	6.0	B
41	**17691A0147**	22.0	22.0	8.23	8.32	8.0	A	9.0	A+	9.0	A+	8.0	A	9.0	A+	8.0	A	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	-	-	-	-	-	-	7.0	B+
42	**17691A0148**	22.0	22.0	7.41	7.45	7.0	B+	7.0	B+	8.0	A	7.0	B+	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	7.0	B+
43	**17691A0150**	22.0	22.0	8.95	9.24	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	-	10.0	O	0.0	P	-	-
44	**17691A0151**	22.0	19.0	7.63	7.64	6.0	B	6.0	B	8.0	A	8.0	A	8.0	A	9.0	A+	-	-	0.0	P	-	-	-	-	-	F	-	-	-	-	-	-	9.0	A+	-	-	-	-
45	**17691A0152**	22.0	22.0	6.41	6.14	6.0	B	7.0	B+	6.0	B	5.0	C	7.0	B+	8.0	A	-	-	-	-	-	-	-	-	6.0	B	-	-	0.0	P	7.0	B+	-	-	-	-	-	-
46																						-	-	-	-			-	-	-	-	-	-	-	-	-	-	-	-
47	**17691A0154**	22.0	19.0	7.21	6.86	6.0	B	7.0	B+	8.0	A	-	F	8.0	A	8.0	A	-	-	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	7.0	B+	-	-	-	-	-	-
48	**17691A0155**	22.0	10.0	6.4	6.4	-	F	-	F	6.0	B	-	F	6.0	B	8.0	A	-	-	-	-	-	-	-	-	-	F	-	-	0.0	P	6.0	B	-	-	-	-	-	-
49	**17691A0156**	22.0	16.0	6.94	7.38	6.0	B	6.0	B	7.0	B+	8.0	A	7.0	B+	8.0	A	-	-	-	-	-	-	-	-	-	F	-	-	0.0	P	-	-	-	-	-	-	-	F
50	**17691A0157**	22.0	22.0	6.41	7.02	7.0	B+	6.0	B	6.0	B	6.0	B	7.0	B+	8.0	A	-	-	-	-	-	-	-	-	6.0	B	-	-	0.0	P	-	-	-	-	-	-	6.0	B
51	**17691A0158**	22.0	22.0	6.5	6.63	7.0	B+	7.0	B+	7.0	B+	4.0	P	7.0	B+	9.0	A+	-	-	-	-	-	-	-	-	6.0	B	-	-	0.0	P	-	-	-	-	-	-	6.0	B
52	**17691A0159**	22.0	22.0	7.18	7.26	7.0	B+	8.0	A	7.0	B+	6.0	B	7.0	B+	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	7.0	B+
53	**17691A0160**	22.0	22.0	8.05	7.94	8.0	A	8.0	A	9.0	A+	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	8.0	A
54	**17691A0161**	22.0	22.0	7.0	7.79	7.0	B+	6.0	B	7.0	B+	6.0	B	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	6.0	B	-	-	0.0	P	8.0	A	-	-	-	-	-	-
55	**17691A0162**	22.0	7.0	5.57	5.56	-	F	-	Ab	0.0	F	-	Ab	6.0	B	6.0	B	-	-	-	-	-	-	-	-	-	F	-	-	0.0	P	5.0	C	-	-	-	-	-	-
56																						-	-	-	-			-	-	-	-	-	-	-	-	-	-	-	-
57	**18695A0101**	22.0	19.0	6.05	5.98	4.0	P	6.0	B	6.0	B	-	F	6.0	B	8.0	A	-	-	0.0	P	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	-	-	-	-	-	-
58	**18695A0102**	22.0	22.0	8.82	8.85	9.0	A+	9.0	A+	9.0	A+	8.0	A	9.0	A+	10.0	O	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	10.0	O
59	**18695A0103**	22.0	22.0	6.68	6.98	6.0	B	6.0	B	7.0	B+	6.0	B	9.0	A+	9.0	A+	-	-	0.0	P	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	6.0	B
60	**18695A0104**	22.0	22.0	7.86	8.36	8.0	A	8.0	A	8.0	A	8.0	A	7.0	B+	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	8.0	A	-	-	-	-	-	-
61	**18695A0105**	22.0	22.0	8.09	8.59	8.0	A	8.0	A	9.0	A+	8.0	A	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	7.0	B+
62	**18695A0106**	22.0	22.0	7.14	7.47	6.0	B	8.0	A	7.0	B+	7.0	B+	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	6.0	B
63	**18695A0107**	22.0	19.0	6.63	6.95	7.0	B+	6.0	B	6.0	B	5.0	C	7.0	B+	8.0	A	-	-	-	-	-	-	-	-	-	F	-	-	0.0	P	8.0	A	-	-	-	-	-	-
64	**18695A0108**	22.0	22.0	8.32	8.5	9.0	A+	9.0	A+	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	8.0	A
65	**18695A0109**	22.0	22.0	8.0	8.08	8.0	A	9.0	A+	9.0	A+	7.0	B+	8.0	A	8.0	A	-	-	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	8.0	A
66	**18695A0110**	22.0	19.0	6.74	7.32	6.0	B	7.0	B+	7.0	B+	6.0	B	8.0	A	8.0	A	-	F	-	-	-	-	-	-	6.0	B	-	-	0.0	P	-	-	-	-	-	-	-	-
67	**18695A0111**	22.0	22.0	7.0	6.91	6.0	B	7.0	B+	8.0	A	4.0	P	8.0	A	9.0	A+	-	-	0.0	P	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	-	-	-	-
68	**18695A0112**	22.0	16.0	5.81	5.96	5.0	C	5.0	C	5.0	C	-	F	7.0	B+	8.0	A	-	F	0.0	P	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-
69	**18695A0113**	22.0	22.0	7.77	8.02	7.0	B+	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	8.0	A	-	-	0.0	P	-	-	-	-	-	-	7.0	B+
70	**18695A0114**	22.0	22.0	8.41	8.89	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	8.0	A
71	**18695A0115**	22.0	22.0	6.45	7.45	6.0	B	6.0	B	7.0	B+	5.0	C	6.0	B	8.0	A	-	-	0.0	P	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	7.0	B+
72	**18695A0116**	22.0	19.0	7.21	6.94	7.0	B+	7.0	B+	8.0	A	-	F	8.0	A	8.0	A	-	-	0.0	P	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	7.0	B+
73	**18695A0117**	22.0	22.0	7.09	7.42	7.0	B+	7.0	B+	7.0	B+	6.0	B	9.0	A+	9.0	A+	-	-	0.0	P	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	7.0	B+

Course Code	Course Name
14CE109	HIGHWAY ENGINEERING
14CE110	HYDROLOGY & WATER RESOURCES ENGINEERING

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - CIVIL ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						14CE109		14CE110		14CE111		14CE112		14CE205		14CE206		14CHE401		14CSE302		14CSU402		14ECE402		14ENG103-M2		14ENG303		14HUM303		14HUM401		14MAT401		14MBA301		14ME402	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G

Course Code	Course Name
14CE111	CONCRETE TECHNOLOGY
14CE112	ANALYSIS OF STRUCTURES-II
14CE205	HIGHWAY ENGINEERING PRACTICALS
14CE206	CONCRETE TECHNOLOGY PRACTICALS
14CHE401	INTRODUCTION TO NANO SCIENCE AND TECHNOLOGY
14CSE302	ETHICAL HACKING (AUDIT COURSE)
14CSU402	ARTIFICIAL INTELLIGENCE
14ECE402	DIGITAL IMAGE PROCESSING
14ENG103-M2	SOFT SKILLS (MOOC)
14ENG303	PHONETICS AND SPOKEN ENGLISH (AUDIT COURSE)
14HUM303	NATIONAL SERVICE SCHEME (NSS) (AUDIT COURSE)
14HUM401	PROFESSIONAL ETHICS
14MAT401	NUMERICAL ANALYSIS
14MBA301	BUSINESS ETHICS AND CORPORATE GOVERNANCE (AUDIT COURSE)
14ME402	POWER PLANT ENGINEERING

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

MADANAPALLE INSTITUTE OF TECHNOLOGY AND SCIENCE

(UGC - Autonomous)
(Approved by AICTE, New Delhi & Affiliated to JNTUA,Ananthapuramu)
P.B NO:14,Angallu,Kadiri Road,Madanapalle - 517325, Chittor Dist,A.P.

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - ELECTRICAL AND ELECTRONICS ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																													
						14CE402		14CE403		14CHE401		14CSU402		14EEE110		14EEE111		14EEE112-M1		14EEE113		14EEE114		14EEE205		14EEE206		14HUM401		14MAT401		14ME402		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
1						-	-	-	-	-	-	-	-															-	-	-	-			-	-
2	**16691A0235**	22.0	3.0	7.0	6.0	-	-	-	-	-	-	-	-	-	F	-	F	7.0	B+	-	Ab	-	Ab	-	Ab	-	Ab	-	Ab	-	-	-	-	-	-
3	**16691A0275**	22.0	10.0	4.7	6.24	-	-	-	-	-	-	-	-	5.0	C	4.0	P	-	Ab	-	F	-	F	4.0	P	6.0	B	-	-	-	-	-	F	-	-
4	**17691A0201**	22.0	22.0	6.91	7.51	-	-	-	-	7.0	B+	-	-	7.0	B+	6.0	B	6.0	B	7.0	B+	5.0	C	9.0	A+	10.0	O	-	-	-	-	-	-	-	-
5	**17691A0202**	22.0	22.0	7.23	7.45	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	6.0	B	6.0	B	10.0	O	8.0	A	-	-	-	-	7.0	B+	-	-
6	**17691A0203**	22.0	10.0	6.8	6.39	-	-	-	-	-	-	-	-	-	F	-	F	7.0	B+	-	F	-	F	8.0	A	8.0	A	-	-	-	-	-	-	5.0	C
7	**17691A0204**	22.0	22.0	8.77	8.48	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	10.0	O	8.0	A	7.0	B+	10.0	O	10.0	O	-	-	-	-	8.0	A	-	-
8	**17691A0205**	22.0	22.0	6.68	6.89	-	-	-	-	-	-	-	-	6.0	B	6.0	B	7.0	B+	6.0	B	4.0	P	9.0	A+	9.0	A+	8.0	A	-	-	-	-	-	-
9	**17691A0207**	22.0	16.0	6.31	6.66	-	-	-	-	-	-	-	-	-	F	6.0	B	6.0	B	0.0	F	4.0	P	8.0	A	8.0	A	7.0	B+	-	-	-	-	-	-
10	**17691A0208**	22.0	16.0	7.0	6.77	-	-	-	-	-	-	-	-	-	F	6.0	B	7.0	B+	-	F	4.0	P	10.0	O	10.0	O	-	-	-	-	7.0	B+	-	-
11	**17691A0209**	22.0	22.0	7.68	7.97	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	6.0	B	7.0	B+	10.0	O	10.0	O	-	-	-	-	8.0	A	-	-
12	**17691A0210**	22.0	22.0	7.0	7.44	-	-	-	-	-	-	-	-	6.0	B	6.0	B	7.0	B+	7.0	B+	6.0	B	10.0	O	10.0	O	-	-	-	-	6.0	B	-	-
13	**17691A0211**	22.0	22.0	7.55	7.94	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	6.0	B	7.0	B+	8.0	A	10.0	O	10.0	O	-	-	8.0	A	-	-	-	-
14	**17691A0212**	22.0	22.0	6.55	7.41	-	-	-	-	-	-	-	-	6.0	B	6.0	B	7.0	B+	6.0	B	4.0	P	10.0	O	8.0	A	-	-	-	-	7.0	B+	-	-
15	**17691A0213**	22.0	22.0	9.18	8.99	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	-	-	9.0	A+	-	-
16	**17691A0214**	22.0	22.0	8.64	8.39	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	9.0	A+	7.0	B+	10.0	O	10.0	O	8.0	A	-	-	-	-	-	-
17	**17691A0215**	22.0	22.0	7.73	7.56	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	7.0	B+	7.0	B+	7.0	B+	10.0	O	9.0	A+	-	-	8.0	A	-	-	-	-
18	**17691A0217**	22.0	22.0	6.82	7.65	-	-	-	-	-	-	-	-	6.0	B	5.0	C	8.0	A	6.0	B	6.0	B	9.0	A+	9.0	A+	-	-	-	-	7.0	B+	-	-
19	**17691A0218**	22.0	22.0	7.55	7.94	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	7.0	B+	7.0	B+	10.0	O	10.0	O	-	-	-	-	7.0	B+	-	-
20	**17691A0219**	22.0	22.0	9.05	8.88	-	-	-	-	9.0	A+	-	-	10.0	O	9.0	A+	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	-	-	-	-	-	-
21	**17691A0220**	22.0	8.0	6.5	6.0	-	-	-	-	-	-	-	-	-	F	-	F	6.0	B	-	F	-	F	-	F	8.0	A	6.0	B	-	-	-	-	-	-
22	**17691A0221**	22.0	22.0	5.82	6.69	-	-	-	-	-	-	-	-	6.0	B	4.0	P	9.0	A+	4.0	P	5.0	C	8.0	A	8.0	A	-	-	4.0	P	-	-	-	-
23	**17691A0222**	22.0	22.0	8.64	8.71	-	-	-	-	-	-	-	-	8.0	A	8.0	A	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	-	-	9.0	A+	-	-	-	-
24	**17691A0223**	22.0	19.0	7.37	7.58	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	-	Ab	7.0	B+	6.0	B	10.0	O	9.0	A+	-	-	6.0	B	-	-	-	-
25	**17691A0224**	22.0	22.0	7.18	8.0	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	6.0	B	6.0	B	9.0	A+	10.0	O	-	-	6.0	B	-	-	-	-
26	**17691A0225**	22.0	22.0	8.36	9.04	9.0	A+	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	7.0	B+	8.0	A	10.0	O	10.0	O	-	-	-	-	-	-	-	-
27	**17691A0226**	22.0	22.0	8.14	8.09	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	10.0	O	7.0	B+	7.0	B+	9.0	A+	10.0	O	8.0	A	-	-	-	-	-	-
28	**17691A0227**	22.0	22.0	8.41	8.48	-	-	-	-	-	-	-	-	8.0	A	8.0	A	10.0	O	7.0	B+	8.0	A	10.0	O	9.0	A+	-	-	8.0	A	-	-	-	-
29	**17691A0228**	22.0	13.0	6.46	6.78	-	-	-	-	-	-	-	-	5.0	C	5.0	C	-	F	-	F	-	F	8.0	A	10.0	O	6.0	B	-	-	-	-	-	-
30	**17691A0229**	22.0	22.0	7.86	8.46	-	-	-	-	-	-	-	-	8.0	A	8.0	A	7.0	B+	7.0	B+	7.0	B+	9.0	A+	10.0	O	-	-	8.0	A	-	-	-	-
31	**17691A0230**	22.0	22.0	7.14	6.92	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	9.0	A+	6.0	B	6.0	B	9.0	A+	8.0	A	-	-	7.0	B+	-	-	-	-
32	**17691A0231**	22.0	13.0	5.54	6.2	-	-	-	-	-	F	-	-	5.0	C	5.0	C	-	Ab	4.0	P	-	F	8.0	A	7.0	B+	-	-	-	-	-	-	-	-
33	**17691A0232**	22.0	22.0	8.59	9.09	-	-	-	-	7.0	B+	-	-	9.0	A+	9.0	A+	10.0	O	8.0	A	8.0	A	8.0	A	10.0	O	-	-	-	-	-	-	-	-
34	**17691A0233**	22.0	22.0	8.64	8.79	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	-	-	-	-	8.0	A	-	-
35	**17691A0234**	22.0	22.0	6.95	7.33	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	6.0	B	6.0	B	9.0	A+	9.0	A+	-	-	7.0	B+	-	-	-	-
36	**17691A0235**	22.0	22.0	8.23	8.54	-	-	-	-	-	-	-	-	8.0	A	8.0	A	7.0	B+	7.0	B+	8.0	A	10.0	O	10.0	O	-	-	9.0	A+	-	-	-	-
37	**17691A0237**	22.0	22.0	8.23	8.96	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	7.0	B+	7.0	B+	10.0	O	10.0	O	-	-	9.0	A+	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - ELECTRICAL AND ELECTRONICS ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																											
						14CE402		14CE403		14CHE401		14CSU402		14EEE110		14EEE111		14EEE112-M1		14EEE113		14EEE114		14EEE205		14EEE206		14HUM401		14MAT401		14ME402		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
38	**17691A0238**	22.0	22.0	8.5	8.38	-	-	-	-	-	-	-	-	8.0	A	8.0	A	10.0	O	7.0	B+	8.0	A	10.0	O	10.0	O	8.0	A	-	-	-	-	-	-
39	**17691A0239**	22.0	22.0	8.0	7.81	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	8.0	A	5.0	C	7.0	B+	9.0	A+	10.0	O	9.0	A+	-	-	-	-	-	-
40	**17691A0240**	22.0	16.0	6.31	6.79	-	-	-	-	-	-	-	-	6.0	B	6.0	B	7.0	B+	-	F	-	F	6.0	B	7.0	B+	6.0	B	-	-	-	-	-	-
41	**17691A0242**	22.0	22.0	6.77	6.65	8.0	A	-	-	-	-	-	-	6.0	B	6.0	B	7.0	B+	6.0	B	6.0	B	7.0	B+	9.0	A+	-	-	-	-	-	-	-	-
42	**17691A0243**	22.0	22.0	6.55	6.48	7.0	B+	-	-	-	-	-	-	7.0	B+	6.0	B	6.0	B	5.0	C	5.0	C	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-
43	**17691A0244**	22.0	22.0	8.27	8.23	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	10.0	O	6.0	B	8.0	A	9.0	A+	10.0	O	-	-	9.0	A+	-	-	-	-
44	**17691A0245**	22.0	22.0	8.36	8.02	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	10.0	O	6.0	B	8.0	A	10.0	O	10.0	O	-	-	9.0	A+	-	-	-	-
45						-	-	-	-			-	-															-	-	-	-	-	-	-	-
46	**17691A0247**	22.0	19.0	6.42	6.42	-	-	-	-	-	-	-	-	6.0	B	6.0	B	6.0	B	-	F	4.0	P	9.0	A+	10.0	O	-	-	-	-	6.0	B	-	-
47	**17691A0248**	22.0	19.0	7.32	6.74	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	6.0	B	-	F	10.0	O	10.0	O	-	-	-	-	7.0	B+	-	-
48	**17691A0249**	22.0	22.0	8.23	8.21	-	-	-	-	-	-	-	-	8.0	A	8.0	A	9.0	A+	7.0	B+	7.0	B+	10.0	O	10.0	O	-	-	8.0	A	-	-	-	-
49	**17691A0250**	22.0	22.0	7.45	7.19	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	6.0	B	5.0	C	10.0	O	9.0	A+	9.0	A+	-	-	-	-	-	-
50	**17691A0251**	22.0	14.0	6.21	6.09	-	-	-	-	-	-	-	-	5.0	C	5.0	C	-	F	5.0	C	-	F	9.0	A+	-	F	8.0	A	-	-	-	-	-	-
51	**17691A0252**	22.0	22.0	7.55	6.85	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	9.0	A+	8.0	A	4.0	P	10.0	O	10.0	O	8.0	A	-	-	-	-	-	-
52	**17691A0253**	22.0	22.0	6.23	6.48	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	6.0	B	4.0	P	4.0	P	10.0	O	9.0	A+	-	-	-	-	6.0	B	-	-
53	**17691A0254**	22.0	22.0	7.82	7.06	-	-	-	-	-	-	-	-	8.0	A	8.0	A	7.0	B+	6.0	B	6.0	B	10.0	O	10.0	O	9.0	A+	-	-	-	-	-	-
54	**17691A0255**	22.0	22.0	6.82	7.06	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	6.0	B	6.0	B	5.0	C	8.0	A	10.0	O	-	-	8.0	A	-	-	-	-
55	**17691A0256**	22.0	22.0	7.45	7.4	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	6.0	B	7.0	B+	9.0	A+	10.0	O	9.0	A+	-	-	-	-	-	-
56	**17691A0257**	22.0	3.0	7.0	5.88	-	-	-	-	-	-	-	-	-	F	0.0	F	-	F	-	F	-	F	-	Ab	-	Ab	7.0	B+	-	-	-	-	-	-
57	**17691A0258**	22.0	22.0	7.73	7.75	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	9.0	A+	7.0	B+	7.0	B+	10.0	O	9.0	A+	-	-	6.0	B	-	-	-	-
58	**17691A0259**	22.0	19.0	5.95	6.52	-	-	-	-	-	-	-	-	4.0	P	5.0	C	-	F	4.0	P	6.0	B	10.0	O	9.0	A+	-	-	6.0	B	-	-	-	-
59	**17691A0260**	22.0	22.0	7.68	7.55	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	7.0	B+	6.0	B	10.0	O	10.0	O	-	-	9.0	A+	-	-	-	-
60	**17691A0261**	22.0	22.0	6.36	6.24	-	-	6.0	B	-	-	-	-	6.0	B	7.0	B+	7.0	B+	5.0	C	5.0	C	8.0	A	8.0	A	-	-	-	-	-	-	-	-
61	**17691A0262**	22.0	22.0	5.91	6.1	-	-	6.0	B	-	-	-	-	6.0	B	6.0	B	7.0	B+	5.0	C	4.0	P	7.0	B+	7.0	B+	-	-	-	-	-	-	-	-
62	**17691A0264**	22.0	19.0	5.89	5.9	-	-	-	-	-	-	-	-	6.0	B	6.0	B	6.0	B	-	F	5.0	C	7.0	B+	7.0	B+	-	-	-	-	5.0	C	-	-
63	**17691A0265**	22.0	13.0	5.54	6.15	-	-	-	-	-	-	-	-	4.0	P	6.0	B	-	F	-	F	4.0	P	8.0	A	7.0	B+	-	-	-	F	-	-	-	-
64	**17691A0266**	22.0	22.0	8.0	7.93	-	-	-	-	-	-	-	-	6.0	B	8.0	A	8.0	A	7.0	B+	8.0	A	10.0	O	9.0	A+	-	-	9.0	A+	-	-	-	-
65	**17691A0267**	22.0	22.0	7.73	8.25	-	-	8.0	A	-	-	-	-	7.0	B+	8.0	A	6.0	B	7.0	B+	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	-	-
66	**17691A0268**	22.0	22.0	6.41	6.43	-	-	6.0	B	-	-	-	-	5.0	C	6.0	B	7.0	B+	6.0	B	5.0	C	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-
67	**17691A0269**	22.0	7.0	6.29	6.27	-	-	-	-	-	-	-	-	0.0	F	4.0	P	-	F	-	F	0.0	F	9.0	A+	7.0	B+	-	-	-	F	-	-	-	-
68	**17691A0270**	22.0	22.0	6.91	7.88	-	-	-	-	-	-	-	-	6.0	B	6.0	B	7.0	B+	5.0	C	7.0	B+	10.0	O	9.0	A+	-	-	-	-	7.0	B+	-	-
69	**17691A0271**	22.0	19.0	7.37	7.8	-	-	7.0	B+	-	-	-	-	6.0	B	7.0	B+	6.0	B	-	F	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	-	-
70	**17691A0272**	22.0	16.0	5.81	5.58	-	-	-	-	-	-	-	-	4.0	P	6.0	B	-	F	-	F	6.0	B	6.0	B	6.0	B	7.0	B+	-	-	-	-	-	-
71	**17691A0273**	22.0	22.0	8.77	9.03	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	8.0	A	7.0	B+	9.0	A+	10.0	O	10.0	O	-	-	9.0	A+	-	-	-	-
72	**17691A0274**	22.0	19.0	7.16	6.85	-	-	-	-	-	-	-	-	6.0	B	8.0	A	-	F	7.0	B+	6.0	B	10.0	O	7.0	B+	-	-	7.0	B+	-	-	-	-
73	**17691A0275**	22.0	22.0	7.36	7.81	-	-	-	-	-	-	-	-	6.0	B	8.0	A	6.0	B	6.0	B	8.0	A	9.0	A+	9.0	A+	-	-	8.0	A	-	-	-	-
74	**17691A0276**	22.0	22.0	7.91	7.7	-	-	-	-	-	-	-	-	8.0	A	8.0	A	7.0	B+	8.0	A	7.0	B+	10.0	O	8.0	A	-	-	8.0	A	-	-	-	-
75	**17691A0277**	22.0	22.0	8.14	8.42	8.0	A	-	-	-	-	-	-	7.0	B+	8.0	A	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	-	-
76	**17691A0278**	22.0	10.0	6.3	5.89	-	-	-	-	-	-	-	-	-	F	5.0	C	-	F	-	F	-	F	9.0	A+	6.0	B	6.0	B	-	-	-	-	-	-
77	**17691A0279**	22.0	19.0	6.0	6.26	-	-	-	-	-	-	-	-	5.0	C	6.0	B	-	Ab	6.0	B	5.0	C	8.0	A	7.0	B+	-	-	-	-	6.0	B	-	-
78	**17691A0280**	22.0	22.0	7.86	7.66	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	7.0	B+	7.0	B+	7.0	B+	10.0	O	9.0	A+	-	-	9.0	A+	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - ELECTRICAL AND ELECTRONICS ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																													
						14CE402		14CE403		14CHE401		14CSU402		14EEE110		14EEE111		14EEE112-M1		14EEE113		14EEE114		14EEE205		14EEE206		14HUM401		14MAT401		14ME402		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
79	**17691A0281**	22.0	16.0	5.56	6.63	-	-	-	-	-	-	-	-	6.0	B	5.0	C	-	F	4.0	P	-	F	9.0	A+	7.0	B+	-	-	4.0	P	-	-	-	-
80	**17691A0282**	22.0	22.0	6.05	7.22	-	-	-	-	-	-	-	-	5.0	C	6.0	B	6.0	B	4.0	P	6.0	B	10.0	O	7.0	B+	-	-	-	-	6.0	B	-	-
81	**17691A0283**	22.0	22.0	6.82	7.51	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	6.0	B	6.0	B	8.0	A	7.0	B+	-	-	-	-	7.0	B+	-	-
82	**17691A0284**	22.0	22.0	8.41	8.27	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	9.0	A+	-	-	-	-	-	-
83	**17691A0285**	22.0	19.0	5.79	6.15	-	-	-	-	-	-	-	-	5.0	C	6.0	B	-	F	5.0	C	4.0	P	8.0	A	8.0	A	-	-	-	-	6.0	B	-	-
84	**17691A0286**	22.0	22.0	7.77	8.46	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	8.0	A	5.0	C	8.0	A	10.0	O	8.0	A	-	-	-	-	7.0	B+	-	-
85	**17691A0287**	22.0	13.0	5.15	6.13	-	-	5.0	C	-	-	-	-	4.0	P	4.0	P	-	F	-	F	-	F	7.0	B+	7.0	B+	-	-	-	-	-	-	-	-
86	**17691A0288**	22.0	7.0	6.0	6.05	-	-	-	-	-	-	-	-	-	F	-	F	-	F	-	F	-	F	7.0	B+	8.0	A	-	-	-	-	-	-	4.0	P
87	**17691A0289**	22.0	22.0	7.36	7.56	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	6.0	B	7.0	B+	9.0	A+	9.0	A+	-	-	8.0	A	-	-	-	-
88	**17691A0290**	22.0	6.0	6.5	6.12	-	-	-	-	-	-	-	-	0.0	F	0.0	F	7.0	B+	-	F	-	F	-	Ab	-	Ab	6.0	B	-	-	-	-	-	-
89	**17691A0291**	22.0	5.0	4.4	5.76	-	-	-	-	-	-	-	-	0.0	F	-	F	-	F	0.0	F	-	F	-	Ab	5.0	C	4.0	P	-	-	-	-	-	-
90	**17691A0292**	22.0	19.0	5.95	6.03	-	-	-	-	-	-	-	-	5.0	C	6.0	B	7.0	B+	4.0	P	-	F	8.0	A	8.0	A	-	-	-	-	5.0	C	-	-
91	**17691A0295**	22.0	22.0	7.32	7.88	-	-	-	-	-	-	-	-	6.0	B	6.0	B	8.0	A	6.0	B	8.0	A	10.0	O	9.0	A+	-	-	-	-	7.0	B+	-	-
92	**17691A0296**	22.0	22.0	7.95	7.99	8.0	A	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	8.0	A	7.0	B+	8.0	A	9.0	A+	-	-	-	-	-	-	-	-
93	**17691A0297**	22.0	19.0	6.0	6.27	-	-	7.0	B+	-	-	-	-	5.0	C	6.0	B	-	F	4.0	P	4.0	P	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-
94	**17691A0298**	22.0	10.0	6.2	5.86	-	-	-	-	-	-	-	-	0.0	F	6.0	B	-	F	-	F	-	F	5.0	C	8.0	A	-	-	-	-	6.0	B	-	-
95	**17691A0299**	22.0	22.0	8.64	8.9	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	8.0	A	7.0	B+	9.0	A+	10.0	O	10.0	O	-	-	-	-	9.0	A+	-	-
96	**17691A02A1**	22.0	22.0	7.59	7.43	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	7.0	B+	6.0	B	6.0	B	9.0	A+	10.0	O	-	-	9.0	A+	-	-	-	-
97	**17691A02A3**	22.0	22.0	5.77	6.15	-	-	-	-	-	-	-	-	5.0	C	5.0	C	6.0	B	4.0	P	4.0	P	8.0	A	9.0	A+	7.0	B+	-	-	-	-	-	-
98	**17691A02A4**	22.0	22.0	7.23	7.48	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	6.0	B	6.0	B	6.0	B	9.0	A+	9.0	A+	-	-	8.0	A	-	-	-	-
99	**17691A02A5**	22.0	22.0	7.64	7.68	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	7.0	B+	6.0	B	8.0	A	9.0	A+	9.0	A+	-	-	8.0	A	-	-	-	-
100	**17691A02A6**	22.0	22.0	8.0	7.56	9.0	A+	-	-	-	-	-	-	7.0	B+	8.0	A	9.0	A+	7.0	B+	6.0	B	9.0	A+	10.0	O	-	-	-	-	-	-	-	-
101	**17691A02A7**	22.0	22.0	7.27	7.46	7.0	B+	-	-	-	-	-	-	7.0	B+	8.0	A	7.0	B+	6.0	B	7.0	B+	8.0	A	9.0	A+	-	-	-	-	-	-	-	-
102	**17691A02A8**	22.0	22.0	7.36	7.4	7.0	B+	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	6.0	B	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-
103	**17691A02A9**	22.0	22.0	8.5	8.79	-	-	-	-	-	-	-	-	7.0	B+	9.0	A+	9.0	A+	7.0	B+	9.0	A+	10.0	O	10.0	O	-	-	-	-	8.0	A	-	-
104	**17691A02B0**	22.0	19.0	8.32	8.02	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	-	F	6.0	B	8.0	A	9.0	A+	10.0	O	-	-	-	-	9.0	A+	-	-
105	**17691A02B1**	22.0	16.0	5.75	6.39	-	-	-	-	-	-	-	-	4.0	P	4.0	P	8.0	A	-	F	0.0	F	7.0	B+	9.0	A+	-	-	-	-	4.0	P	-	-
106	**17691A02B2**	22.0	22.0	7.77	8.3	-	-	-	-	-	-	-	-	7.0	B+	9.0	A+	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	-	-	8.0	A	-	-	-	-
107	**17691A02B3**	22.0	22.0	8.41	8.38	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	9.0	A+	6.0	B	8.0	A	10.0	O	9.0	A+	-	-	9.0	A+	-	-	-	-
108	**17691A02B4**	22.0	22.0	6.41	6.16	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	4.0	P	4.0	P	9.0	A+	9.0	A+	-	-	-	-	7.0	B+	-	-
109	**17691A02B5**	22.0	22.0	6.0	6.83	-	-	-	-	-	-	-	-	5.0	C	6.0	B	6.0	B	4.0	P	4.0	P	9.0	A+	9.0	A+	-	-	7.0	B+	-	-	-	-
110	**18695A0201**	22.0	22.0	6.82	6.89	-	-	-	-	-	-	5.0	C	5.0	C	7.0	B+	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-
111	**18695A0202**	22.0	22.0	8.91	8.68	-	-	-	-	7.0	B+	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	-	-	-	-	-	-
112	**18695A0203**	22.0	22.0	7.82	7.29	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	7.0	B+	7.0	B+	10.0	O	10.0	O	-	-	7.0	B+	-	-	-	-
113	**18695A0204**	22.0	22.0	6.82	6.67	-	-	-	-	-	-	-	-	6.0	B	6.0	B	6.0	B	6.0	B	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	7.0	B+	-	-
114	**18695A0205**	22.0	22.0	7.95	7.86	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	8.0	A	7.0	B+	7.0	B+	10.0	O	10.0	O	8.0	A	-	-	-	-	-	-
115	**18695A0206**	22.0	22.0	7.68	8.11	-	-	-	-	-	-	8.0	A	7.0	B+	7.0	B+	7.0	B+	7.0	B+	7.0	B+	10.0	O	10.0	O	-	-	-	-	-	-	-	-
116	**18695A0207**	22.0	22.0	9.45	9.45	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	-	-	-	-	10.0	O
117	**18695A0208**	22.0	22.0	8.23	7.8	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	7.0	B+	7.0	B+	10.0	O	10.0	O	-	-	9.0	A+	-	-	-	-
118	**18695A0209**	22.0	22.0	8.68	8.58	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	-	-	10.0	O	-	-	-	-
119	**18695A0210**	22.0	22.0	7.18	6.73	-	-	-	-	-	-	-	-	6.0	B	6.0	B	9.0	A+	6.0	B	6.0	B	9.0	A+	10.0	O	-	-	-	-	7.0	B+	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - ELECTRICAL AND ELECTRONICS ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																											
						14CE402		14CE403		14CHE401		14CSU402		14EEE110		14EEE111		14EEE112-M1		14EEE113		14EEE114		14EEE205		14EEE206		14HUM401		14MAT401		14ME402		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
120	**18695A0211**	22.0	22.0	8.0	8.11	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	-	-	-	-	8.0	A	-	-
121	**18695A0212**	22.0	19.0	6.11	6.3	-	-	-	-	-	-	-	-	6.0	B	4.0	P	7.0	B+	5.0	C	4.0	P	10.0	O	9.0	A+	-	-	-	F	-	-	-	-
122	**18695A0213**	22.0	19.0	7.0	7.06	-	-	-	-	-	-	-	-	6.0	B	6.0	B	-	F	6.0	B	6.0	B	10.0	O	10.0	O	-	-	-	-	7.0	B+	-	-
123	**18695A0214**	22.0	22.0	8.5	8.26	-	-	-	-	-	-	-	-	8.0	A	8.0	A	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	-	-	-	-	8.0	A	-	-
124	**18695A0215**	22.0	22.0	8.91	8.71	-	-	-	-	-	-	-	-	8.0	A	10.0	O	9.0	A+	7.0	B+	9.0	A+	10.0	O	10.0	O	-	-	-	-	9.0	A+	-	-
125	**18695A0216**	22.0	22.0	8.77	8.7	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	9.0	A+	7.0	B+	10.0	O	10.0	O	-	-	-	-	9.0	A+	-	-
126	**18695A0217**	22.0	22.0	7.95	8.12	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	7.0	B+	8.0	A	10.0	O	10.0	O	-	-	-	-	8.0	A	-	-
127	**18695A0218**	22.0	22.0	8.0	7.98	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	7.0	B+	7.0	B+	10.0	O	9.0	A+	-	-	-	-	8.0	A	-	-
128	**18695A0219**	22.0	19.0	6.63	6.92	-	-	-	-	-	-	-	-	4.0	P	6.0	B	7.0	B+	6.0	B	-	F	9.0	A+	9.0	A+	-	-	-	-	7.0	B+	-	-
129	**18695A0220**	22.0	16.0	5.75	5.88	-	-	-	-	-	-	-	-	-	F	4.0	P	7.0	B+	4.0	P	-	F	8.0	A	8.0	A	-	-	-	-	5.0	C	-	-
130	**18695A0221**	22.0	22.0	7.64	7.52	-	-	-	-	-	-	-	-	6.0	B	8.0	A	8.0	A	7.0	B+	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	8.0	A	-	-
131	**18695A0222**	22.0	22.0	7.91	8.05	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	-	-	-	-	8.0	A	-	-
132	**18695A0223**	22.0	19.0	6.63	6.29	-	-	-	-	-	-	-	-	5.0	C	6.0	B	6.0	B	6.0	B	-	F	9.0	A+	9.0	A+	-	-	-	-	7.0	B+	-	-
133						-	-	-	-	-	-	-	-															-	-	-	-			-	-
134	**18695A0225**	22.0	22.0	7.64	7.89	9.0	A+	-	-	-	-	-	-	6.0	B	8.0	A	8.0	A	6.0	B	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-
135	**18695A0226**	22.0	22.0	7.77	7.73	-	-	-	-	-	-	-	-	6.0	B	8.0	A	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-	-	-	8.0	A	-	-
136	**18695A0227**	22.0	19.0	7.11	7.19	-	-	-	-	-	-	-	-	5.0	C	7.0	B+	-	F	8.0	A	6.0	B	9.0	A+	9.0	A+	-	-	-	-	7.0	B+	-	-
137	**18695A0228**	22.0	22.0	7.14	7.14	-	-	-	-	-	-	-	-	6.0	B	8.0	A	7.0	B+	8.0	A	5.0	C	8.0	A	9.0	A+	7.0	B+	-	-	-	-	-	-
138	**18695A0229**	22.0	16.0	6.63	7.12	-	-	-	-	-	-	-	-	4.0	P	7.0	B+	-	F	6.0	B	0.0	F	8.0	A	9.0	A+	-	-	-	-	7.0	B+	-	-

Course Code	Course Name
14CE402	RURAL WATER SUPPLY AND SANITATION
14CE403	GREEN BUILDINGS AND ENERGY CONSERVATION
14CHE401	INTRODUCTION TO NANO SCIENCE AND TECHNOLOGY
14CSU402	ARTIFICIAL INTELLIGENCE
14EEE110	OBJECT ORIENTED PROGRAMMING
14EEE111	ELECTRICAL MEASUREMENTS & INSTRUMENTATION
14EEE112-M1	POWER SYSTEM ANALYSIS (MOOC)
14EEE113	POWER ELECTRONICS
14EEE114	SIGNALS & SYSTEMS
14EEE205	CONTROL SYSTEMS PRACTICALS
14EEE206	ANALOG ELECTRONICS PRACTICALS
14HUM401	PROFESSIONAL ETHICS
14MAT401	NUMERICAL ANALYSIS
14ME402	POWER PLANT ENGINEERING
14PHY401	PHYSICS OF LASER AND APPLICATIONS

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

MADANAPALLE INSTITUTE OF TECHNOLOGY AND SCIENCE

(UGC - Autonomous)
(Approved by AICTE, New Delhi & Affiliated to JNTUA,Ananthapuramu)
P.B NO:14,Angallu,Kadiri Road,Madanapalle - 517325, Chittor Dist,A.P.

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - ELECTRONICS AND COMMUNICATION ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						14CE402		14CE403		14CHE401		14CSU402		14CSU403		14ECE109		14ECE110-M1		14ECE111		14ECE112		14ECE113		14ECE205		14ECE206		14EEE401		14HUM401		14MAT401		14ME402		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
1	**16691A0419**	22.0	19.0	5.79	5.86	-	-	-	-	-	-	-	-	6.0	B	4.0	P	6.0	B	-	F	4.0	P	6.0	B	8.0	A	8.0	A	-	-	-	-	-	-	-	-	-	-
2	**16691A0446**	22.0	13.0	6.0	5.97	-	-	-	-	-	-	-	-	4.0	P	-	F	6.0	B	-	F	-	F	6.0	B	8.0	A	7.0	B+	-	-	-	-	-	-	-	-	-	-
3						-	-	-	-	-	-	-	-	-	-															-	-	-	-	-	-	-	-	-	-
4						-	-	-	-	-	-			-	-															-	-	-	-	-	-	-	-	-	-
5						-	-	-	-	-	-			-	-															-	-	-	-	-	-	-	-	-	-
6						-	-	-	-	-	-	-	-	-	-															-	-	-	-	-				-	-
7	**17691A0401**	22.0	16.0	6.31	6.71	-	-	-	-	-	-	-	-	-	-	-	F	6.0	B	-	F	4.0	P	6.0	B	9.0	A+	7.0	B+	-	-	7.0	B+	-	-	-	-	-	-
8	**17691A0403**	22.0	22.0	7.91	7.89	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-	9.0	A+	-	-	-	-	-	-
9	**17691A0404**	22.0	22.0	7.55	8.11	-	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	7.0	B+	8.0	A	7.0	B+	8.0	A	9.0	A+	-	-	-	-	-	-	7.0	B+	-	-
10	**17691A0405**	22.0	16.0	5.44	6.03	-	-	-	-	-	-	-	-	5.0	C	4.0	P	-	F	-	F	4.0	P	6.0	B	8.0	A	7.0	B+	-	-	-	-	-	-	-	-	-	-
11	**17691A0406**	22.0	22.0	6.18	6.81	-	-	-	-	-	-	-	-	-	-	4.0	P	7.0	B+	4.0	P	4.0	P	7.0	B+	8.0	A	9.0	A+	-	-	8.0	A	-	-	-	-	-	-
12	**17691A0407**	22.0	16.0	6.56	6.81	-	-	-	-	-	-	-	-	-	-	-	F	7.0	B+	-	F	5.0	C	6.0	B	8.0	A	7.0	B+	-	-	7.0	B+	-	-	-	-	-	-
13	**17691A0408**	22.0	22.0	7.32	7.47	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	7.0	B+	7.0	B+	8.0	A	8.0	A	-	-	-	-	-	-	7.0	B+	-	-
14	**17691A0409**	22.0	22.0	8.27	8.26	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	8.0	A	7.0	B+	9.0	A+	10.0	O	-	-	9.0	A+	-	-	-	-	-	-
15	**17691A0410**	22.0	22.0	7.45	7.6	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	7.0	B+	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	7.0	B+	-	-
16	**17691A0411**	22.0	16.0	5.38	6.11	-	-	-	-	-	-	-	-	-	F	4.0	P	6.0	B	4.0	P	4.0	P	-	F	8.0	A	8.0	A	-	-	-	-	-	-	-	-	-	-
17	**17691A0412**	22.0	22.0	8.45	8.65	-	-	-	-	-	-	8.0	A	-	-	9.0	A+	7.0	B+	9.0	A+	9.0	A+	8.0	A	8.0	A	10.0	O	-	-	-	-	-	-	-	-	-	-
18	**17691A0413**	22.0	22.0	8.5	8.91	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
19	**17691A0414**	22.0	22.0	8.27	8.56	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	7.0	B+	9.0	A+	9.0	A+	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
20	**17691A0415**	22.0	22.0	6.86	7.23	-	-	-	-	-	-	-	-	6.0	B	5.0	C	6.0	B	8.0	A	7.0	B+	7.0	B+	9.0	A+	8.0	A	-	-	-	-	-	-	-	-	-	-
21	**17691A0416**	22.0	22.0	5.68	6.45	-	-	-	-	-	-	-	-	4.0	P	4.0	P	7.0	B+	6.0	B	4.0	P	6.0	B	8.0	A	8.0	A	-	-	-	-	-	-	-	-	-	-
22						-	-	-	-	-	-	-	-																	-	-	-	-	-	-	-	-	-	-
23	**17691A0419**	22.0	22.0	7.64	7.66	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	-	-	-	-	8.0	A	-	-	-	-
24	**17691A0420**	22.0	22.0	7.41	7.58	-	-	-	-	-	-	8.0	A	-	-	6.0	B	7.0	B+	7.0	B+	7.0	B+	8.0	A	9.0	A+	8.0	A	-	-	-	-	-	-	-	-	-	-
25	**17691A0421**	22.0	22.0	8.0	8.1	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	7.0	B+	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
26	**17691A0422**	22.0	22.0	7.91	8.42	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-	-	-	9.0	A+	-	-	-	-
27	**17691A0423**	22.0	22.0	7.55	7.47	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	8.0	A	8.0	A	7.0	B+	8.0	A	9.0	A+	-	-	8.0	A	-	-	-	-	-	-
28	**17691A0424**	22.0	22.0	8.0	8.05	-	-	-	-	-	-	-	-	6.0	B	8.0	A	8.0	A	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	-	-	-	-	-	-	-	-	-	-
29	**17691A0425**	22.0	22.0	7.18	7.96	-	-	-	-	-	-	-	-	6.0	B	6.0	B	7.0	B+	8.0	A	6.0	B	7.0	B+	9.0	A+	10.0	O	-	-	-	-	-	-	-	-	-	-
30	**17691A0426**	22.0	19.0	7.21	7.39	-	-	-	-	-	-	-	-	-	-	5.0	C	-	F	7.0	B+	7.0	B+	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	6.0	B	-	-
31	**17691A0427**	22.0	7.0	6.29	6.3	-	-	-	-	-	-	-	-	-	-	-	F	-	F	-	F	-	F	-	F	8.0	A	8.0	A	-	-	-	-	-	-	4.0	P	-	-
32	**17691A0428**	22.0	22.0	6.77	7.29	-	-	-	-	-	-	-	-	-	-	4.0	P	8.0	A	6.0	B	6.0	B	7.0	B+	8.0	A	8.0	A	-	-	8.0	A	-	-	-	-	-	-
33	**17691A0429**	22.0	22.0	8.59	8.78	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	9.0	A+	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	-	-	9.0	A+	-	-	-	-
34	**17691A0430**	22.0	22.0	8.18	8.31	-	-	-	-	-	-	8.0	A	-	-	8.0	A	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
35	**17691A0431**	22.0	22.0	6.36	6.46	-	-	-	-	-	-	-	-	6.0	B	5.0	C	7.0	B+	6.0	B	6.0	B	6.0	B	8.0	A	8.0	A	-	-	-	-	-	-	-	-	-	-
36	**17691A0432**	22.0	22.0	8.27	8.82	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	8.0	A	9.0	A+	8.0	A	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
37	**17691A0433**	22.0	22.0	7.23	8.25	-	-	-	-	-	-	7.0	B+	-	-	6.0	B	7.0	B+	7.0	B+	6.0	B	8.0	A	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - ELECTRONICS AND COMMUNICATION ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						14CE402		14CE403		14CHE401		14CSU402		14CSU403		14ECE109		14ECE110-M1		14ECE111		14ECE112		14ECE113		14ECE205		14ECE206		14EEE401		14HUM401		14MAT401		14ME402		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
38	**17691A0434**	22.0	22.0	9.05	9.15	-	-	-	-	-	-	-	-	-	-	10.0	O	8.0	A	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	-	-	-	-	-	-
39	**17691A0435**	22.0	22.0	8.82	8.8	-	-	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	9.0	A+	8.0	A	9.0	A+	10.0	O	-	-	-	-	9.0	A+	-	-	-	-
40	**17691A0436**	22.0	22.0	8.05	8.27	-	-	-	-	-	-	-	-	-	-	9.0	A+	7.0	B+	8.0	A	6.0	B	9.0	A+	9.0	A+	9.0	A+	-	-	8.0	A	-	-	-	-	-	-
41	**17691A0437**	22.0	22.0	6.82	6.44	-	-	-	-	-	-	-	-	-	-	4.0	P	7.0	B+	6.0	B	7.0	B+	6.0	B	9.0	A+	9.0	A+	-	-	8.0	A	-	-	-	-	-	-
42	**17691A0438**	22.0	22.0	7.45	7.78	6.0	B	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	7.0	B+	9.0	A+	8.0	A	8.0	A	-	-	-	-	-	-	-	-	-	-
43	**17691A0439**	22.0	22.0	6.64	6.86	-	-	-	-	-	-	-	-	6.0	B	6.0	B	7.0	B+	6.0	B	6.0	B	7.0	B+	8.0	A	8.0	A	-	-	-	-	-	-	-	-	-	-
44	**17691A0440**	22.0	7.0	7.86	6.89	-	-	-	-	-	-	-	-	-	-	-	F	-	F	-	F	-	F	-	F	9.0	A+	8.0	A	-	-	7.0	B+	-	-	-	-	-	-
45	**17691A0441**	22.0	22.0	8.95	9.22	-	-	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	9.0	A+	9.0	A+	8.0	A	9.0	A+	10.0	O	-	-	-	-	10.0	O	-	-	-	-
46	**17691A0442**	22.0	22.0	8.95	9.25	-	-	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	-	-	-	-	-	-
47	**17691A0443**	22.0	22.0	8.91	9.13	-	-	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	-	-	9.0	A+	-	-	-	-
48	**17691A0444**	22.0	22.0	7.09	7.96	-	-	-	-	-	-	-	-	6.0	B	6.0	B	7.0	B+	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
49	**17691A0445**	22.0	22.0	8.05	7.85	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	9.0	A+	9.0	A+	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	9.0	A+	-	-	-	-
50	**17691A0446**	22.0	22.0	7.91	8.54	-	-	-	-	-	-	8.0	A	-	-	7.0	B+	6.0	B	9.0	A+	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
51	**17691A0447**	22.0	22.0	7.73	8.38	-	-	-	-	-	-	-	-	6.0	B	8.0	A	7.0	B+	9.0	A+	8.0	A	6.0	B	9.0	A+	10.0	O	-	-	-	-	-	-	-	-	-	-
52	**17691A0448**	22.0	22.0	7.27	7.79	-	-	-	-	-	-	-	-	6.0	B	6.0	B	7.0	B+	8.0	A	8.0	A	7.0	B+	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	-	-
53	**17691A0449**	22.0	22.0	8.41	8.8	-	-	-	-	-	-	8.0	A	-	-	9.0	A+	7.0	B+	9.0	A+	8.0	A	8.0	A	9.0	A+	10.0	O	-	-	-	-	-	-	-	-	-	-
54	**17691A0450**	22.0	10.0	6.0	6.16	-	-	-	-	-	-	-	-	-	-	-	F	6.0	B	-	F	4.0	P	-	F	8.0	A	7.0	B+	-	-	-	F	-	-	-	-	-	-
55	**17691A0451**	22.0	22.0	7.18	7.25	-	-	-	-	-	-	-	-	-	-	6.0	B	6.0	B	8.0	A	7.0	B+	7.0	B+	8.0	A	8.0	A	-	-	8.0	A	-	-	-	-	-	-
56	**17691A0452**	22.0	22.0	7.32	7.45	-	-	-	-	-	-	-	-	-	-	5.0	C	7.0	B+	7.0	B+	7.0	B+	7.0	B+	10.0	O	9.0	A+	-	-	-	-	-	-	8.0	A	-	-
57	**17691A0453**	22.0	22.0	7.36	7.96	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	7.0	B+	8.0	A	8.0	A	7.0	B+	-	-	-	-	8.0	A	-	-	-	-
58	**17691A0454**	22.0	22.0	6.95	7.07	-	-	-	-	-	-	-	-	5.0	C	7.0	B+	7.0	B+	7.0	B+	6.0	B	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
59	**17691A0455**	22.0	22.0	8.82	8.97	-	-	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	9.0	A+	8.0	A	9.0	A+	10.0	O	-	-	-	-	9.0	A+	-	-	-	-
60	**17691A0456**	22.0	22.0	8.64	9.07	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	7.0	B+	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
61	**17691A0457**	22.0	19.0	7.58	8.05	-	-	-	-	-	-	-	-	6.0	B	8.0	A	-	F	7.0	B+	8.0	A	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
62	**17691A0458**	22.0	22.0	6.68	7.46	-	-	-	-	-	-	-	-	5.0	C	7.0	B+	6.0	B	7.0	B+	7.0	B+	7.0	B+	7.0	B+	8.0	A	-	-	-	-	-	-	-	-	-	-
63	**17691A0459**	22.0	22.0	7.77	8.37	7.0	B+	-	-	-	-	-	-	-	-	8.0	A	8.0	A	7.0	B+	8.0	A	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
64	**17691A0460**	22.0	22.0	7.14	7.58	-	-	-	-	-	-	7.0	B+	-	-	6.0	B	7.0	B+	6.0	B	7.0	B+	8.0	A	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	-	-
65	**17691A0461**	22.0	22.0	8.0	8.6	7.0	B+	-	-	-	-	-	-	-	-	8.0	A	8.0	A	9.0	A+	7.0	B+	7.0	B+	9.0	A+	10.0	O	-	-	-	-	-	-	-	-	-	-
66	**17691A0462**	22.0	20.0	6.5	7.74	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	7.0	B+	5.0	C	5.0	C	-	F	8.0	A	-	-	-	-	-	-	-	-	-	-
67	**17691A0463**	22.0	22.0	7.5	8.13	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	8.0	A	7.0	B+	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
68	**17691A0464**	22.0	22.0	6.27	7.28	-	-	-	-	-	-	-	-	5.0	C	6.0	B	7.0	B+	6.0	B	6.0	B	6.0	B	6.0	B	9.0	A+	-	-	-	-	-	-	-	-	-	-
69	**17691A0465**	22.0	22.0	7.86	7.75	-	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	7.0	B+	8.0	A	9.0	A+	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
70	**17691A0466**	22.0	22.0	8.41	9.15	-	-	-	-	-	-	-	-	7.0	B+	9.0	A+	8.0	A	9.0	A+	8.0	A	8.0	A	9.0	A+	10.0	O	-	-	-	-	-	-	-	-	-	-
71	**17691A0467**	22.0	22.0	8.64	8.56	-	-	-	-	-	-	-	-	-	-	9.0	A+	7.0	B+	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	8.0	A	-	-	-	-	-	-
72	**17691A0468**	22.0	22.0	6.36	6.94	-	-	-	-	-	-	-	-	-	-	4.0	P	7.0	B+	7.0	B+	6.0	B	6.0	B	8.0	A	8.0	A	-	-	-	-	-	-	6.0	B	-	-
73	**17691A0469**	22.0	22.0	9.23	9.35	-	-	-	-	-	-	-	-	-	-	10.0	O	8.0	A	9.0	A+	10.0	O	9.0	A+	10.0	O	9.0	A+	-	-	9.0	A+	-	-	-	-	-	-
74	**17691A0470**	22.0	20.0	7.1	7.61	-	-	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	6.0	B	6.0	B	7.0	B+	-	F	8.0	A	-	-	8.0	A	-	-	-	-	-	-
75	**17691A0471**	22.0	22.0	7.82	7.32	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	8.0	A	8.0	A	9.0	A+	8.0	A	-	-	9.0	A+	-	-	-	-	-	-
76	**17691A0472**	22.0	22.0	8.64	8.65	-	-	-	-	-	-	-	-	-	-	9.0	A+	7.0	B+	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	-	-	-	-	-	-	9.0	A+	-	-
77	**17691A0473**	22.0	22.0	6.45	7.21	-	-	-	-	-	-	-	-	-	-	5.0	C	7.0	B+	6.0	B	6.0	B	6.0	B	9.0	A+	8.0	A	-	-	-	-	-	-	6.0	B	-	-
78	**17691A0474**	22.0	16.0	6.5	6.21	-	-	-	-	-	-	-	-	6.0	B	5.0	C	-	F	6.0	B	-	F	7.0	B+	8.0	A	8.0	A	-	-	-	-	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - ELECTRONICS AND COMMUNICATION ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						14CE402		14CE403		14CHE401		14CSU402		14CSU403		14ECE109		14ECE110-M1		14ECE111		14ECE112		14ECE113		14ECE205		14ECE206		14EEE401		14HUM401		14MAT401		14ME402		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
79	**17691A0475**	22.0	22.0	7.18	6.72	-	-	-	-	-	-	-	-	-	-	5.0	C	7.0	B+	7.0	B+	6.0	B	7.0	B+	10.0	O	9.0	A+	-	-	8.0	A	-	-	-	-	-	-
80	**17691A0476**	22.0	16.0	6.75	6.69	-	-	-	-	-	-	-	-	6.0	B	5.0	C	-	F	-	F	6.0	B	7.0	B+	10.0	O	8.0	A	-	-	-	-	-	-	-	-	-	-
81	**17691A0477**	22.0	22.0	7.36	7.34	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	-	-	8.0	A	-	-	-	-	-	-
82	**17691A0478**	22.0	22.0	7.5	7.54	-	-	-	-	-	-	-	-	-	-	5.0	C	8.0	A	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	-	-	7.0	B+	-	-
83	**17691A0479**	22.0	17.0	5.71	6.53	5.0	C	-	-	-	-	-	-	-	-	-	F	7.0	B+	5.0	C	6.0	B	4.0	P	-	F	8.0	A	-	-	-	-	-	-	-	-	-	-
84	**17691A0480**	22.0	16.0	7.19	6.67	-	-	-	-	-	-	-	-	-	-	-	F	7.0	B+	6.0	B	-	F	6.0	B	8.0	A	9.0	A+	-	-	8.0	A	-	-	-	-	-	-
85	**17691A0481**	22.0	22.0	8.27	8.51	-	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	9.0	A+	8.0	A	7.0	B+	10.0	O	9.0	A+	-	-	9.0	A+	-	-	-	-	-	-
86	**17691A0482**	22.0	22.0	9.05	9.28	-	-	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	9.0	A+	-	-	-	-	-	-
87	**17691A0483**	22.0	22.0	8.55	8.74	-	-	-	-	-	-	-	-	-	-	9.0	A+	7.0	B+	9.0	A+	8.0	A	8.0	A	10.0	O	9.0	A+	-	-	9.0	A+	-	-	-	-	-	-
88	**17691A0484**	22.0	22.0	7.95	8.55	-	-	-	-	-	-	-	-	6.0	B	9.0	A+	9.0	A+	7.0	B+	8.0	A	6.0	B	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
89	**17691A0486**	22.0	22.0	6.82	7.74	-	-	-	-	-	-	-	-	7.0	B+	5.0	C	7.0	B+	7.0	B+	7.0	B+	7.0	B+	6.0	B	9.0	A+	-	-	-	-	-	-	-	-	-	-
90	**17691A0490**	22.0	22.0	8.27	7.36	-	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	9.0	A+	8.0	A	10.0	O	9.0	A+	-	-	8.0	A	-	-	-	-	-	-
91	**17691A0491**	22.0	22.0	7.86	8.55	-	-	-	-	-	-	-	-	6.0	B	8.0	A	7.0	B+	9.0	A+	7.0	B+	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
92	**17691A0492**	22.0	22.0	9.05	9.4	-	-	-	-	-	-	-	-	8.0	A	10.0	O	7.0	B+	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
93	**17691A0493**	22.0	19.0	6.21	7.2	-	-	-	-	-	-	-	-	-	F	4.0	P	6.0	B	6.0	B	6.0	B	6.0	B	9.0	A+	8.0	A	-	-	-	-	-	-	-	-	-	-
94	**17691A0494**	22.0	22.0	9.32	9.33	-	-	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	-	-	10.0	O	-	-	-	-
95	**17691A0495**	22.0	16.0	6.69	6.93	-	-	-	-	-	-	-	-	-	-	-	F	-	F	6.0	B	5.0	C	5.0	C	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+
96	**17691A0496**	22.0	22.0	7.91	8.21	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	7.0	B+	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	10.0	O	-	-	-	-
97	**17691A0497**	22.0	22.0	7.77	8.32	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	9.0	A+	8.0	A	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
98	**17691A0498**	22.0	22.0	7.05	8.16	-	-	-	-	-	-	-	-	6.0	B	6.0	B	6.0	B	7.0	B+	7.0	B+	7.0	B+	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
99	**17691A04A0**	22.0	22.0	8.64	9.2	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
100	**17691A04A1**	22.0	19.0	7.37	7.63	-	-	-	-	-	-	-	-	6.0	B	-	F	7.0	B+	7.0	B+	7.0	B+	7.0	B+	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
101	**17691A04A2**	22.0	19.0	6.58	7.16	-	-	-	-	-	-	-	-	5.0	C	-	F	7.0	B+	6.0	B	7.0	B+	6.0	B	7.0	B+	9.0	A+	-	-	-	-	-	-	-	-	-	-
102	**17691A04A3**	22.0	4.0	7.0	6.85	-	-	-	-	-	-	-	-	-	-	-	F	-	F	-	F	-	F	-	F	6.0	B	8.0	A	-	-	-	-	-	-	-	-	-	F
103	**17691A04A4**	22.0	22.0	9.05	9.48	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	7.0	B+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
104	**17691A04A5**	22.0	22.0	8.41	9.0	-	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	9.0	A+	-	-	-	-	-	-
105	**17691A04A6**	22.0	22.0	8.05	8.14	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	-	-	8.0	A	-	-	-	-	-	-
106	**17691A04A7**	22.0	22.0	8.32	8.92	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	8.0	A	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
107	**17691A04A8**	22.0	22.0	8.64	9.1	-	-	-	-	-	-	-	-	8.0	A	10.0	O	7.0	B+	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
108	**17691A04A9**	22.0	22.0	8.09	8.1	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	7.0	B+	8.0	A	6.0	B	10.0	O	10.0	O	-	-	-	-	9.0	A+	-	-	-	-
109	**17691A04B0**	22.0	22.0	8.91	9.22	-	-	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	9.0	A+	7.0	B+	10.0	O	10.0	O	-	-	-	-	10.0	O	-	-	-	-
110	**17691A04B1**	22.0	22.0	7.77	8.66	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	8.0	A	8.0	A	8.0	A	8.0	A	10.0	O	8.0	A	-	-	-	-	-	-	-	-	-	-
111	**17691A04B2**	22.0	22.0	6.95	8.13	-	-	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	7.0	B+	6.0	B	5.0	C	9.0	A+	9.0	A+	-	-	-	-	-	-	6.0	B	-	-
112	**17691A04B3**	22.0	10.0	5.6	5.79	-	-	-	-	-	-	-	-	-	-	-	F	6.0	B	-	F	4.0	P	-	F	5.0	C	8.0	A	-	-	-	-	-	-	-	-	-	F
113	**17691A04B4**	22.0	22.0	6.41	7.39	-	-	-	-	-	-	7.0	B+	-	-	4.0	P	7.0	B+	5.0	C	6.0	B	6.0	B	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
114	**17691A04B5**	22.0	8.0	5.13	5.55	-	-	-	-	-	-	-	-	-	-	-	F	-	F	-	F	4.0	P	5.0	C	-	F	7.0	B+	-	-	-	-	-	-	-	-	-	F
115	**17691A04B6**	22.0	22.0	6.41	6.19	-	-	-	-	-	-	-	-	6.0	B	4.0	P	7.0	B+	6.0	B	6.0	B	6.0	B	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
116	**17691A04B7**	22.0	4.0	6.0	6.27	-	F	-	-	-	-	-	-	-	-	-	F	-	F	-	F	-	F	-	F	4.0	P	8.0	A	-	-	-	-	-	-	-	-	-	-
117	**17691A04B8**	22.0	22.0	9.05	9.12	-	-	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	-	-	10.0	O	-	-	-	-
118	**17691A04B9**	22.0	22.0	8.55	8.75	-	-	-	-	-	-	-	-	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
119	**17691A04C0**	22.0	22.0	8.14	8.79	-	-	-	-	-	-	-	-	6.0	B	9.0	A+	7.0	B+	9.0	A+	8.0	A	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - ELECTRONICS AND COMMUNICATION ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						14CE402		14CE403		14CHE401		14CSU402		14CSU403		14ECE109		14ECE110-M1		14ECE111		14ECE112		14ECE113		14ECE205		14ECE206		14EEE401		14HUM401		14MAT401		14ME402		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
120	**17691A04C1**	22.0	10.0	4.8	5.91	-	-	-	-	-	-	-	-	-	-	-	F	-	Ab	0.0	F	-	F	4.0	P	5.0	C	4.0	P	-	-	6.0	B	-	-	-	-	-	-
121	**17691A04C2**	22.0	19.0	5.63	6.86	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	0.0	F	5.0	C	4.0	P	6.0	B	4.0	P	-	-	7.0	B+	-	-	-	-	-	-
122	**17691A04C3**	22.0	22.0	7.27	8.25	-	-	-	-	-	-	-	-	-	-	5.0	C	7.0	B+	7.0	B+	7.0	B+	7.0	B+	10.0	O	10.0	O	-	-	7.0	B+	-	-	-	-	-	-
123	**17691A04C4**	22.0	22.0	8.36	8.79	-	-	-	-	-	-	-	-	6.0	B	9.0	A+	8.0	A	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
124	**17691A04C5**	22.0	22.0	8.36	8.97	-	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	-	-	8.0	A	-	-	-	-	-	-
125	**17691A04C6**	22.0	22.0	6.45	7.03	-	-	-	-	-	-	-	-	5.0	C	5.0	C	8.0	A	5.0	C	7.0	B+	6.0	B	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	-	-
126	**17691A04C7**	22.0	22.0	8.5	9.01	-	-	8.0	A	-	-	-	-	-	-	9.0	A+	8.0	A	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
127	**17691A04C8**	22.0	22.0	6.45	7.31	-	-	-	-	-	-	-	-	5.0	C	5.0	C	6.0	B	6.0	B	8.0	A	6.0	B	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	-	-
128	**17691A04C9**	22.0	16.0	5.56	5.53	5.0	C	-	-	-	-	-	-	-	-	-	F	-	F	4.0	P	6.0	B	6.0	B	9.0	A+	4.0	P	-	-	-	-	-	-	-	-	-	-
129	**17691A04D0**	22.0	22.0	7.45	7.88	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	8.0	A	6.0	B	10.0	O	9.0	A+	-	-	-	-	-	-	8.0	A	-	-
130	**17691A04D1**	22.0	22.0	7.55	7.79	-	-	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	8.0	A	8.0	A	7.0	B+	9.0	A+	8.0	A	-	-	-	-	-	-	8.0	A	-	-
131	**17691A04D2**	22.0	22.0	8.64	8.66	-	-	-	-	-	-	8.0	A	-	-	8.0	A	8.0	A	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
132	**17691A04D3**	22.0	22.0	7.41	8.18	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	6.0	B	7.0	B+	8.0	A	10.0	O	10.0	O	-	-	-	-	-	-	7.0	B+	-	-
133	**17691A04D4**	22.0	22.0	8.18	8.39	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
134	**17691A04D5**	22.0	22.0	8.41	8.53	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	-	-	-	-	8.0	A	-	-
135	**17691A04D6**	22.0	3.0	5.0	6.21	-	-	-	-	-	-	-	-	-	-	-	F	-	Ab	0.0	F	0.0	F	-	F	-	Ab	-	Ab	-	-	5.0	C	-	-	-	-	-	-
136	**17691A04D7**	22.0	19.0	7.26	7.49	-	-	-	-	-	-	-	-	-	-	-	F	7.0	B+	7.0	B+	8.0	A	7.0	B+	8.0	A	7.0	B+	-	-	-	-	-	-	7.0	B+	-	-
137	**17691A04D8**	22.0	22.0	8.18	8.73	-	-	-	-	-	-	9.0	A+	-	-	7.0	B+	7.0	B+	8.0	A	9.0	A+	8.0	A	8.0	A	10.0	O	-	-	-	-	-	-	-	-	-	-
138	**17691A04D9**	22.0	22.0	8.09	8.41	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	9.0	A+	9.0	A+	7.0	B+	8.0	A	9.0	A+	-	-	-	-	10.0	O	-	-	-	-
139	**17691A04E0**	22.0	22.0	7.41	7.14	-	-	-	-	-	-	-	-	-	-	5.0	C	7.0	B+	7.0	B+	8.0	A	8.0	A	9.0	A+	8.0	A	-	-	8.0	A	-	-	-	-	-	-
140	**17691A04E1**	22.0	22.0	7.95	7.71	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	8.0	A	9.0	A+	9.0	A+	10.0	O	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
141	**17691A04E2**	22.0	22.0	7.91	7.74	-	-	-	-	-	-	-	-	-	-	6.0	B	8.0	A	6.0	B	9.0	A+	8.0	A	9.0	A+	9.0	A+	-	-	9.0	A+	-	-	-	-	-	-
142	**17691A04E3**	22.0	22.0	7.55	7.22	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	8.0	A	7.0	B+	9.0	A+	8.0	A	-	-	8.0	A	-	-	-	-	-	-
143	**17691A04E4**	22.0	22.0	8.77	8.99	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	-	-	10.0	O	-	-	-	-
144	**17691A04E5**	22.0	19.0	5.63	5.88	-	-	-	-	-	-	-	-	-	-	4.0	P	6.0	B	-	F	6.0	B	6.0	B	6.0	B	4.0	P	-	-	7.0	B+	-	-	-	-	-	-
145	**17691A04E6**	22.0	16.0	6.88	6.76	-	-	5.0	C	-	-	-	-	-	-	0.0	F	-	F	7.0	B+	7.0	B+	7.0	B+	8.0	A	8.0	A	-	-	-	-	-	-	-	-	-	-
146	**17691A04E7**	22.0	22.0	7.09	7.85	-	-	6.0	B	-	-	-	-	-	-	6.0	B	8.0	A	7.0	B+	7.0	B+	6.0	B	8.0	A	10.0	O	-	-	-	-	-	-	-	-	-	-
147	**17691A04E8**	22.0	22.0	7.27	7.74	-	-	-	-	-	-	-	-	-	-	5.0	C	7.0	B+	7.0	B+	7.0	B+	8.0	A	8.0	A	9.0	A+	-	-	8.0	A	-	-	-	-	-	-
148	**17691A04E9**	22.0	22.0	7.32	7.17	-	-	7.0	B+	-	-	-	-	-	-	6.0	B	7.0	B+	6.0	B	7.0	B+	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
149	**17691A04F0**	22.0	22.0	7.23	7.7	-	-	-	-	-	-	6.0	B	-	-	7.0	B+	7.0	B+	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
150	**17691A04F1**	22.0	4.0	8.0	6.94	-	-	-	F	-	-	-	-	-	-	-	F	-	F	-	F	-	F	-	F	7.0	B+	9.0	A+	-	-	-	-	-	-	-	-	-	-
151	**17691A04F2**	22.0	7.0	4.71	6.08	-	-	-	-	-	-	-	-	-	-	-	F	-	F	-	F	-	F	5.0	C	5.0	C	4.0	P	-	-	-	-	-	-	0.0	F	-	-
152	**17691A04F3**	22.0	22.0	7.18	7.19	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	6.0	B	7.0	B+	8.0	A	8.0	A	7.0	B+	9.0	A+	-	-	-	-	-	-	-	-	-	-
153	**17691A04F4**	22.0	22.0	7.18	7.38	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	7.0	B+	8.0	A	7.0	B+	7.0	B+	9.0	A+	-	-	-	-	-	-	-	-	-	-
154	**17691A04F5**	22.0	22.0	7.18	7.13	-	-	-	-	-	-	7.0	B+	-	-	7.0	B+	6.0	B	7.0	B+	8.0	A	7.0	B+	7.0	B+	9.0	A+	-	-	-	-	-	-	-	-	-	-
155	**17691A04F6**	22.0	22.0	7.91	8.05	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	9.0	A+	-	-	-	-
156	**17691A04F7**	22.0	22.0	8.05	8.01	-	-	9.0	A+	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	8.0	A	8.0	A	8.0	A	10.0	O	-	-	-	-	-	-	-	-	-	-
157	**17691A04F8**	22.0	22.0	8.91	9.2	-	-	9.0	A+	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
158	**17691A04F9**	22.0	4.0	5.0	6.23	-	-	-	F	-	-	-	-	-	-	-	F	-	F	-	F	-	F	-	F	6.0	B	4.0	P	-	-	-	-	-	-	-	-	-	-
159	**17691A04G0**	22.0	22.0	8.18	8.86	-	-	8.0	A	-	-	-	-	-	-	8.0	A	7.0	B+	9.0	A+	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
160	**17691A04G1**	22.0	7.0	4.86	6.12	-	-	4.0	P	-	-	-	-	-	-	-	F	-	F	-	F	0.0	F	-	F	7.0	B+	4.0	P	-	-	-	-	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - ELECTRONICS AND COMMUNICATION ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						14CE402		14CE403		14CHE401		14CSU402		14CSU403		14ECE109		14ECE110-M1		14ECE111		14ECE112		14ECE113		14ECE205		14ECE206		14EEE401		14HUM401		14MAT401		14ME402		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
161	**17691A04G2**	22.0	22.0	8.5	8.44	-	-	9.0	A+	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
162	**17691A04G3**	22.0	22.0	7.36	7.89	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	7.0	B+	7.0	B+	8.0	A	10.0	O	-	-	-	-	7.0	B+	-	-	-	-
163	**17691A04G4**	22.0	22.0	7.77	7.87	-	-	8.0	A	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	7.0	B+	8.0	A	10.0	O	8.0	A	-	-	-	-	-	-	-	-	-	-
164	**17691A04G5**	22.0	22.0	7.32	7.62	-	-	7.0	B+	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	7.0	B+	7.0	B+	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
165	**17691A04G6**	22.0	16.0	5.69	5.92	-	-	6.0	B	-	-	-	-	-	-	-	F	6.0	B	4.0	P	-	F	5.0	C	7.0	B+	7.0	B+	-	-	-	-	-	-	-	-	-	-
166	**17691A04G7**	22.0	22.0	8.18	8.33	-	-	8.0	A	-	-	-	-	-	-	7.0	B+	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
167	**17691A04G8**	22.0	16.0	6.81	7.12	-	-	6.0	B	-	-	-	-	-	-	6.0	B	7.0	B+	-	F	6.0	B	-	F	9.0	A+	8.0	A	-	-	-	-	-	-	-	-	-	-
168	**17691A04G9**	22.0	22.0	8.64	9.1	-	-	-	-	-	-	9.0	A+	-	-	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
169	**17691A04H0**	22.0	22.0	8.18	8.83	-	-	-	-	-	-	9.0	A+	-	-	8.0	A	7.0	B+	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
170	**17691A04H1**	22.0	22.0	8.0	8.47	-	-	-	-	-	-	8.0	A	-	-	6.0	B	8.0	A	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
171	**17691A04H2**	22.0	22.0	9.59	9.51	-	-	-	-	-	-	9.0	A+	-	-	10.0	O	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
172	**17691A04H3**	22.0	22.0	8.23	8.61	-	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	8.0	A	7.0	B+	10.0	O	10.0	O	-	-	-	-	9.0	A+	-	-	-	-
173	**17691A04H4**	22.0	22.0	8.27	8.45	-	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	9.0	A+	8.0	A	7.0	B+	10.0	O	9.0	A+	-	-	9.0	A+	-	-	-	-	-	-
174	**17691A04H5**	22.0	22.0	8.0	8.46	-	-	8.0	A	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
175	**17691A04H6**	22.0	22.0	8.5	8.64	9.0	A+	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
176	**17691A04H7**	22.0	19.0	6.68	6.49	6.0	B	-	-	-	-	-	-	-	-	5.0	C	7.0	B+	6.0	B	7.0	B+	-	F	9.0	A+	8.0	A	-	-	-	-	-	-	-	-	-	-
177	**17691A04H8**	22.0	10.0	4.8	5.72	-	-	4.0	P	-	-	-	-	-	-	-	F	6.0	B	-	F	-	F	0.0	F	5.0	C	4.0	P	-	-	-	-	-	-	-	-	-	-
178	**17691A04H9**	22.0	22.0	7.27	7.89	-	-	7.0	B+	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	7.0	B+	8.0	A	9.0	A+	8.0	A	-	-	-	-	-	-	-	-	-	-
179	**17691A04I0**	22.0	22.0	7.91	8.21	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-	9.0	A+	-	-	-	-	-	-
180	**17691A04I1**	22.0	16.0	6.75	6.45	-	-	-	-	-	-	-	-	-	-	-	F	6.0	B	-	F	6.0	B	7.0	B+	8.0	A	7.0	B+	-	-	7.0	B+	-	-	-	-	-	-
181	**17691A04I2**	22.0	22.0	9.05	9.26	-	-	-	-	-	-	-	-	-	-	9.0	A+	7.0	B+	10.0	O	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	-	-	10.0	O	-	-	-	-
182	**17691A04I3**	22.0	22.0	7.77	8.38	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-	8.0	A	-	-	-	-	-	-
183	**17691A04I4**	22.0	19.0	6.79	6.5	-	-	-	-	-	-	-	-	-	-	4.0	P	8.0	A	-	F	6.0	B	7.0	B+	8.0	A	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
184	**17691A04I5**	22.0	22.0	8.91	9.14	-	-	-	-	-	-	-	-	-	-	9.0	A+	7.0	B+	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	-	-	10.0	O	-	-	-	-
185	**17691A04I6**	22.0	22.0	7.5	8.26	-	-	-	-	-	-	-	-	-	-	6.0	B	6.0	B	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-	8.0	A	-	-	-	-	-	-
186	**17691A04I7**	22.0	19.0	6.74	6.83	-	-	-	-	-	-	-	-	-	-	4.0	P	7.0	B+	6.0	B	7.0	B+	-	F	8.0	A	8.0	A	-	-	8.0	A	-	-	-	-	-	-
187	**17691A04I8**	22.0	16.0	6.44	6.34	-	-	-	-	-	-	-	-	-	-	0.0	F	7.0	B+	0.0	F	6.0	B	5.0	C	7.0	B+	7.0	B+	-	-	7.0	B+	-	-	-	-	-	-
188	**17691A04I9**	22.0	19.0	7.42	7.45	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	7.0	B+	-	F	10.0	O	8.0	A	-	-	-	-	8.0	A	-	-	-	-
189	**17691A04J0**	22.0	16.0	6.81	7.05	-	-	-	-	-	-	-	-	-	-	-	F	7.0	B+	5.0	C	6.0	B	-	F	9.0	A+	8.0	A	-	-	-	-	-	-	7.0	B+	-	-
190	**17691A04J1**	22.0	13.0	6.85	6.78	-	-	-	-	-	-	-	-	-	-	-	Ab	7.0	B+	-	Ab	6.0	B	-	F	9.0	A+	7.0	B+	-	-	-	-	-	-	6.0	B	-	-
191	**17691A04J2**	22.0	22.0	6.86	6.95	-	-	-	-	-	-	-	-	-	-	5.0	C	7.0	B+	6.0	B	7.0	B+	7.0	B+	9.0	A+	8.0	A	-	-	-	-	-	-	7.0	B+	-	-
192	**17691A04J3**	22.0	22.0	7.36	7.96	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	6.0	B	7.0	B+	8.0	A	9.0	A+	9.0	A+	-	-	-	-	7.0	B+	-	-	-	-
193	**17691A04J4**	22.0	22.0	6.05	7.13	-	-	-	-	-	-	-	-	-	-	4.0	P	7.0	B+	4.0	P	6.0	B	6.0	B	9.0	A+	8.0	A	-	-	-	-	-	-	6.0	B	-	-
194	**17691A04J5**	22.0	22.0	7.32	7.08	-	-	-	-	-	-	-	-	-	-	6.0	B	6.0	B	6.0	B	8.0	A	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	7.0	B+	-	-
195	**17691A04J6**	22.0	19.0	5.84	6.25	-	-	-	-	-	-	-	-	-	-	-	F	6.0	B	5.0	C	5.0	C	6.0	B	8.0	A	7.0	B+	-	-	-	-	-	-	5.0	C	-	-
196	**17691A04J7**	22.0	22.0	9.18	9.52	-	-	-	-	-	-	-	-	-	-	10.0	O	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	-	-	10.0	O	-	-	-	-
197	**17691A04J8**	22.0	22.0	7.14	7.89	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	7.0	B+	6.0	B	9.0	A+	8.0	A	-	-	-	-	-	-	-	-	8.0	A
198	**17691A04J9**	22.0	19.0	6.11	6.02	-	-	-	-	-	-	-	-	-	-	-	F	7.0	B+	5.0	C	5.0	C	5.0	C	8.0	A	8.0	A	-	-	-	-	-	-	-	-	6.0	B
199	**17691A04K0**	22.0	22.0	6.86	7.11	7.0	B+	-	-	-	-	-	-	-	-	6.0	B	6.0	B	7.0	B+	7.0	B+	6.0	B	9.0	A+	8.0	A	-	-	-	-	-	-	-	-	-	-
200	**17691A04K1**	22.0	16.0	6.69	6.88	7.0	B+	-	-	-	-	-	-	-	-	5.0	C	7.0	B+	-	F	6.0	B	-	F	8.0	A	8.0	A	-	-	-	-	-	-	-	-	-	-
201	**17691A04K2**	22.0	22.0	8.0	8.44	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	8.0	A	7.0	B+	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	9.0	A+

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - ELECTRONICS AND COMMUNICATION ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						14CE402		14CE403		14CHE401		14CSU402		14CSU403		14ECE109		14ECE110-M1		14ECE111		14ECE112		14ECE113		14ECE205		14ECE206		14EEE401		14HUM401		14MAT401		14ME402		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
202	**17691A04K3**	22.0	22.0	8.64	8.9	-	-	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	-	-	-	-	10.0	O	-	-	-	-
203	**17691A04K4**	22.0	22.0	6.77	7.04	7.0	B+	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	4.0	P	6.0	B	7.0	B+	9.0	A+	10.0	O	-	-	-	-	-	-	-	-	-	-
204	**17691A04K5**	22.0	19.0	5.74	7.32	-	-	-	-	-	-	-	-	-	-	-	F	6.0	B	5.0	C	6.0	B	4.0	P	9.0	A+	8.0	A	-	-	-	-	-	-	-	-	4.0	P
205	**17691A04K6**	22.0	22.0	7.68	8.37	-	-	-	-	-	-	-	-	-	-	6.0	B	8.0	A	7.0	B+	7.0	B+	7.0	B+	10.0	O	10.0	O	-	-	-	-	8.0	A	-	-	-	-
206	**17691A04K7**	22.0	10.0	5.7	6.52	-	-	-	-	-	-	-	-	-	-	-	F	-	F	-	F	-	F	5.0	C	8.0	A	7.0	B+	-	-	-	-	-	-	4.0	P	-	-
207	**17691A04K8**	22.0	22.0	8.14	8.41	8.0	A	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	-	-	-	-	-	-	-	-	-	-
208	**17691A04K9**	22.0	22.0	8.36	8.51	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	8.0	A	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
209	**17691A04L0**	22.0	22.0	8.64	8.85	-	-	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	8.0	A	7.0	B+	10.0	O	10.0	O	-	-	-	-	9.0	A+	-	-	-	-
210	**17691A04L1**	22.0	13.0	6.38	6.64	-	-	-	-	-	-	-	-	-	-	-	F	7.0	B+	-	F	-	F	4.0	P	8.0	A	8.0	A	-	-	6.0	B	-	-	-	-	-	-
211	**17691A04L3**	22.0	22.0	9.18	9.13	9.0	A+	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
212	**17691A04L4**	22.0	19.0	6.95	6.97	-	-	-	-	-	-	6.0	B	-	-	-	F	6.0	B	7.0	B+	7.0	B+	6.0	B	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
213	**17691A04L5**	22.0	22.0	7.77	7.54	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	-	-	9.0	A+	-	-	-	-	-	-
214	**17691A04L6**	22.0	22.0	7.36	7.2	-	-	-	-	-	-	-	-	-	-	5.0	C	7.0	B+	7.0	B+	7.0	B+	7.0	B+	10.0	O	8.0	A	-	-	-	-	-	-	-	-	9.0	A+
215	**17691A04L7**	22.0	19.0	6.68	6.39	-	-	-	-	-	-	-	-	-	-	-	F	7.0	B+	5.0	C	6.0	B	7.0	B+	9.0	A+	8.0	A	-	-	-	-	-	-	-	-	6.0	B
216	**17691A04L8**	22.0	19.0	7.79	7.92	-	-	-	-	-	-	-	-	-	-	-	F	7.0	B+	7.0	B+	8.0	A	8.0	A	9.0	A+	8.0	A	-	-	8.0	A	-	-	-	-	-	-
217	**17691A04L9**	22.0	13.0	7.0	6.42	-	-	-	-	-	-	-	-	-	-	-	F	7.0	B+	-	F	-	F	6.0	B	9.0	A+	8.0	A	-	-	-	-	-	-	-	-	6.0	B
218	**17691A04M0**	22.0	22.0	7.45	7.74	-	-	-	-	-	-	7.0	B+	-	-	6.0	B	8.0	A	6.0	B	7.0	B+	8.0	A	9.0	A+	10.0	O	-	-	-	-	-	-	-	-	-	-
219	**17691A04M1**	22.0	22.0	8.05	8.63	-	-	-	-	-	-	9.0	A+	-	-	8.0	A	6.0	B	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
220	**17691A04M2**	22.0	22.0	7.64	7.9	-	-	-	-	-	-	8.0	A	-	-	7.0	B+	8.0	A	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
221	**17691A04M3**	22.0	19.0	7.79	8.08	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	-	F	8.0	A	8.0	A	9.0	A+	8.0	A	-	-	-	-	-	-	-	-	9.0	A+
222	**17691A04M4**	22.0	19.0	6.26	7.0	-	-	-	-	-	-	-	-	-	-	-	F	6.0	B	5.0	C	6.0	B	6.0	B	8.0	A	8.0	A	-	-	-	-	-	-	-	-	6.0	B
223	**17691A04M5**	22.0	16.0	7.31	7.09	-	-	-	-	-	-	7.0	B+	-	-	-	F	7.0	B+	7.0	B+	-	F	8.0	A	8.0	A	7.0	B+	-	-	-	-	-	-	-	-	-	-
224	**17691A04M6**	22.0	22.0	7.68	7.55	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	8.0	A	8.0	A	9.0	A+	8.0	A	-	-	-	-	-	-	-	-	8.0	A
225	**17691A04M7**	22.0	22.0	8.82	8.54	-	-	-	-	-	-	-	-	-	-	9.0	A+	7.0	B+	9.0	A+	8.0	A	9.0	A+	9.0	A+	10.0	O	-	-	-	-	-	-	-	-	10.0	O
226	**17691A04M8**	22.0	22.0	6.59	6.67	-	-	-	-	-	-	-	-	-	-	4.0	P	8.0	A	5.0	C	6.0	B	7.0	B+	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+
227	**17691A04M9**	22.0	22.0	8.36	8.71	-	-	-	-	-	-	9.0	A+	-	-	7.0	B+	7.0	B+	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
228	**17691A04N0**	22.0	13.0	7.15	6.95	-	-	-	-	-	-	-	-	-	-	-	Ab	6.0	B	-	F	-	F	7.0	B+	8.0	A	7.0	B+	-	-	-	-	-	-	-	-	8.0	A
229	**17691A04N1**	22.0	22.0	7.45	7.98	-	-	-	-	-	-	7.0	B+	-	-	5.0	C	7.0	B+	8.0	A	7.0	B+	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
230	**17691A04N2**	22.0	22.0	7.77	7.99	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	9.0	A+
231	**17691A04N3**	22.0	22.0	8.27	8.64	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	-	-	-	-	10.0	O	-	-	-	-
232	**17691A04N4**	22.0	22.0	7.64	8.0	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	8.0	A	7.0	B+	9.0	A+	9.0	A+	-	-	8.0	A	-	-	-	-	-	-
233	**17691A04N5**	22.0	22.0	7.95	8.57	-	-	-	-	-	-	8.0	A	-	-	7.0	B+	7.0	B+	7.0	B+	8.0	A	8.0	A	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
234	**17691A04N6**	22.0	22.0	8.27	8.7	-	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	7.0	B+	9.0	A+	10.0	O	9.0	A+	-	-	-	-	9.0	A+	-	-	-	-
235	**17691A04N7**	22.0	22.0	8.36	8.78	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	-	-	-	-	9.0	A+	-	-	-	-
236	**17691A04N8**	22.0	22.0	9.32	9.56	-	-	-	-	-	-	-	-	-	-	10.0	O	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	-	-	10.0	O	-	-	-	-
237	**17691A04N9**	22.0	22.0	7.23	7.04	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	6.0	B	7.0	B+	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	8.0	A
238	**17691A04O0**	22.0	22.0	8.55	8.93	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	-	-	9.0	A+	-	-	-	-	-	-
239	**17699A0401**	22.0	22.0	6.41	7.02	-	-	-	-	-	-	-	-	-	-	4.0	P	6.0	B	6.0	B	6.0	B	7.0	B+	7.0	B+	8.0	A	-	-	-	-	-	-	8.0	A	-	-
240	**17699A0402**	22.0	22.0	8.0	8.77	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	9.0	A+	8.0	A	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	7.0	B+	-	-
241	**17699A0403**	22.0	22.0	7.5	8.3	-	-	-	-	-	-	-	-	-	-	6.0	B	8.0	A	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	-	-	8.0	A	-	-
242	**17699A0404**	22.0	22.0	6.59	6.63	7.0	B+	-	-	-	-	-	-	-	-	5.0	C	7.0	B+	6.0	B	7.0	B+	5.0	C	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - ELECTRONICS AND COMMUNICATION ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						14CE402		14CE403		14CHE401		14CSU402		14CSU403		14ECE109		14ECE110-M1		14ECE111		14ECE112		14ECE113		14ECE205		14ECE206		14EEE401		14HUM401		14MAT401		14ME402		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
243	**17699A0405**	22.0	22.0	8.41	8.36	-	-	-	-	-	-	8.0	A	-	-	9.0	A+	7.0	B+	9.0	A+	8.0	A	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
244	**17699A0406**	22.0	22.0	7.86	7.55	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	8.0	A	-	-
245	**17699A0407**	22.0	22.0	6.32	6.99	6.0	B	-	-	-	-	-	-	-	-	5.0	C	7.0	B+	5.0	C	6.0	B	8.0	A	9.0	A+	5.0	C	-	-	-	-	-	-	-	-	-	-
246	**17699A0408**	22.0	22.0	7.73	8.15	-	-	-	-	-	-	-	-	-	-	5.0	C	7.0	B+	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	-	-	-	-	-	-	8.0	A	-	-
247	**17699A0409**	22.0	22.0	8.09	8.32	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	-	-	8.0	A	-	-	-	-	-	-
248	**17699A0410**	22.0	22.0	7.36	7.45	-	-	-	-	-	-	-	-	-	-	6.0	B	8.0	A	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	-	-	7.0	B+	-	-
249	**17699A0411**	22.0	22.0	8.27	8.11	-	-	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	8.0	A	7.0	B+	9.0	A+	10.0	O	9.0	A+	-	-	-	-	9.0	A+	-	-	-	-
250	**17699A0412**	22.0	22.0	7.5	7.21	-	-	-	-	-	-	-	-	-	-	6.0	B	8.0	A	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	-	-	8.0	A	-	-
251	**17699A0413**	22.0	22.0	8.77	8.76	-	-	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	-	-	10.0	O	-	-	-	-
252	**17699A0414**	22.0	19.0	6.21	6.41	-	-	-	-	-	-	-	-	-	-	-	F	6.0	B	4.0	P	6.0	B	5.0	C	9.0	A+	8.0	A	-	-	7.0	B+	-	-	-	-	-	-
253	**17699A0415**	22.0	22.0	7.73	7.9	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	8.0	A	7.0	B+	7.0	B+	9.0	A+	10.0	O	-	-	9.0	A+	-	-	-	-	-	-
254	**17699A0416**	22.0	22.0	8.18	8.14	-	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	8.0	A	9.0	A+	10.0	O	8.0	A	-	-	8.0	A	-	-	-	-	-	-
255	**17699A0417**	22.0	22.0	7.86	8.1	8.0	A	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	8.0	A	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
256	**17699A0418**	22.0	22.0	7.95	8.11	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	7.0	B+	8.0	A	9.0	A+	8.0	A	-	-	-	-	-	-	8.0	A	-	-
257	**17699A0419**	22.0	22.0	8.55	8.99	-	-	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-
258	**17699A0420**	22.0	22.0	6.82	7.54	-	-	-	-	-	-	-	-	-	-	4.0	P	7.0	B+	6.0	B	7.0	B+	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	-	-	7.0	B+	-	-
259	**17699A0421**	22.0	22.0	7.41	7.45	-	-	-	-	-	-	-	-	-	-	6.0	B	6.0	B	8.0	A	8.0	A	7.0	B+	9.0	A+	8.0	A	-	-	-	-	-	-	8.0	A	-	-
260	**17699A0423**	22.0	22.0	8.82	9.16	-	-	-	-	-	-	9.0	A+	-	-	9.0	A+	8.0	A	9.0	A+	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
261	**17699A0424**	22.0	22.0	8.95	9.6	-	-	-	-	-	-	9.0	A+	-	-	9.0	A+	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
262	**17699A0425**	22.0	22.0	8.36	8.51	-	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	9.0	A+	8.0	A	9.0	A+	9.0	A+	8.0	A	-	-	-	-	-	-	9.0	A+	-	-
263	**17699A0426**	22.0	22.0	8.05	8.2	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-	-	-	-	-	9.0	A+	-	-
264	**17699A0427**	22.0	17.0	7.41	7.34	-	-	-	-	-	-	-	-	-	-	-	F	8.0	A	7.0	B+	7.0	B+	7.0	B+	9.0	A+	-	F	-	-	-	-	-	-	7.0	B+	-	-
265	**17699A0428**	22.0	22.0	7.64	8.13	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	-	-	7.0	B+	-	-
266	**17699A0429**	22.0	22.0	9.32	9.39	-	-	-	-	-	-	-	-	-	-	10.0	O	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	-	-	-	-	9.0	A+	-	-
267	**17699A0430**	22.0	22.0	9.05	9.29	-	-	-	-	-	-	-	-	-	-	9.0	A+	7.0	B+	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	-	-	-	-	9.0	A+	-	-
268	**17699A0431**	22.0	22.0	7.05	6.78	-	-	-	-	-	-	-	-	-	-	6.0	B	6.0	B	8.0	A	7.0	B+	7.0	B+	9.0	A+	7.0	B+	-	-	-	-	-	-	7.0	B+	-	-
269	**17699A0432**	22.0	22.0	8.77	8.79	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
270	**17699A0433**	22.0	22.0	7.23	7.61	-	-	-	-	-	-	-	-	-	-	5.0	C	6.0	B	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	-	-	-	-	-	-	7.0	B+	-	-
271	**17699A0434**	22.0	22.0	7.91	8.91	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	8.0	A	8.0	A	9.0	A+	10.0	O	8.0	A	-	-	-	-	-	-	-	-	-	-
272	**17699A0435**	22.0	22.0	9.09	9.14	-	-	-	-	-	-	9.0	A+	-	-	9.0	A+	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
273	**17699A0436**	22.0	19.0	7.53	7.74	-	-	-	-	-	-	-	-	-	-	-	F	7.0	B+	7.0	B+	8.0	A	7.0	B+	9.0	A+	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
274	**17699A0437**	22.0	22.0	7.73	8.07	-	-	-	-	-	-	7.0	B+	-	-	7.0	B+	7.0	B+	8.0	A	8.0	A	7.0	B+	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
275	**17699A0438**	22.0	22.0	7.82	8.1	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	7.0	B+	9.0	A+	9.0	A+	8.0	A	-	-	-	-	-	-	8.0	A	-	-
276	**17699A0439**	22.0	22.0	8.77	8.73	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	-	-	-	-	9.0	A+	-	-
277	**17699A0440**	22.0	22.0	8.82	8.93	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	10.0	O	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	-	-	-	-	9.0	A+	-	-
278	**17699A0441**	22.0	22.0	7.55	7.79	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	8.0	A	8.0	A	9.0	A+	8.0	A	-	-	8.0	A	-	-	-	-	-	-
279	**17699A0442**	22.0	22.0	7.36	7.88	-	-	-	-	-	-	-	-	-	-	5.0	C	6.0	B	8.0	A	7.0	B+	8.0	A	10.0	O	8.0	A	-	-	8.0	A	-	-	-	-	-	-
280	**17699A0443**	22.0	22.0	8.55	8.67	-	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	9.0	A+	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	-	-	-	-	9.0	A+	-	-
281	**17699A0444**	22.0	22.0	8.55	8.67	-	-	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	9.0	A+	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	9.0	A+	-	-	-	-	-	-
282	**17699A0445**	22.0	22.0	7.41	7.92	-	-	-	-	-	-	-	-	-	-	6.0	B	8.0	A	7.0	B+	7.0	B+	7.0	B+	9.0	A+	8.0	A	-	-	8.0	A	-	-	-	-	-	-
283	**17699A0446**	22.0	22.0	7.68	8.04	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	9.0	A+	7.0	B+	8.0	A	9.0	A+	8.0	A	-	-	-	-	-	-	7.0	B+	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - ELECTRONICS AND COMMUNICATION ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						14CE402		14CE403		14CHE401		14CSU402		14CSU403		14ECE109		14ECE110-M1		14ECE111		14ECE112		14ECE113		14ECE205		14ECE206		14EEE401		14HUM401		14MAT401		14ME402		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
284	**17699A0447**	22.0	17.0	6.53	6.85	6.0	B	-	-	-	-	-	-	-	-	-	F	7.0	B+	6.0	B	6.0	B	6.0	B	9.0	A+	-	F	-	-	-	-	-	-	-	-	-	-
285	**17699A0448**	22.0	22.0	8.18	8.46	-	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	9.0	A+	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-	-	-	-	-	8.0	A	-	-
286	**17699A0449**	22.0	22.0	8.68	9.08	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	9.0	A+	9.0	A+	8.0	A	10.0	O	9.0	A+	-	-	-	-	9.0	A+	-	-	-	-
287	**17699A0450**	22.0	19.0	7.11	7.5	7.0	B+	-	-	-	-	-	-	-	-	-	F	6.0	B	6.0	B	7.0	B+	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
288	**17699A0451**	22.0	22.0	7.91	8.31	-	-	-	-	-	-	-	-	-	-	5.0	C	8.0	A	8.0	A	8.0	A	8.0	A	10.0	O	8.0	A	-	-	-	-	-	-	9.0	A+	-	-
289	**17699A0452**	22.0	22.0	7.59	8.25	7.0	B+	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	8.0	A	7.0	B+	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
290	**17699A0453**	22.0	22.0	7.95	8.39	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	8.0	A	9.0	A+	8.0	A	10.0	O	7.0	B+	-	-	-	-	-	-	9.0	A+	-	-
291	**17699A0454**	22.0	22.0	8.05	8.32	-	-	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	8.0	A	7.0	B+	9.0	A+	10.0	O	8.0	A	-	-	-	-	-	-	8.0	A	-	-
292	**17699A0455**	22.0	22.0	7.41	8.04	-	-	-	-	-	-	-	-	6.0	B	6.0	B	7.0	B+	8.0	A	8.0	A	8.0	A	9.0	A+	8.0	A	-	-	-	-	-	-	-	-	-	-
293	**17699A0456**	22.0	22.0	7.32	7.94	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	8.0	A	7.0	B+	10.0	O	9.0	A+	-	-	-	-	-	-	6.0	B	-	-
294	**17699A0457**	22.0	22.0	8.09	8.17	-	-	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	9.0	A+	8.0	A	8.0	A	10.0	O	7.0	B+	-	-	-	-	-	-	8.0	A	-	-
295	**17699A0458**	22.0	4.0	6.5	6.22	-	F	-	-	-	-	-	-	-	-	-	F	-	F	-	F	-	F	-	F	6.0	B	7.0	B+	-	-	-	-	-	-	-	-	-	-
296	**17699A0459**	22.0	22.0	7.41	7.73	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	8.0	A	8.0	A	10.0	O	7.0	B+	-	-	-	-	-	-	7.0	B+	-	-
297	**17699A0460**	22.0	19.0	6.74	7.38	-	-	-	-	-	-	-	-	-	-	-	F	7.0	B+	5.0	C	7.0	B+	7.0	B+	9.0	A+	7.0	B+	-	-	-	-	-	-	6.0	B	-	-
298	**17699A0461**	22.0	19.0	7.26	6.61	7.0	B+	-	-	-	-	-	-	-	-	-	F	8.0	A	6.0	B	7.0	B+	6.0	B	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
299	**17699A0462**	22.0	22.0	8.36	8.26	-	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	9.0	A+	8.0	A	7.0	B+	10.0	O	10.0	O	-	-	-	-	-	-	9.0	A+	-	-
300	**17699A0463**	22.0	13.0	6.0	5.44	4.0	P	-	-	-	-	-	-	-	-	-	F	6.0	B	-	F	4.0	P	-	F	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
301	**17699A0464**	22.0	22.0	8.64	9.15	-	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	-	-	-	-	-	-
302	**17699A0465**	22.0	22.0	7.95	7.99	7.0	B+	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
303	**17699A0466**	22.0	22.0	6.45	6.93	-	-	-	-	-	-	-	-	-	-	5.0	C	8.0	A	5.0	C	6.0	B	6.0	B	9.0	A+	8.0	A	6.0	B	-	-	-	-	-	-	-	-
304	**17699A0467**	22.0	19.0	7.0	7.2	7.0	B+	-	-	-	-	-	-	-	-	-	F	6.0	B	5.0	C	7.0	B+	6.0	B	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
305	**17699A0468**	22.0	22.0	8.14	8.43	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	7.0	B+	-	-
306	**17699A0469**	22.0	19.0	7.21	7.32	6.0	B	-	-	-	-	-	-	-	-	-	F	7.0	B+	6.0	B	7.0	B+	7.0	B+	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
307	**17699A0470**	22.0	19.0	7.37	7.81	6.0	B	-	-	-	-	-	-	-	-	7.0	B+	-	F	7.0	B+	8.0	A	6.0	B	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
308	**17699A0471**	22.0	13.0	6.69	6.21	-	-	-	-	-	-	-	-	-	-	-	F	7.0	B+	0.0	F	5.0	C	5.0	C	9.0	A+	9.0	A+	-	-	-	-	-	-	-	F	-	-
309	**17699A0472**	22.0	22.0	7.32	7.33	-	-	-	-	-	-	7.0	B+	-	-	7.0	B+	7.0	B+	6.0	B	7.0	B+	7.0	B+	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
310	**17699A0473**	22.0	19.0	7.32	7.64	7.0	B+	-	-	-	-	-	-	-	-	-	F	6.0	B	6.0	B	7.0	B+	7.0	B+	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
311	**17699A0474**	22.0	22.0	7.68	8.61	-	-	-	-	-	-	8.0	A	-	-	7.0	B+	7.0	B+	6.0	B	7.0	B+	8.0	A	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
312	**17699A0475**	22.0	19.0	7.32	7.34	-	-	-	-	-	-	-	-	-	-	-	F	7.0	B+	6.0	B	7.0	B+	7.0	B+	9.0	A+	8.0	A	-	-	8.0	A	-	-	-	-	-	-
313	**17699A0476**	22.0	22.0	7.45	7.46	8.0	A	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	7.0	B+	7.0	B+	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
314	**17699A0477**	22.0	22.0	7.86	7.71	8.0	A	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	6.0	B	8.0	A	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
315	**17699A0478**	22.0	22.0	7.55	8.21	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	7.0	B+	7.0	B+	10.0	O	10.0	O	-	-	-	-	8.0	A	-	-	-	-
316	**17699A0479**	22.0	16.0	6.81	6.78	-	-	-	-	-	-	-	-	-	-	-	F	6.0	B	-	F	7.0	B+	6.0	B	9.0	A+	8.0	A	6.0	B	-	-	-	-	-	-	-	-
317	**17699A0481**	22.0	22.0	7.73	7.51	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	8.0	A	6.0	B	10.0	O	9.0	A+	-	-	8.0	A	-	-	-	-	-	-
318	**17699A0482**	22.0	22.0	7.77	8.37	-	-	-	-	-	-	-	-	-	-	6.0	B	8.0	A	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	8.0	A	-	-	-	-
319	**17699A0483**	22.0	22.0	8.5	8.64	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	-	-	-	-	9.0	A+	-	-	-	-
320	**17699A0484**	22.0	22.0	9.32	9.53	-	-	-	-	-	-	-	-	-	-	10.0	O	7.0	B+	10.0	O	10.0	O	8.0	A	10.0	O	10.0	O	-	-	-	-	10.0	O	-	-	-	-
321	**17699A0485**	22.0	19.0	7.79	7.83	8.0	A	-	-	-	-	-	-	-	-	7.0	B+	-	F	6.0	B	8.0	A	7.0	B+	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
322	**17699A0486**	22.0	22.0	7.18	7.96	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	6.0	B	7.0	B+	6.0	B	10.0	O	9.0	A+	-	-	7.0	B+	-	-	-	-	-	-
323	**17699A0487**	22.0	22.0	6.86	6.31	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	5.0	C	7.0	B+	7.0	B+	10.0	O	10.0	O	5.0	C	-	-	-	-	-	-	-	-
324	**17699A0488**	22.0	19.0	7.16	7.23	8.0	A	-	-	-	-	-	-	-	-	-	F	7.0	B+	5.0	C	6.0	B	6.0	B	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - ELECTRONICS AND COMMUNICATION ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						14CE402		14CE403		14CHE401		14CSU402		14CSU403		14ECE109		14ECE110-M1		14ECE111		14ECE112		14ECE113		14ECE205		14ECE206		14EEE401		14HUM401		14MAT401		14ME402		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
325	**17699A0489**	22.0	22.0	8.68	9.4	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	9.0	A+	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	-	-	9.0	A+	-	-	-	-
326	**17699A0490**	22.0	22.0	7.95	8.19	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	8.0	A	9.0	A+	7.0	B+	10.0	O	10.0	O	-	-	-	-	8.0	A	-	-	-	-
327	**17699A0491**	22.0	22.0	8.5	8.64	-	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	-	-	-	-	9.0	A+	-	-	-	-
328	**17699A0492**	22.0	10.0	6.4	6.06	-	F	-	-	-	-	-	-	-	-	-	F	6.0	B	4.0	P	-	F	-	F	9.0	A+	8.0	A	-	-	-	-	-	-	-	-	-	-
329	**17699A0493**	22.0	22.0	8.45	8.69	-	-	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	8.0	A	9.0	A+	8.0	A	10.0	O	8.0	A	-	-	8.0	A	-	-	-	-	-	-
330	**17699A0494**	22.0	22.0	8.23	8.73	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	9.0	A+	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	-	-	-	-	-	-
331	**17699A0495**	22.0	22.0	8.18	7.97	-	-	-	-	-	-	-	-	-	-	9.0	A+	7.0	B+	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-
332	**17699A0496**	22.0	22.0	8.09	8.48	-	-	-	-	-	-	8.0	A	-	-	8.0	A	7.0	B+	7.0	B+	8.0	A	8.0	A	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
333	**17699A0497**	22.0	22.0	7.73	8.56	-	-	-	-	-	-	-	-	-	-	8.0	A	6.0	B	7.0	B+	7.0	B+	8.0	A	10.0	O	9.0	A+	-	-	8.0	A	-	-	-	-	-	-
334	**17699A0498**	22.0	22.0	8.23	8.51	-	-	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	7.0	B+	7.0	B+	8.0	A	10.0	O	10.0	O	-	-	8.0	A	-	-	-	-	-	-
335	**17699A0499**	22.0	22.0	7.82	8.32	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	8.0	A	7.0	B+	10.0	O	10.0	O	-	-	-	-	-	-	7.0	B+	-	-
336	**17699A04A0**	22.0	22.0	7.05	7.63	-	-	-	-	-	-	-	-	-	-	5.0	C	7.0	B+	6.0	B	7.0	B+	6.0	B	10.0	O	9.0	A+	-	-	-	-	8.0	A	-	-	-	-
337	**17699A04A1**	22.0	22.0	7.18	7.07	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	6.0	B	7.0	B+	6.0	B	10.0	O	9.0	A+	-	-	8.0	A	-	-	-	-	-	-
338	**17699A04A2**	22.0	22.0	7.68	8.03	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	7.0	B+	7.0	B+	8.0	A	6.0	B	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
339	**17699A04A3**	22.0	22.0	7.23	6.86	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	6.0	B	7.0	B+	6.0	B	9.0	A+	9.0	A+	-	-	8.0	A	-	-	-	-	-	-
340	**17699A04A4**	22.0	22.0	8.09	8.0	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	-	-	-	-	8.0	A	-	-	-	-
341	**17699A04A5**	22.0	22.0	8.23	8.61	-	-	-	-	-	-	8.0	A	-	-	8.0	A	7.0	B+	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
342	**17699A04A6**	22.0	22.0	7.41	8.73	-	-	-	-	-	-	7.0	B+	-	-	6.0	B	7.0	B+	7.0	B+	7.0	B+	7.0	B+	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
343	**17699A04A7**	22.0	22.0	8.5	8.91	-	-	-	-	-	-	9.0	A+	-	-	8.0	A	7.0	B+	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
344	**17699A04A8**	22.0	22.0	8.14	8.64	-	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	8.0	A	-	-
345	**17699A04A9**	22.0	22.0	7.55	7.89	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	6.0	B	7.0	B+	10.0	O	10.0	O	-	-	8.0	A	-	-	-	-	-	-
346	**17699A04B0**	22.0	22.0	8.0	8.63	-	-	-	-	-	-	-	-	7.0	B+	9.0	A+	7.0	B+	8.0	A	8.0	A	7.0	B+	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
347	**17699A04B2**	22.0	22.0	8.91	9.07	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
348	**17699A04B3**	22.0	22.0	8.09	8.07	-	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	7.0	B+	7.0	B+	8.0	A	10.0	O	10.0	O	-	-	9.0	A+	-	-	-	-	-	-
349	**17699A04B4**	22.0	22.0	6.77	6.8	-	-	-	-	-	-	7.0	B+	-	-	6.0	B	7.0	B+	4.0	P	7.0	B+	6.0	B	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
350	**17699A04B5**	22.0	22.0	8.55	8.2	-	-	-	-	-	-	8.0	A	-	-	9.0	A+	8.0	A	9.0	A+	8.0	A	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
351	**17699A04B6**	22.0	22.0	8.36	8.38	-	-	-	-	-	-	8.0	A	-	-	9.0	A+	6.0	B	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
352	**17699A04B7**	22.0	22.0	7.82	8.08	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	7.0	B+	8.0	A	10.0	O	10.0	O	-	-	-	-	8.0	A	-	-	-	-
353	**17699A04B8**	22.0	22.0	6.77	6.69	-	-	-	-	-	-	-	-	6.0	B	6.0	B	7.0	B+	6.0	B	6.0	B	6.0	B	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
354	**17699A04B9**	22.0	22.0	8.77	8.3	-	-	-	-	-	-	-	-	-	-	10.0	O	8.0	A	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	-	-	9.0	A+	-	-	-	-	-	-
355	**17699A04C0**	22.0	3.0	5.0	6.2	5.0	C	-	-	-	-	-	-	-	-	-	F	-	F	-	F	-	F	-	F	-	Ab	-	Ab	-	-	-	-	-	-	-	-	-	-
356	**18690A0401**	22.0	22.0	6.73	7.11	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	6.0	B	7.0	B+	6.0	B	8.0	A	9.0	A+	-	-	-	-	-	-	6.0	B	-	-
357	**18690A0402**	22.0	22.0	7.91	7.92	-	-	-	-	-	-	-	-	-	-	6.0	B	8.0	A	8.0	A	8.0	A	7.0	B+	10.0	O	8.0	A	-	-	-	-	-	-	9.0	A+	-	-
358	**18690A0403**	22.0	22.0	6.59	6.83	-	-	-	-	-	-	-	-	-	-	6.0	B	6.0	B	7.0	B+	7.0	B+	5.0	C	9.0	A+	8.0	A	-	-	-	-	-	-	6.0	B	-	-
359	**18690A0404**	22.0	22.0	6.32	6.32	-	-	-	-	-	-	-	-	-	-	5.0	C	6.0	B	6.0	B	6.0	B	6.0	B	8.0	A	9.0	A+	-	-	-	-	-	-	6.0	B	-	-
360	**18690A0405**	22.0	22.0	6.36	6.47	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	6.0	B	4.0	P	7.0	B+	9.0	A+	-	-	-	-	-	-	6.0	B	-	-
361	**18690A0406**	22.0	22.0	6.95	6.47	-	-	-	-	-	-	-	-	-	-	5.0	C	7.0	B+	7.0	B+	7.0	B+	6.0	B	10.0	O	8.0	A	-	-	-	-	-	-	7.0	B+	-	-
362	**18690A0407**	22.0	22.0	7.64	7.48	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	8.0	A	8.0	A	7.0	B+	10.0	O	8.0	A	-	-	-	-	-	-	8.0	A	-	-
363	**18690A0408**	22.0	16.0	6.56	6.59	-	-	-	-	-	-	-	-	-	-	-	F	-	F	6.0	B	7.0	B+	6.0	B	7.0	B+	8.0	A	-	-	-	-	-	-	6.0	B	-	-
364	**18690A0410**	22.0	22.0	7.77	7.42	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	-	-	-	-	-	-	8.0	A	-	-
365	**18690A0411**	22.0	22.0	6.73	6.56	-	-	-	-	-	-	-	-	7.0	B+	5.0	C	6.0	B	7.0	B+	7.0	B+	6.0	B	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - ELECTRONICS AND COMMUNICATION ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						14CE402		14CE403		14CHE401		14CSU402		14CSU403		14ECE109		14ECE110-M1		14ECE111		14ECE112		14ECE113		14ECE205		14ECE206		14EEE401		14HUM401		14MAT401		14ME402		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
366	**18690A0412**	22.0	22.0	6.27	6.21	-	-	-	-	-	-	-	-	-	-	4.0	P	6.0	B	6.0	B	6.0	B	5.0	C	10.0	O	8.0	A	-	-	7.0	B+	-	-	-	-	-	-
367	**18690A0413**	22.0	22.0	7.45	7.44	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	7.0	B+	6.0	B	10.0	O	9.0	A+	8.0	A	-	-	-	-	-	-	-	-
368	**18690A0414**	22.0	22.0	6.77	6.61	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	6.0	B	5.0	C	7.0	B+	10.0	O	9.0	A+	6.0	B	-	-	-	-	-	-	-	-
369	**18690A0415**	22.0	22.0	7.18	7.36	-	-	-	-	-	-	7.0	B+	-	-	7.0	B+	6.0	B	6.0	B	7.0	B+	7.0	B+	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
370	**18690A0416**	22.0	16.0	7.25	7.23	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	5.0	C	0.0	F	7.0	B+	10.0	O	9.0	A+	-	F	-	-	-	-	-	-	-	-
371	**18690A0417**	22.0	7.0	7.0	5.85	-	-	-	-	-	-	-	-	5.0	C	-	F	-	F	-	F	-	F	0.0	F	9.0	A+	8.0	A	-	-	-	-	-	-	-	-	-	-
372	**18690A0418**	22.0	22.0	7.41	7.44	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	7.0	B+	7.0	B+	10.0	O	10.0	O	7.0	B+	-	-	-	-	-	-	-	-
373	**18690A0419**	22.0	4.0	9.0	6.27	-	-	-	-	-	-	-	-	-	-	-	F	-	F	0.0	F	-	F	-	F	9.0	A+	9.0	A+	-	-	-	-	-	-	-	F	-	-
374	**18690A0420**	22.0	22.0	6.77	6.44	-	-	-	-	-	-	-	-	6.0	B	6.0	B	7.0	B+	6.0	B	6.0	B	6.0	B	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
375	**18690A0421**	22.0	22.0	7.55	7.56	7.0	B+	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	6.0	B	8.0	A	7.0	B+	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
376	**18690A0422**	22.0	16.0	7.06	6.8	-	-	-	-	-	-	-	-	-	-	6.0	B	-	F	6.0	B	-	F	6.0	B	10.0	O	9.0	A+	-	-	-	-	-	-	7.0	B+	-	-
377	**18690A0423**	22.0	22.0	7.59	7.36	-	-	-	-	-	-	8.0	A	-	-	7.0	B+	7.0	B+	7.0	B+	7.0	B+	7.0	B+	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
378	**18690A0424**	22.0	22.0	7.18	6.92	-	-	-	-	-	-	7.0	B+	-	-	6.0	B	7.0	B+	6.0	B	7.0	B+	7.0	B+	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
379	**18690A0425**	22.0	7.0	7.43	6.45	-	-	-	-	-	-	-	-	-	-	-	F	6.0	B	-	F	-	F	-	F	8.0	A	9.0	A+	-	F	-	-	-	-	-	-	-	-
380	**18695A0401**	22.0	22.0	7.55	7.47	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	7.0	B+	8.0	A	8.0	A	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	-	-
381	**18695A0402**	22.0	22.0	7.95	7.95	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	8.0	A	8.0	A	8.0	A	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	-	-
382	**18695A0403**	22.0	22.0	6.95	7.18	-	-	-	-	-	-	6.0	B	-	-	5.0	C	7.0	B+	8.0	A	6.0	B	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
383	**18695A0404**	22.0	22.0	6.73	6.12	-	-	-	-	-	-	-	-	6.0	B	6.0	B	7.0	B+	6.0	B	7.0	B+	6.0	B	9.0	A+	8.0	A	-	-	-	-	-	-	-	-	-	-
384	**18695A0405**	22.0	22.0	7.05	7.12	-	-	-	-	-	-	-	-	6.0	B	6.0	B	7.0	B+	8.0	A	7.0	B+	7.0	B+	8.0	A	8.0	A	-	-	-	-	-	-	-	-	-	-
385	**18695A0406**	22.0	22.0	7.77	7.53	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
386	**18695A0407**	22.0	22.0	6.77	6.83	7.0	B+	-	-	-	-	-	-	-	-	5.0	C	7.0	B+	7.0	B+	7.0	B+	6.0	B	8.0	A	8.0	A	-	-	-	-	-	-	-	-	-	-
387	**18695A0408**	22.0	22.0	7.82	7.85	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	9.0	A+	7.0	B+	8.0	A	9.0	A+	-	-	8.0	A	-	-	-	-	-	-
388	**18695A0409**	22.0	22.0	7.23	7.47	-	-	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	7.0	B+	8.0	A	8.0	A	7.0	B+	-	-	-	-	-	-	8.0	A	-	-
389	**18695A0410**	22.0	10.0	6.1	5.81	-	-	-	-	-	-	-	-	-	F	-	F	-	F	6.0	B	5.0	C	-	F	7.0	B+	7.0	B+	-	-	-	-	-	-	-	-	-	-
390	**18695A0411**	22.0	19.0	7.79	7.78	-	-	-	-	-	-	-	-	-	F	6.0	B	8.0	A	9.0	A+	8.0	A	7.0	B+	10.0	O	7.0	B+	-	-	-	-	-	-	-	-	-	-
391	**18695A0412**	22.0	22.0	7.64	7.45	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
392	**18695A0413**	22.0	22.0	6.73	6.67	-	-	-	-	-	-	-	-	6.0	B	5.0	C	7.0	B+	7.0	B+	6.0	B	7.0	B+	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	-	-
393	**18695A0414**	22.0	22.0	8.09	8.15	-	-	-	-	-	-	-	-	6.0	B	8.0	A	7.0	B+	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
394	**18695A0415**	22.0	22.0	7.32	7.12	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	7.0	B+	6.0	B	10.0	O	9.0	A+	-	-	-	-	-	-	7.0	B+	-	-
395	**18695A0416**	22.0	16.0	7.94	7.42	-	-	-	-	-	-	-	-	-	-	-	F	-	F	8.0	A	7.0	B+	6.0	B	10.0	O	10.0	O	-	-	-	-	-	-	8.0	A	-	-
396	**18695A0417**	22.0	22.0	8.14	8.27	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	7.0	B+	9.0	A+	9.0	A+	7.0	B+	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-
397	**18695A0418**	22.0	19.0	7.0	6.68	-	-	-	-	-	-	-	-	-	-	5.0	C	-	F	8.0	A	6.0	B	7.0	B+	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+
398	**18695A0419**	22.0	22.0	8.64	8.0	-	-	-	-	-	-	9.0	A+	-	-	7.0	B+	7.0	B+	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
399	**18695A0420**	22.0	22.0	8.14	8.11	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	9.0	A+	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	8.0	A	-	-
400	**18695A0421**	22.0	22.0	7.45	7.06	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	8.0	A	8.0	A	6.0	B	10.0	O	9.0	A+	-	-	-	-	-	-	7.0	B+	-	-
401	**18695A0422**	22.0	22.0	7.59	7.26	-	-	-	-	-	-	-	-	-	-	5.0	C	7.0	B+	8.0	A	8.0	A	7.0	B+	10.0	O	9.0	A+	-	-	-	-	-	-	8.0	A	-	-
402	**18695A0423**	22.0	16.0	6.5	6.22	-	-	-	-	-	-	-	-	-	F	-	F	7.0	B+	5.0	C	6.0	B	6.0	B	8.0	A	8.0	A	-	-	-	-	-	-	-	-	-	-
403	**18695A0424**	22.0	22.0	6.68	6.68	-	-	-	-	-	-	-	-	-	-	4.0	P	7.0	B+	6.0	B	6.0	B	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+
404	**18695A0425**	22.0	22.0	6.95	6.98	-	-	-	-	-	-	-	-	-	-	5.0	C	7.0	B+	8.0	A	6.0	B	7.0	B+	7.0	B+	8.0	A	-	-	8.0	A	-	-	-	-	-	-
405	**18695A0426**	22.0	22.0	7.91	7.35	-	-	8.0	A	-	-	-	-	-	-	6.0	B	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
406	**18695A0427**	22.0	19.0	6.37	6.19	-	-	6.0	B	-	-	-	-	-	-	-	F	6.0	B	6.0	B	7.0	B+	6.0	B	6.0	B	8.0	A	-	-	-	-	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - ELECTRONICS AND COMMUNICATION ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																															
						14CE402		14CE403		14CHE401		14CSU402		14CSU403		14ECE109		14ECE110-M1		14ECE111		14ECE112		14ECE113		14ECE205		14ECE206		14EEE401		14HUM401		14MAT401		14ME402		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
407	**18695A0428**	22.0	16.0	6.56	6.29	-	-	6.0	B	-	-	-	-	-	-	-	F	-	F	6.0	B	5.0	C	6.0	B	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
408	**18695A0429**	22.0	22.0	8.36	8.11	-	-	8.0	A	-	-	-	-	-	-	6.0	B	7.0	B+	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
409	**18695A0430**	22.0	22.0	7.45	7.18	-	-	8.0	A	-	-	-	-	-	-	5.0	C	7.0	B+	7.0	B+	7.0	B+	8.0	A	9.0	A+	10.0	O	-	-	-	-	-	-	-	-	-	-
410	**18695A0431**	22.0	22.0	8.18	7.88	-	-	-	-	-	-	-	-	-	-	6.0	B	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	9.0	A+	-	-	-	-	-	-
411	**18695A0432**	22.0	19.0	7.05	7.19	-	-	7.0	B+	-	-	-	-	-	-	-	F	6.0	B	7.0	B+	7.0	B+	7.0	B+	7.0	B+	9.0	A+	-	-	-	-	-	-	-	-	-	-
412	**18695A0433**	22.0	22.0	7.23	7.38	-	-	8.0	A	-	-	-	-	-	-	5.0	C	6.0	B	7.0	B+	8.0	A	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
413	**18695A0434**	22.0	19.0	6.84	6.98	-	-	7.0	B+	-	-	-	-	-	-	-	F	7.0	B+	7.0	B+	7.0	B+	6.0	B	6.0	B	8.0	A	-	-	-	-	-	-	-	-	-	-
414	**18695A0435**	22.0	19.0	6.53	6.5	-	-	7.0	B+	-	-	-	-	-	-	0.0	F	7.0	B+	6.0	B	6.0	B	6.0	B	6.0	B	8.0	A	-	-	-	-	-	-	-	-	-	-
415	**18695A0436**	22.0	22.0	6.59	6.48	-	-	7.0	B+	-	-	-	-	-	-	5.0	C	7.0	B+	6.0	B	7.0	B+	7.0	B+	6.0	B	8.0	A	-	-	-	-	-	-	-	-	-	-
416	**18695A0437**	22.0	22.0	7.55	7.76	-	-	-	-	-	-	8.0	A	-	-	7.0	B+	7.0	B+	8.0	A	7.0	B+	7.0	B+	9.0	A+	8.0	A	-	-	-	-	-	-	-	-	-	-
417	**18695A0438**	22.0	22.0	8.0	7.76	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	9.0	A+
418	**18695A0439**	22.0	22.0	7.27	7.24	-	-	-	-	-	-	-	-	-	-	5.0	C	7.0	B+	7.0	B+	7.0	B+	8.0	A	9.0	A+	8.0	A	-	-	8.0	A	-	-	-	-	-	-
419	**18695A0440**	22.0	22.0	8.32	8.47	-	-	-	-	-	-	8.0	A	-	-	7.0	B+	8.0	A	9.0	A+	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-
420	**18695A0441**	22.0	22.0	7.86	7.95	-	-	-	-	-	-	8.0	A	-	-	6.0	B	8.0	A	8.0	A	7.0	B+	8.0	A	9.0	A+	10.0	O	-	-	-	-	-	-	-	-	-	-
421	**18695A0442**	22.0	22.0	7.23	6.95	-	-	-	-	-	-	-	-	-	-	4.0	P	6.0	B	7.0	B+	7.0	B+	8.0	A	10.0	O	8.0	A	-	-	-	-	-	-	-	-	9.0	A+
422	**18695A0443**	22.0	22.0	7.95	7.44	-	-	-	-	-	-	8.0	A	-	-	7.0	B+	6.0	B	9.0	A+	8.0	A	7.0	B+	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-
423	**18695A0444**	22.0	22.0	7.14	6.98	-	-	-	-	-	-	-	-	-	-	4.0	P	7.0	B+	8.0	A	7.0	B+	6.0	B	10.0	O	10.0	O	-	-	-	-	-	-	-	-	7.0	B+
424	**18695A0446**	22.0	8.0	6.13	5.6	-	-	-	-	-	-	-	-	-	-	-	F	-	Ab	-	F	-	F	5.0	C	8.0	A	-	F	-	-	6.0	B	-	-	-	-	-	-
425	**18695A0447**	22.0	19.0	6.74	6.51	-	-	-	-	-	-	6.0	B	-	-	0.0	F	7.0	B+	6.0	B	6.0	B	7.0	B+	8.0	A	8.0	A	-	-	-	-	-	-	-	-	-	-

Course Code	Course Name
14CE402	RURAL WATER SUPPLY AND SANITATION
14CE403	GREEN BUILDINGS AND ENERGY CONSERVATION
14CHE401	INTRODUCTION TO NANO SCIENCE AND TECHNOLOGY
14CSU402	ARTIFICIAL INTELLIGENCE
14CSU403	MULTIMEDIA COMPUTING
14ECE109	ELECTROMAGNETIC THEORY
14ECE110-M1	ANALOG COMMUNICATION (MOOC)
14ECE111	ANALOG ELECTRONICS
14ECE112	ANALOG AND DIGITAL VLSI DESIGN
14ECE113	COMPUTER ARCHITECTURE
14ECE205	ANALOG ELECTRONICS PRACTICALS
14ECE206	COMMUNICATION SYSTEMS PRACTICALS
14EEE401	MODERN CONTROL SYSTEMS
14HUM401	PROFESSIONAL ETHICS
14MAT401	NUMERICAL ANALYSIS
14ME402	POWER PLANT ENGINEERING
14PHY401	PHYSICS OF LASER AND APPLICATIONS

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

MADANAPALLE INSTITUTE OF TECHNOLOGY AND SCIENCE

(UGC - Autonomous)
(Approved by AICTE, New Delhi & Affiliated to JNTUA,Ananthapuramu)
P.B NO:14,Angallu,Kadiri Road,Madanapalle - 517325, Chittor Dist,A.P.

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - MECHANICAL ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																							
						14CE402		14CE403		14CHE401		14CSE302		14CSU402		14CSU403		14EEE401		14ENG103-M2		14ENG303		14ENG304		14HUM102		14HUM303		14HUM401		14MAT401		14MBA301		14ME111		14ME112		14ME113		14ME206		14ME207		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
1						-	-	-	-	-	-	-	-	-	-	-	-	-	-					-	-			-	-	-	-	-	-	-	-											-	-
2	**16691A0314**	22.0	22.0	6.14	6.12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	-	-	7.0	B+	-	-	0.0	P	5.0	C	6.0	B	6.0	B	6.0	B	6.0	B	-	-
3	**16691A0382**	22.0	4.0	6.5	6.16	-	-	-	F	-	-	-	-	-	-	-	-	-	-	-	Ab	-	-	-	-	-	F	0.0	P	-	-	-	-	-	-	-	F	-	F	-	F	7.0	B+	6.0	B	-	-
4	**16691A03A2**	22.0	22.0	6.14	5.85	-	-	5.0	C	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	6.0	B	0.0	P	-	-	-	-	-	-	6.0	B	5.0	C	6.0	B	7.0	B+	8.0	A	-	-
5						-	-			-	-	-	-	-	-	-	-	-	-					-	-			-	-	-	-	-	-	-	-											-	-
6	**17691A0301**	22.0	19.0	7.21	6.98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F	-	-	-	-	7.0	B+	0.0	P	8.0	A	-	-	-	-	7.0	B+	7.0	B+	6.0	B	8.0	A	8.0	A	-	-
7	**17691A0302**	22.0	22.0	6.77	6.25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	7.0	B+	-	-	0.0	P	7.0	B+	6.0	B	5.0	C	8.0	A	8.0	A	-	-
8	**17691A0303**	22.0	22.0	7.09	6.69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	7.0	B+	-	-	0.0	P	7.0	B+	6.0	B	6.0	B	9.0	A+	9.0	A+	-	-
9	**17691A0304**	22.0	22.0	6.82	7.21	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	-	-	-	-	0.0	P	7.0	B+	6.0	B	5.0	C	9.0	A+	9.0	A+	-	-
10	**17691A0305**	22.0	13.0	5.46	5.82	5.0	C	-	-	-	-	-	-	-	-	-	-	-	-	-	F	-	-	-	-	6.0	B	-	-	-	-	-	-	0.0	P	-	F	-	F	4.0	P	6.0	B	7.0	B+	-	-
11	**17691A0306**	22.0	22.0	7.09	6.33	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	7.0	B+	-	-	-	-	7.0	B+	6.0	B	5.0	C	9.0	A+	9.0	A+	-	-
12	**17691A0307**	22.0	22.0	6.82	6.34	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	-	-	7.0	B+	-	-	-	-	6.0	B	6.0	B	6.0	B	9.0	A+	9.0	A+	-	-
13	**17691A0308**	22.0	22.0	8.91	9.02	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	7.0	B+	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	-	-
14	**17691A0309**	22.0	22.0	7.18	7.54	-	-	-	-	5.0	C	-	-	-	-	-	-	-	-	6.0	B	0.0	P	-	-	9.0	A+	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	7.0	B+	7.0	B+	9.0	A+	-	-
15	**17691A0310**	22.0	22.0	8.36	8.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	-	-	10.0	O	0.0	P	8.0	A	9.0	A+	8.0	A	8.0	A	9.0	A+	-	-
16	**17691A0311**	22.0	22.0	8.27	8.4	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	9.0	A+	-	-	-	-	-	-	0.0	P	9.0	A+	8.0	A	7.0	B+	9.0	A+	10.0	O	-	-
17	**17691A0312**	22.0	22.0	7.55	7.87	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	7.0	B+	8.0	A	9.0	A+	-	-
18	**17691A0313**	22.0	22.0	7.0	6.28	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	0.0	P	-	-	8.0	A	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	8.0	A	9.0	A+	-	-
19	**17691A0314**	22.0	22.0	8.59	8.42	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	-	-	10.0	O	-	-	9.0	A+	9.0	A+	8.0	A	9.0	A+	9.0	A+	-	-
20	**17691A0315**	22.0	19.0	5.84	6.17	5.0	C	-	-	-	-	-	-	-	-	-	-	-	-	-	F	-	-	-	-	7.0	B+	-	-	-	-	-	-	0.0	P	6.0	B	4.0	P	5.0	C	7.0	B+	8.0	A	-	-
21	**17691A0316**	22.0	4.0	6.0	6.15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F	-	-	-	-	-	F	-	-	-	-	-	F	0.0	P	0.0	F	-	F	-	F	6.0	B	6.0	B	-	-
22	**17691A0317**	22.0	22.0	8.68	8.28	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	9.0	A+	0.0	P	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	9.0	A+	10.0	O	-	-
23	**17691A0318**	22.0	22.0	7.95	7.86	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	8.0	A	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	8.0	A	9.0	A+	-	-
24	**17691A0319**	22.0	10.0	6.8	6.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F	0.0	P	-	-	-	F	-	-	7.0	B+	-	-	-	-	-	F	-	F	5.0	C	8.0	A	8.0	A	-	-
25	**17691A0320**	22.0	22.0	6.05	6.09	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	5.0	C	-	-	-	-	-	-	0.0	P	6.0	B	6.0	B	4.0	P	8.0	A	9.0	A+	-	-
26	**17691A0321**	22.0	22.0	6.77	6.64	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	8.0	A	-	-	-	-	-	-	0.0	P	7.0	B+	5.0	C	6.0	B	8.0	A	8.0	A	-	-
27	**17691A0322**	22.0	19.0	7.58	7.6	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	F	-	-	-	-	7.0	B+	-	-	-	-	-	-	0.0	P	8.0	A	7.0	B+	7.0	B+	9.0	A+	9.0	A+	-	-
28	**17691A0323**	22.0	22.0	8.27	7.99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	8.0	A	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	8.0	A
29	**17691A0324**	22.0	22.0	9.23	9.04	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	9.0	A+	-	-	-	-	10.0	O	0.0	P	9.0	A+	10.0	O	9.0	A+	9.0	A+	10.0	O	-	-
30	**17691A0326**	22.0	22.0	7.32	7.25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	8.0	A	-	-	8.0	A	-	-	-	-	7.0	B+	6.0	B	7.0	B+	7.0	B+	9.0	A+	-	-
31	**17691A0327**	22.0	7.0	7.0	5.92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F	0.0	P	-	-	-	F	-	-	7.0	B+	-	-	-	-	-	F	-	F	0.0	F	7.0	B+	7.0	B+	-	-
32	**17691A0328**	22.0	22.0	8.09	7.54	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	-	-	-	-	0.0	P	9.0	A+	7.0	B+	8.0	A	10.0	O	10.0	O	-	-
33	**17691A0329**	22.0	22.0	7.14	7.01	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	7.0	B+	7.0	B+	6.0	B	8.0	A	9.0	A+	-	-
34	**17691A0330**	22.0	4.0	6.5	5.81	-	-	-	F	-	-	-	-	-	-	-	-	-	-	-	F	-	F	-	-	-	F	-	-	-	-	-	-	-	-	-	F	-	F	-	F	6.0	B	7.0	B+	-	-
35	**17691A0331**	22.0	22.0	7.18	7.89	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	8.0	A	8.0	A	-	-
36	**17691A0332**	22.0	22.0	8.05	8.09	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	-	-	6.0	B	-	-	9.0	A+	9.0	A+	8.0	A	9.0	A+	9.0	A+	-	-
37	**17691A0333**	22.0	22.0	6.73	6.35	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	6.0	B	6.0	B	5.0	C	9.0	A+	8.0	A	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - MECHANICAL ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																									
						14CE402		14CE403		14CHE401		14CSE302		14CSU402		14CSU403		14EEE401		14ENG103-M2		14ENG303		14ENG304		14HUM102		14HUM303		14HUM401		14MAT401		14MBA301		14ME111		14ME112		14ME113		14ME206		14ME207		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
38	**17691A0334**	22.0	22.0	7.55	7.86	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	7.0	B+	9.0	A+	8.0	A	-	-
39	**17691A0335**	22.0	22.0	7.82	6.67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	9.0	A+	-	-	0.0	P	7.0	B+	7.0	B+	8.0	A	7.0	B+	10.0	O	-	-
40	**17691A0336**	22.0	19.0	7.79	7.35	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	-	F	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	8.0	A	9.0	A+	-	-
41	**17691A0337**	22.0	22.0	7.68	8.08	7.0	B+	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	8.0	A	9.0	A+	-	-
42	**17691A0338**	22.0	10.0	5.5	6.51	-	-	-	-	-	F	0.0	P	-	-	-	-	-	-	-	F	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	5.0	C	-	F	0.0	F	6.0	B	5.0	C	-	-
43	**17691A0339**	22.0	19.0	7.21	6.33	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	F	0.0	P	-	-	8.0	A	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	7.0	B+	9.0	A+	-	-
44	**17691A0340**	22.0	22.0	7.23	6.86	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	6.0	B	0.0	P	-	-	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	6.0	B	9.0	A+	9.0	A+	-	-
45	**17691A0341**	22.0	22.0	7.14	6.83	-	-	-	-	-	-	0.0	P	6.0	B	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	8.0	A	9.0	A+	-	-
46	**17691A0342**	22.0	22.0	6.14	6.13	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	-	-	5.0	C	-	-	6.0	B	6.0	B	4.0	P	7.0	B+	8.0	A	-	-
47	**17691A0343**	22.0	22.0	7.36	7.25	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	6.0	B	-	-	-	-	9.0	A+	-	-	-	-	8.0	A	-	-	8.0	A	7.0	B+	6.0	B	7.0	B+	8.0	A	-	-
48	**17691A0344**	22.0	22.0	7.77	8.42	-	-	-	-	6.0	B	0.0	P	-	-	-	-	-	-	6.0	B	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	8.0	A	9.0	A+	9.0	A+	-	-
49	**17691A0345**	22.0	19.0	6.68	6.45	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	6.0	B	-	-	-	-	-	-	0.0	P	6.0	B	-	F	6.0	B	8.0	A	9.0	A+	-	-
50	**17691A0346**	22.0	22.0	8.45	8.59	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	7.0	B+	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	8.0	A	9.0	A+	9.0	A+	-	-
51	**17691A0348**	22.0	22.0	8.36	8.46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	0.0	P	-	-	9.0	A+	-	-	-	-	9.0	A+	-	-	8.0	A	9.0	A+	9.0	A+	8.0	A	9.0	A+	-	-
52	**17691A0349**	22.0	22.0	7.36	7.5	-	-	6.0	B	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	9.0	A+	9.0	A+	-	-
53	**17691A0350**	22.0	19.0	6.95	8.18	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	7.0	B+	-	-	-	-	-	-	0.0	P	7.0	B+	-	F	6.0	B	8.0	A	7.0	B+	-	-
54	**17691A0351**	22.0	22.0	6.91	7.33	6.0	B	-	-	-	-	0.0	P	-	-	-	-	-	-	6.0	B	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	6.0	B	8.0	A	8.0	A	-	-
55	**17691A0352**	22.0	22.0	7.41	7.77	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	7.0	B+	-	-	-	-	9.0	A+	-	-	-	-	-	-	0.0	P	7.0	B+	5.0	C	7.0	B+	9.0	A+	8.0	A	-	-
56	**17691A0353**	22.0	13.0	5.69	5.82	4.0	P	-	-	-	-	-	-	-	-	-	-	-	-	-	F	-	-	-	-	6.0	B	-	-	-	-	-	-	0.0	P	-	F	4.0	P	-	F	7.0	B+	9.0	A+	-	-
57	**17691A0354**	22.0	19.0	5.84	5.87	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	-	-	-	-	-	-	0.0	P	5.0	C	5.0	C	-	F	6.0	B	6.0	B	-	-
58	**17691A0355**	22.0	7.0	6.71	5.94	-	F	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	F	-	-	-	-	-	-	0.0	P	-	F	-	F	-	F	6.0	B	7.0	B+	-	-
59	**17691A0356**	22.0	22.0	7.27	6.65	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	-	-	6.0	B	-	-	7.0	B+	7.0	B+	7.0	B+	8.0	A	9.0	A+	-	-
60	**17691A0357**	22.0	22.0	8.32	8.06	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	9.0	A+	-	-	-	-	-	-	0.0	P	9.0	A+	9.0	A+	9.0	A+	7.0	B+	8.0	A	-	-
61	**17691A0359**	22.0	22.0	6.73	6.52	-	-	-	-	-	-	-	-	5.0	C	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	-	-	-	-	0.0	P	6.0	B	7.0	B+	6.0	B	8.0	A	9.0	A+	-	-
62	**17691A0360**	22.0	22.0	8.41	8.26	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	8.0	A	0.0	P	-	-	-	-	-	-	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	-	-
63	**17691A0361**	22.0	22.0	7.68	7.74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	0.0	P	7.0	B+	9.0	A+	6.0	B	10.0	O	10.0	O	-	-
64	**17691A0362**	22.0	19.0	6.42	7.05	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	6.0	B	-	-	-	-	6.0	B	-	-	-	-	-	-	0.0	P	6.0	B	-	F	6.0	B	8.0	A	8.0	A	-	-
65	**17691A0364**	22.0	16.0	6.0	6.16	-	F	-	-	-	-	0.0	P	-	-	-	-	-	-	-	F	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	5.0	C	6.0	B	5.0	C	8.0	A	7.0	B+	-	-
66	**17691A0365**	22.0	22.0	7.68	6.94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	8.0	A	-	-	0.0	P	7.0	B+	8.0	A	8.0	A	8.0	A	9.0	A+	-	-
67	**17691A0366**	22.0	22.0	7.23	7.39	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	-	-	-	-	0.0	P	6.0	B	7.0	B+	6.0	B	9.0	A+	9.0	A+	-	-
68	**17691A0367**	22.0	22.0	6.23	6.55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	6.0	B	-	-	7.0	B+	-	-	0.0	P	6.0	B	5.0	C	4.0	P	8.0	A	8.0	A	-	-
69	**17691A0368**	22.0	22.0	6.41	6.56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	6.0	B	-	-	7.0	B+	-	-	0.0	P	6.0	B	6.0	B	6.0	B	8.0	A	7.0	B+	-	-
70	**17691A0369**	22.0	10.0	5.7	6.09	-	-	-	F	-	-	0.0	P	-	-	-	-	-	-	-	F	-	-	-	-	4.0	P	-	-	-	-	-	-	-	-	-	F	5.0	C	-	F	7.0	B+	8.0	A	-	-
71	**17691A0370**	22.0	22.0	7.32	7.91	-	-	-	-	4.0	P	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	8.0	A	-	-	-	-	-	-	0.0	P	7.0	B+	9.0	A+	7.0	B+	9.0	A+	7.0	B+	-	-
72	**17691A0371**	22.0	19.0	6.05	5.99	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	-	-	-	-	6.0	B	-	-	6.0	B	-	-	-	-	4.0	P	-	F	4.0	P	8.0	A	9.0	A+	-	-
73	**17691A0372**	22.0	19.0	6.0	6.27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	6.0	B	-	-	6.0	B	-	-	0.0	P	-	F	4.0	P	6.0	B	8.0	A	7.0	B+	-	-
74	**17691A0373**	22.0	22.0	6.86	6.57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	8.0	A	-	-	0.0	P	5.0	C	6.0	B	6.0	B	8.0	A	9.0	A+	-	-
75	**17691A0374**	22.0	22.0	8.95	9.14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	9.0	A+	-	-	-	-	9.0	A+	0.0	P	9.0	A+	10.0	O	9.0	A+	10.0	O	9.0	A+	-	-
76	**17691A0375**	22.0	22.0	7.14	6.93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	7.0	B+	-	-	0.0	P	6.0	B	8.0	A	6.0	B	9.0	A+	8.0	A	-	-
77	**17691A0377**	22.0	22.0	7.23	7.08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	8.0	A	-	-	7.0	B+	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	8.0	A	7.0	B+	-	-
78	**17691A0378**	22.0	22.0	6.36	6.79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	6.0	B	-	-	7.0	B+	-	-	0.0	P	6.0	B	6.0	B	5.0	C	8.0	A	8.0	A	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - MECHANICAL ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																									
						14CE402		14CE403		14CHE401		14CSE302		14CSU402		14CSU403		14EEE401		14ENG103-M2		14ENG303		14ENG304		14HUM102		14HUM303		14HUM401		14MAT401		14MBA301		14ME111		14ME112		14ME113		14ME206		14ME207		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
79	**17691A0379**	22.0	22.0	7.0	6.71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	0.0	P	8.0	A	-	-	-	-	6.0	B	7.0	B+	6.0	B	8.0	A	9.0	A+	-	-
80	**17691A0380**	22.0	22.0	7.0	7.02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	-	-	7.0	B+	-	-	0.0	P	6.0	B	7.0	B+	7.0	B+	8.0	A	9.0	A+	-	-
81	**17691A0381**	22.0	22.0	6.91	6.66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	-	-	8.0	A	-	-	0.0	P	6.0	B	7.0	B+	6.0	B	8.0	A	8.0	A	-	-
82	**17691A0382**	22.0	22.0	7.55	8.15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	7.0	B+	-	-	0.0	P	8.0	A	8.0	A	7.0	B+	9.0	A+	8.0	A	-	-
83	**17691A0383**	22.0	22.0	6.09	6.55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	6.0	B	-	-	6.0	B	-	-	0.0	P	6.0	B	6.0	B	4.0	P	8.0	A	8.0	A	-	-
84	**17691A0384**	22.0	16.0	5.94	5.98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	5.0	C	-	-	6.0	B	-	-	0.0	P	4.0	P	-	F	-	F	9.0	A+	7.0	B+	-	-
85	**17691A0385**	22.0	22.0	6.82	6.87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0	C	-	-	0.0	P	7.0	B+	-	-	6.0	B	-	-	-	-	7.0	B+	7.0	B+	6.0	B	9.0	A+	9.0	A+	-	-
86	**17691A0386**	22.0	22.0	8.64	8.46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	9.0	A+	-	-	-	-	9.0	A+	0.0	P	8.0	A	9.0	A+	7.0	B+	10.0	O	10.0	O	-	-
87	**17691A0387**	22.0	22.0	6.41	7.04	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	6.0	B	5.0	C	5.0	C	8.0	A	7.0	B+	-	-
88	**17691A0388**	22.0	22.0	5.68	5.83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	6.0	B	0.0	P	7.0	B+	-	-	-	-	4.0	P	4.0	P	4.0	P	8.0	A	8.0	A	-	-
89	**17691A0390**	22.0	22.0	9.05	9.15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	9.0	A+	-	-	-	-	10.0	O	0.0	P	8.0	A	10.0	O	9.0	A+	10.0	O	10.0	O	-	-
90	**17691A0391**	22.0	22.0	6.95	6.91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	7.0	B+	-	-	-	-	6.0	B	-	-	6.0	B	7.0	B+	6.0	B	9.0	A+	9.0	A+	-	-
91	**17691A0392**	22.0	22.0	7.23	7.14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	0.0	P	-	-	8.0	A	-	-	-	-	7.0	B+	-	-	7.0	B+	7.0	B+	6.0	B	9.0	A+	9.0	A+	-	-
92	**17691A0393**	22.0	22.0	8.77	8.89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	9.0	A+	-	-	9.0	A+	-	-	0.0	P	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-
93	**17691A0396**	22.0	22.0	6.45	6.83	-	-	6.0	B	-	-	0.0	P	-	-	-	-	-	-	6.0	B	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	5.0	C	9.0	A+	8.0	A	-	-
94	**17691A0397**	22.0	13.0	6.15	6.31	-	-	4.0	P	-	-	0.0	P	-	-	-	-	-	-	6.0	B	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	-	F	-	F	-	F	8.0	A	8.0	A	-	-
95	**17691A0399**	22.0	19.0	7.68	7.07	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	F	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	7.0	B+	8.0	A	8.0	A	-	-
96	**17691A03A0**	22.0	19.0	5.79	6.06	-	-	-	-	-	-	0.0	P	5.0	C	-	-	-	-	6.0	B	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	5.0	C	-	F	4.0	P	8.0	A	8.0	A	-	-
97	**17691A03A1**	22.0	11.0	5.36	5.71	-	-	-	F	-	-	0.0	P	-	-	-	-	-	-	-	F	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	-	F	5.0	C	4.0	P	7.0	B+	-	F	-	-
98	**17691A03A2**	22.0	22.0	7.0	6.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	8.0	A	-	-	0.0	P	6.0	B	5.0	C	6.0	B	8.0	A	9.0	A+	-	-
99	**17691A03A3**	22.0	14.0	5.29	5.67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	F	-	-	-	F	-	-	5.0	C	-	-	-	-	4.0	P	5.0	C	-	F	7.0	B+	-	F	-	-
100	**17691A03A4**	22.0	5.0	5.2	6.08	-	-	-	F	-	-	0.0	P	-	-	-	-	-	-	-	F	-	-	-	-	-	F	-	-	-	-	-	-	-	-	-	F	4.0	P	-	F	7.0	B+	-	Ab	-	-
101	**17691A03A5**	22.0	22.0	8.0	7.88	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	9.0	A+	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	7.0	B+	10.0	O	9.0	A+	-	-
102	**17691A03A7**	22.0	16.0	6.56	6.51	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	F	-	F	5.0	C	-	F	7.0	B+	8.0	A	-	-
103	**17691A03A8**	22.0	22.0	7.05	7.39	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	9.0	A+	7.0	B+	-	-
104	**17691A03A9**	22.0	22.0	7.23	7.29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	7.0	B+	-	-	0.0	P	6.0	B	7.0	B+	7.0	B+	10.0	O	8.0	A	-	-
105	**17691A03B0**	22.0	22.0	7.14	7.06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	8.0	A	-	-	8.0	A	-	-	0.0	P	6.0	B	8.0	A	5.0	C	9.0	A+	8.0	A	-	-
106	**17691A03B1**	22.0	22.0	8.41	8.65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	9.0	A+	-	-	9.0	A+	-	-	0.0	P	7.0	B+	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-
107	**17691A03B2**	22.0	22.0	7.82	8.21	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	8.0	A	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	7.0	B+	8.0	A	9.0	A+	-	-
108	**17691A03B3**	22.0	22.0	8.05	8.45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	8.0	A	-	-	0.0	P	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-
109	**17691A03B4**	22.0	22.0	8.14	8.42	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	8.0	A	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	8.0	A	10.0	O	9.0	A+	-	-
110	**17691A03B5**	22.0	22.0	8.18	7.97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	8.0	A	-	-	8.0	A	-	-	0.0	P	8.0	A	9.0	A+	7.0	B+	8.0	A	10.0	O	-	-
111	**17691A03B6**	22.0	13.0	6.31	6.07	5.0	C	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	6.0	B	-	-	-	-	-	-	0.0	P	-	F	-	F	-	F	7.0	B+	7.0	B+	-	-
112	**17691A03B8**	22.0	22.0	7.68	7.14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	7.0	B+	-	-	8.0	A	-	-	0.0	P	7.0	B+	8.0	A	7.0	B+	9.0	A+	8.0	A	-	-
113	**17691A03B9**	22.0	19.0	6.84	6.9	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	F	-	-	-	-	7.0	B+	-	-	-	-	-	-	0.0	P	6.0	B	6.0	B	6.0	B	8.0	A	9.0	A+	-	-
114	**17691A03C0**	22.0	16.0	6.63	5.95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F	-	-	-	-	7.0	B+	-	-	6.0	B	-	-	0.0	P	-	F	6.0	B	5.0	C	9.0	A+	8.0	A	-	-
115	**17691A03C1**	22.0	7.0	6.29	6.34	-	F	-	-	-	-	-	-	-	-	-	-	-	-	-	F	-	F	-	-	-	F	-	-	-	-	-	-	-	-	6.0	B	-	F	-	F	6.0	B	7.0	B+	-	-
116	**17691A03C2**	22.0	19.0	6.74	6.59	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	-	-	-	-	6.0	B	-	-	-	-	8.0	A	-	-	6.0	B	5.0	C	-	F	9.0	A+	7.0	B+	-	-
117	**17691A03C4**	22.0	19.0	7.11	7.18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F	-	-	-	-	7.0	B+	-	-	8.0	A	-	-	0.0	P	7.0	B+	7.0	B+	6.0	B	7.0	B+	8.0	A	-	-
118	**17691A03C5**	22.0	22.0	8.91	8.66	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	-	-	-	-	9.0	A+	-	-	-	-	10.0	O	-	-	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	-	-
119	**17691A03C6**	22.0	10.0	6.3	6.33	-	-	-	F	-	-	-	-	-	-	-	-	-	-	6.0	B	0.0	P	-	-	5.0	C	-	-	-	-	-	-	-	-	-	F	-	F	-	F	8.0	A	7.0	B+	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - MECHANICAL ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																									
						14CE402		14CE403		14CHE401		14CSE302		14CSU402		14CSU403		14EEE401		14ENG103-M2		14ENG303		14ENG304		14HUM102		14HUM303		14HUM401		14MAT401		14MBA301		14ME111		14ME112		14ME113		14ME206		14ME207		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
120	**17691A03C7**	22.0	10.0	6.5	6.44	5.0	C	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	F	-	-	-	F	-	-	-	-	-	-	-	-	-	F	-	F	-	F	8.0	A	8.0	A	-	-
121	**17691A03C8**	22.0	4.0	7.0	5.81	-	-	-	F	-	-	-	-	-	-	-	-	-	-	-	F	0.0	P	-	-	-	F	-	-	-	-	-	-	-	-	-	F	-	F	-	F	7.0	B+	7.0	B+	-	-
122	**17691A03C9**	22.0	22.0	7.5	6.79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	8.0	A	-	-	8.0	A	-	-	0.0	P	8.0	A	6.0	B	7.0	B+	9.0	A+	9.0	A+	-	-
123	**17691A03D0**	22.0	22.0	8.18	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	9.0	A+	-	-	8.0	A	-	-	0.0	P	8.0	A	7.0	B+	9.0	A+	9.0	A+	9.0	A+	-	-
124	**17691A03D1**	22.0	22.0	7.05	7.18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	7.0	B+	-	-	0.0	P	7.0	B+	6.0	B	7.0	B+	8.0	A	8.0	A	-	-
125	**17691A03D2**	22.0	22.0	9.45	9.72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	10.0	O	-	-	-	-	10.0	O	0.0	P	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	-	-
126	**17691A03D3**	22.0	22.0	7.5	7.52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	8.0	A	-	-	0.0	P	8.0	A	7.0	B+	7.0	B+	6.0	B	9.0	A+	-	-
127	**17691A03D5**	22.0	19.0	6.79	6.77	-	-	-	-	-	-	0.0	P	-	-	-	-	6.0	B	-	F	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	6.0	B	6.0	B	6.0	B	9.0	A+	9.0	A+	-	-
128	**17691A03D6**	22.0	13.0	5.77	6.2	-	-	4.0	P	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	-	F	0.0	P	-	-	-	-	-	-	5.0	C	-	F	-	F	8.0	A	7.0	B+	-	-
129	**17691A03D7**	22.0	19.0	8.05	7.81	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	-	F	-	-	-	-	8.0	A	-	-	-	-	8.0	A	-	-	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	-	-
130	**17691A03D9**	22.0	22.0	6.73	6.02	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	7.0	B+	7.0	B+	-	-
131	**17691A03E1**	22.0	22.0	7.05	7.03	-	-	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	6.0	B	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	9.0	A+	7.0	B+	-	-
132	**17691A03E3**	22.0	13.0	6.15	5.74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F	-	F	-	-	-	F	-	-	6.0	B	-	-	-	-	6.0	B	-	F	4.0	P	8.0	A	8.0	A	-	-
133	**17691A03E4**	22.0	10.0	5.9	5.95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F	-	F	-	-	-	F	-	-	6.0	B	-	-	-	-	-	F	-	F	5.0	C	6.0	B	7.0	B+	-	-
134	**17691A03E6**	22.0	22.0	7.05	6.54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	0.0	P	8.0	A	-	-	7.0	B+	-	-	-	-	7.0	B+	6.0	B	7.0	B+	7.0	B+	9.0	A+	-	-
135	**17691A03E8**	22.0	22.0	7.55	7.34	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	8.0	A	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	7.0	B+	9.0	A+	8.0	A	-	-
136	**17691A03E9**	22.0	19.0	6.84	6.13	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	7.0	B+	-	-	-	-	-	-	-	-	6.0	B	-	F	6.0	B	9.0	A+	8.0	A	-	-
137	**17691A03F0**	22.0	13.0	5.62	5.73	-	-	5.0	C	-	-	-	-	-	-	-	-	-	-	-	F	-	-	-	-	6.0	B	-	-	-	-	-	-	0.0	P	-	F	-	F	4.0	P	8.0	A	6.0	B	-	-
138	**17691A03F1**	22.0	13.0	6.38	5.92	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	-	F	-	F	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	F	4.0	P	-	F	9.0	A+	7.0	B+	-	-
139	**17691A03F2**	22.0	22.0	8.18	8.22	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	8.0	A	-	-	-	-	-	-	-	-	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-
140	**17691A03F4**	22.0	13.0	7.0	6.35	-	-	-	-	-	-	-	-	-	Ab	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	-	-	-	-	0.0	P	5.0	C	-	F	-	F	9.0	A+	8.0	A	-	-
141	**17691A03F5**	22.0	22.0	7.68	7.16	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	7.0	B+	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	9.0	A+	8.0	A	-	-
142	**17691A03F6**	22.0	22.0	6.95	7.11	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	6.0	B	0.0	P	-	-	7.0	B+	-	-	-	-	-	-	-	-	8.0	A	6.0	B	6.0	B	9.0	A+	9.0	A+	-	-
143	**17691A03F8**	22.0	16.0	6.31	6.14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F	-	-	0.0	P	7.0	B+	-	-	6.0	B	-	-	-	-	6.0	B	6.0	B	-	F	6.0	B	7.0	B+	-	-
144	**17691A03F9**	22.0	22.0	5.95	5.94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	0.0	P	6.0	B	-	-	7.0	B+	-	-	-	-	6.0	B	4.0	P	6.0	B	6.0	B	7.0	B+	-	-
145	**17691A03G0**	22.0	22.0	7.14	7.48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	0.0	P	6.0	B	7.0	B+	7.0	B+	8.0	A	9.0	A+	-	-
146	**17691A03G1**	22.0	22.0	7.77	7.68	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	-	-	-	-	9.0	A+	-	-	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	-	-
147	**17691A03G2**	22.0	19.0	5.84	6.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	0.0	P	5.0	C	-	-	6.0	B	-	-	-	-	5.0	C	5.0	C	-	F	6.0	B	9.0	A+	-	-
148	**17691A03G3**	22.0	19.0	6.68	6.29	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	-	F	-	-	-	-	7.0	B+	-	-	-	-	-	-	0.0	P	6.0	B	5.0	C	7.0	B+	9.0	A+	8.0	A	-	-
149	**17691A03G4**	22.0	22.0	9.59	9.43	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	8.0	A	-	-	-	-	9.0	A+	-	-	-	-	10.0	O	-	-	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	-	-
150	**17691A03G5**	22.0	22.0	7.14	7.73	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	0.0	P	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	9.0	A+	8.0	A	-	-
151	**17691A03G6**	22.0	16.0	7.56	7.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F	-	-	-	-	8.0	A	-	-	7.0	B+	-	-	0.0	P	-	F	7.0	B+	7.0	B+	9.0	A+	8.0	A	-	-
152	**17691A03G7**	22.0	22.0	7.32	8.26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	0.0	P	-	-	8.0	A	-	-	6.0	B	6.0	B	7.0	B+	10.0	O	9.0	A+	-	-
153	**17691A03G8**	22.0	22.0	8.41	8.76	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	-	-	9.0	A+	-	-	9.0	A+	8.0	A	8.0	A	9.0	A+	10.0	O	-	-
154	**17691A03H0**	22.0	22.0	6.64	6.81	-	-	-	-	5.0	C	0.0	P	-	-	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	8.0	A	8.0	A	-	-
155	**17691A03H1**	22.0	22.0	6.09	6.44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	-	-	6.0	B	-	-	0.0	P	6.0	B	4.0	P	5.0	C	8.0	A	8.0	A	-	-
156	**17691A03H2**	22.0	22.0	7.27	8.25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	-	-	8.0	A	-	-	0.0	P	7.0	B+	6.0	B	6.0	B	10.0	O	10.0	O	-	-
157	**17691A03H3**	22.0	22.0	7.27	7.12	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	-	-	-	-	9.0	A+	-	-	-	-	6.0	B	-	-	8.0	A	5.0	C	7.0	B+	8.0	A	9.0	A+	-	-
158	**17691A03H4**	22.0	22.0	8.41	8.74	8.0	A	-	-	-	-	0.0	P	-	-	-	-	-	-	8.0	A	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	-	-
159	**17691A03H6**	22.0	10.0	5.9	6.05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F	-	-	0.0	P	5.0	C	-	-	-	-	-	F	-	-	-	F	4.0	P	-	F	8.0	A	8.0	A	-	-
160	**17691A03H7**	22.0	13.0	7.15	6.89	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	-	-	-	-	6.0	B	-	-	-	-	-	-	0.0	P	-	F	-	Ab	-	Ab	9.0	A+	9.0	A+	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - MECHANICAL ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																									
						14CE402		14CE403		14CHE401		14CSE302		14CSU402		14CSU403		14EEE401		14ENG103-M2		14ENG303		14ENG304		14HUM102		14HUM303		14HUM401		14MAT401		14MBA301		14ME111		14ME112		14ME113		14ME206		14ME207		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
161	**17691A03H9**	22.0	22.0	7.82	7.8	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	9.0	A+	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	8.0	A	9.0	A+	-	-
162	**17691A03I0**	22.0	22.0	7.45	8.43	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	-	-	-	-	0.0	P	7.0	B+	7.0	B+	7.0	B+	8.0	A	8.0	A	-	-
163	**17691A03I1**	22.0	19.0	6.47	6.4	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	F	5.0	C	6.0	B	8.0	A	7.0	B+	-	-
164	**17691A03I2**	22.0	22.0	7.5	7.9	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	6.0	B	0.0	P	-	-	8.0	A	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	7.0	B+	9.0	A+	9.0	A+	-	-
165	**17691A03I3**	22.0	22.0	7.5	7.67	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	-	-	-	-	0.0	P	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	-	-
166	**17691A03I4**	22.0	22.0	7.36	7.39	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	8.0	A	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	6.0	B	9.0	A+	9.0	A+	-	-
167	**17691A03I5**	22.0	22.0	7.73	7.83	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	8.0	A	-	-	-	-	-	-	0.0	P	7.0	B+	9.0	A+	7.0	B+	9.0	A+	10.0	O	-	-
168	**17691A03I6**	22.0	22.0	6.91	7.7	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	8.0	A	-	-	-	-	-	-	0.0	P	7.0	B+	6.0	B	6.0	B	7.0	B+	9.0	A+	-	-
169	**17691A03I7**	22.0	22.0	7.59	8.25	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	8.0	A	-	-	-	-	-	-	0.0	P	7.0	B+	7.0	B+	8.0	A	9.0	A+	10.0	O	-	-
170	**17691A03I8**	22.0	22.0	7.95	8.7	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	7.0	B+	9.0	A+	8.0	A	9.0	A+	8.0	A	-	-
171	**17691A03I9**	22.0	22.0	6.14	6.2	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	6.0	B	-	-	-	-	-	-	0.0	P	6.0	B	5.0	C	5.0	C	8.0	A	7.0	B+	-	-
172	**17691A03J0**	22.0	22.0	7.0	6.95	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	6.0	B	0.0	P	-	-	7.0	B+	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	9.0	A+	8.0	A	-	-
173	**17691A03J1**	22.0	22.0	8.09	8.07	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	8.0	A	-	-	-	-	9.0	A+	0.0	P	8.0	A	8.0	A	9.0	A+	8.0	A	9.0	A+	-	-
174	**17691A03J2**	22.0	22.0	6.14	6.07	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	6.0	B	-	-	-	-	-	-	0.0	P	6.0	B	4.0	P	6.0	B	8.0	A	7.0	B+	-	-
175	**17691A03J3**	22.0	19.0	7.68	7.36	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	-	F	0.0	P	-	-	8.0	A	-	-	-	-	-	-	-	-	6.0	B	8.0	A	8.0	A	8.0	A	8.0	A	-	-
176	**17691A03J4**	22.0	22.0	6.55	6.85	5.0	C	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	-	-	-	-	-	-	0.0	P	6.0	B	6.0	B	6.0	B	8.0	A	10.0	O	-	-
177	**17691A03J5**	22.0	22.0	7.36	7.04	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	0.0	P	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	-	-
178	**17691A03J7**	22.0	19.0	7.16	7.78	7.0	B+	-	-	-	-	0.0	P	-	-	-	-	-	-	-	F	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	8.0	A	9.0	A+	-	-
179	**17691A03J8**	22.0	22.0	8.18	8.63	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	-	-	-	-	0.0	P	8.0	A	9.0	A+	8.0	A	8.0	A	10.0	O	-	-
180	**17691A03J9**	22.0	13.0	5.54	5.75	-	F	-	-	-	-	-	-	-	-	-	-	-	-	-	F	-	-	-	-	5.0	C	0.0	P	-	-	-	-	-	-	5.0	C	4.0	P	-	F	7.0	B+	8.0	A	-	-
181	**17691A03K0**	22.0	22.0	8.14	8.06	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	0.0	P	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	-	-
182	**17691A03K1**	22.0	22.0	6.82	6.74	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	-	-	-	-	-	-	0.0	P	7.0	B+	7.0	B+	7.0	B+	8.0	A	7.0	B+	-	-
183	**17691A03K2**	22.0	22.0	6.55	6.77	7.0	B+	-	-	-	-	0.0	P	-	-	-	-	-	-	6.0	B	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	6.0	B	5.0	C	6.0	B	8.0	A	7.0	B+	-	-
184	**17691A03K4**	22.0	22.0	6.41	6.29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	7.0	B+	-	-	0.0	P	6.0	B	4.0	P	6.0	B	7.0	B+	8.0	A	-	-
185	**17691A03K5**	22.0	22.0	6.5	6.55	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	5.0	C	-	-	-	-	-	-	0.0	P	7.0	B+	6.0	B	6.0	B	8.0	A	8.0	A	-	-
186	**17691A03K6**	22.0	19.0	6.42	5.88	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	F	-	-	-	-	5.0	C	-	-	-	-	-	-	0.0	P	6.0	B	6.0	B	6.0	B	8.0	A	8.0	A	-	-
187	**17691A03K7**	22.0	22.0	8.18	8.45	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	8.0	A	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	8.0	A	9.0	A+	9.0	A+	-	-
188	**17691A03K8**	22.0	22.0	5.36	6.1	5.0	C	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	0.0	P	-	-	5.0	C	-	-	-	-	-	-	-	-	6.0	B	4.0	P	4.0	P	6.0	B	8.0	A	-	-
189	**17691A03K9**	22.0	4.0	7.0	5.97	-	-	-	F	-	-	-	-	-	-	-	-	-	-	-	F	-	-	-	-	-	F	-	-	-	-	-	-	0.0	P	-	F	-	F	0.0	F	8.0	A	6.0	B	-	-
190	**17691A03L0**	22.0	22.0	6.55	7.74	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	6.0	B	0.0	P	-	-	6.0	B	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	6.0	B	7.0	B+	8.0	A	-	-
191	**17691A03L1**	22.0	10.0	6.2	6.17	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	-	F	-	-	-	-	4.0	P	-	-	-	-	-	-	0.0	P	-	F	-	F	-	F	8.0	A	8.0	A	-	-
192	**17691A03L2**	22.0	22.0	7.86	8.96	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	7.0	B+	10.0	O	8.0	A	8.0	A	8.0	A	-	-
193	**17691A03L3**	22.0	7.0	6.14	6.09	-	F	-	-	-	-	0.0	P	-	-	-	-	-	-	-	F	-	-	-	-	-	F	-	-	-	-	-	-	-	-	-	F	5.0	C	0.0	F	7.0	B+	7.0	B+	-	-
194	**17691A03L4**	22.0	22.0	8.09	8.57	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	9.0	A+	8.0	A	9.0	A+	-	-
195	**17691A03L5**	22.0	4.0	6.5	6.33	-	-	-	F	-	-	-	-	-	-	-	-	-	-	-	F	-	-	-	-	-	F	-	-	-	-	-	-	0.0	P	-	F	-	F	0.0	F	7.0	B+	6.0	B	-	-
196	**17691A03L6**	22.0	16.0	6.56	6.75	-	-	5.0	C	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	6.0	B	-	-	-	-	-	-	0.0	P	-	F	6.0	B	-	F	9.0	A+	9.0	A+	-	-
197	**17691A03L7**	22.0	16.0	6.44	7.68	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	-	F	-	-	-	-	6.0	B	-	-	-	-	-	-	0.0	P	-	F	6.0	B	5.0	C	9.0	A+	8.0	A	-	-
198	**17691A03L8**	22.0	19.0	7.42	6.46	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	-	F	-	-	-	-	6.0	B	-	-	-	-	9.0	A+	-	-	6.0	B	7.0	B+	7.0	B+	9.0	A+	9.0	A+	-	-
199	**17691A03L9**	22.0	22.0	6.82	7.32	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	8.0	A	7.0	B+	-	-
200						-	-	-	-			-	-	-	-	-	-	-	-			-	-	-	-			-	-	-	-	-	-													-	-
201	**17691A03M1**	22.0	22.0	7.73	8.69	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	8.0	A	8.0	A	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - MECHANICAL ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																									
						14CE402		14CE403		14CHE401		14CSE302		14CSU402		14CSU403		14EEE401		14ENG103-M2		14ENG303		14ENG304		14HUM102		14HUM303		14HUM401		14MAT401		14MBA301		14ME111		14ME112		14ME113		14ME206		14ME207		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
202	**17691A03M2**	22.0	22.0	8.45	8.94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	7.0	B+	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O
203	**17691A03M3**	22.0	22.0	9.0	9.19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	8.0	A	-	-	-	-	-	-	0.0	P	9.0	A+	10.0	O	9.0	A+	9.0	A+	9.0	A+	10.0	O
204	**17691A03M4**	22.0	16.0	5.56	6.29	-	-	-	-	-	F	-	-	-	-	-	-	-	-	-	F	-	-	-	-	6.0	B	-	-	-	-	-	-	-	F	6.0	B	4.0	P	5.0	C	6.0	B	7.0	B+	-	-
205	**17691A03M5**	22.0	22.0	8.32	8.82	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	0.0	P	-	-	-	-	-	-	8.0	A	9.0	A+	9.0	A+	8.0	A	10.0	O	-	-
206	**17691A03M6**	22.0	22.0	5.68	6.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	6.0	B	-	-	7.0	B+	-	-	0.0	P	6.0	B	4.0	P	4.0	P	7.0	B+	6.0	B	-	-
207	**17691A03M7**	22.0	22.0	5.95	6.2	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	6.0	B	-	-	-	-	5.0	C	-	-	-	-	-	-	-	-	6.0	B	6.0	B	4.0	P	7.0	B+	9.0	A+	6.0	B
208	**17691A03M8**	22.0	16.0	7.38	7.45	-	-	-	-	-	F	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	F	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	6.0	B	8.0	A	9.0	A+	-	-
209	**17691A03M9**	22.0	16.0	5.88	5.98	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	-	F	-	-	-	-	-	F	-	-	-	-	-	-	0.0	P	4.0	P	5.0	C	5.0	C	8.0	A	9.0	A+	-	-
210	**17691A03N0**	22.0	22.0	7.09	7.01	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	0.0	P	-	-	7.0	B+	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	6.0	B	9.0	A+	9.0	A+	-	-
211	**17691A03N1**	22.0	22.0	6.95	7.46	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	F	-	-	7.0	B+	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	6.0	B	9.0	A+	9.0	A+	-	-
212	**17691A03N2**	22.0	10.0	5.7	5.76	-	-	5.0	C	-	-	-	-	-	-	-	-	-	-	-	F	0.0	P	-	-	-	F	-	-	-	-	-	-	-	-	-	F	4.0	P	-	F	8.0	A	7.0	B+	-	-
213						-	-	-	-	-	-	-	-			-	-	-	-			-	-	-	-			-	-	-	-	-	-													-	-
214	**18695A0301**	22.0	22.0	8.18	8.39	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	8.0	A	-	-	-	-	-	-	0.0	P	10.0	O	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-
215	**18695A0302**	22.0	22.0	7.14	7.05	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	8.0	A	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	7.0	B+	10.0	O	-	-
216	**18695A0303**	22.0	22.0	6.5	6.21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	-	-	7.0	B+	-	-	0.0	P	6.0	B	6.0	B	5.0	C	7.0	B+	9.0	A+	-	-
217	**18695A0304**	22.0	22.0	6.95	6.68	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	-	-	-	-	6.0	B	-	-	6.0	B	-	-	-	-	7.0	B+	6.0	B	7.0	B+	9.0	A+	9.0	A+	-	-
218	**18695A0305**	22.0	22.0	6.64	7.0	5.0	C	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	6.0	B	-	-	-	-	-	-	0.0	P	8.0	A	6.0	B	7.0	B+	7.0	B+	9.0	A+	-	-
219	**18695A0306**	22.0	22.0	7.73	7.45	8.0	A	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	9.0	A+	8.0	A	8.0	A	-	-
220	**18695A0307**	22.0	22.0	8.55	8.56	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	6.0	B	-	-	-	-	8.0	A	-	-	-	-	-	-	0.0	P	9.0	A+	9.0	A+	10.0	O	9.0	A+	10.0	O	-	-
221	**18695A0308**	22.0	22.0	7.41	6.94	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	-	-	9.0	A+	-	-	-	-	-	-	0.0	P	7.0	B+	6.0	B	7.0	B+	8.0	A	9.0	A+	-	-
222	**18695A0309**	22.0	19.0	6.74	6.62	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	-	F	-	-	-	-	7.0	B+	-	-	-	-	-	-	0.0	P	7.0	B+	6.0	B	6.0	B	7.0	B+	9.0	A+	-	-
223	**18695A0310**	22.0	22.0	7.82	7.61	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	8.0	A	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	9.0	A+	9.0	A+	8.0	A	-	-
224	**18695A0311**	22.0	22.0	8.55	8.98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	8.0	A	-	-	-	-	8.0	A	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	-	-
225	**18695A0312**	22.0	22.0	8.0	7.82	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	6.0	B	0.0	P	-	-	8.0	A	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	8.0	A	9.0	A+	10.0	O	-	-
226	**18695A0313**	22.0	22.0	6.0	6.03	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	6.0	B	-	-	-	-	-	-	0.0	P	5.0	C	6.0	B	4.0	P	8.0	A	7.0	B+	-	-
227	**18695A0314**	22.0	22.0	7.32	6.82	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	7.0	B+	-	-	-	-	-	-	0.0	P	6.0	B	6.0	B	7.0	B+	9.0	A+	10.0	O	-	-
228	**18695A0315**	22.0	22.0	8.5	8.65	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-	6.0	B	0.0	P	-	-	9.0	A+	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	-	-
229	**18695A0316**	22.0	22.0	7.86	8.32	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	8.0	A	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	9.0	A+	10.0	O	-	-
230	**18695A0317**	22.0	22.0	7.55	8.18	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	-	-	-	-	0.0	P	8.0	A	6.0	B	7.0	B+	9.0	A+	8.0	A	-	-
231	**18695A0319**	22.0	22.0	7.14	6.44	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	8.0	A	-	-	-	-	-	-	0.0	P	6.0	B	8.0	A	6.0	B	9.0	A+	8.0	A	-	-
232	**18695A0320**	22.0	22.0	8.0	7.14	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	-	-
233	**18695A0321**	22.0	22.0	8.09	8.32	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	8.0	A	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	8.0	A	10.0	O	10.0	O	-	-
234	**18695A0322**	22.0	22.0	8.91	8.77	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	9.0	A+	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-
235	**18695A0323**	22.0	22.0	7.14	7.09	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	-	-	-	-	0.0	P	6.0	B	7.0	B+	7.0	B+	9.0	A+	8.0	A	-	-
236	**18695A0324**	22.0	19.0	6.95	6.62	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	-	F	-	-	-	-	7.0	B+	-	-	-	-	-	-	0.0	P	6.0	B	7.0	B+	6.0	B	9.0	A+	9.0	A+	-	-
237	**18695A0325**	22.0	22.0	8.59	8.79	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	9.0	A+	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	10.0	O	9.0	A+	9.0	A+	-	-
238	**18695A0326**	22.0	22.0	6.86	6.53	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	7.0	B+	-	-	-	-	-	-	-	-	6.0	B	6.0	B	6.0	B	9.0	A+	8.0	A	-	-
239	**18695A0327**	22.0	19.0	6.21	6.59	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	-	F	0.0	P	-	-	7.0	B+	-	-	-	-	-	-	-	-	7.0	B+	4.0	P	6.0	B	6.0	B	8.0	A	-	-
240	**18695A0328**	22.0	22.0	6.73	6.8	-	-	-	-	4.0	P	0.0	P	-	-	-	-	-	-	6.0	B	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	8.0	A	9.0	A+	-	-
241	**18695A0329**	22.0	22.0	6.14	6.17	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	F	-	-	6.0	B	-	-	-	-	-	-	-	-	6.0	B	5.0	C	6.0	B	8.0	A	7.0	B+	-	-
242	**18695A0330**	22.0	22.0	7.68	7.8	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	8.0	A	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	8.0	A	9.0	A+	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - MECHANICAL ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																									
						14CE402		14CE403		14CHE401		14CSE302		14CSU402		14CSU403		14EEE401		14ENG103-M2		14ENG303		14ENG304		14HUM102		14HUM303		14HUM401		14MAT401		14MBA301		14ME111		14ME112		14ME113		14ME206		14ME207		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
243	**18695A0331**	22.0	22.0	5.36	5.91	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	4.0	P	0.0	P	-	-	-	-	-	-	6.0	B	4.0	P	4.0	P	7.0	B+	7.0	B+	-	-
244	**18695A0332**	22.0	19.0	6.95	6.64	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	-	F	6.0	B	7.0	B+	8.0	A	7.0	B+	-	-
245	**18695A0333**	22.0	19.0	6.89	7.27	-	-	-	-	-	-	-	-	-	-	-	F	-	-	7.0	B+	0.0	P	-	-	6.0	B	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	8.0	A	8.0	A	-	-
246	**18695A0334**	22.0	22.0	7.23	7.67	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	-	-	-	-	-	-	0.0	P	9.0	A+	6.0	B	7.0	B+	8.0	A	10.0	O	-	-
247	**18695A0335**	22.0	19.0	6.21	6.24	-	-	-	F	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	6.0	B	-	-	-	-	-	-	0.0	P	6.0	B	4.0	P	6.0	B	8.0	A	9.0	A+	-	-
248	**18695A0336**	22.0	22.0	7.95	8.27	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	8.0	A	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	8.0	A	9.0	A+	-	-
249	**18695A0337**	22.0	22.0	6.36	6.58	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	6.0	B	0.0	P	-	-	6.0	B	-	-	-	-	-	-	-	-	7.0	B+	4.0	P	7.0	B+	8.0	A	8.0	A	-	-
250	**18695A0338**	22.0	19.0	6.47	6.52	5.0	C	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	6.0	B	-	-	-	-	-	-	0.0	P	7.0	B+	-	F	7.0	B+	8.0	A	7.0	B+	-	-
251	**18695A0339**	22.0	20.0	6.6	6.92	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	-	-	-	-	-	-	0.0	P	7.0	B+	5.0	C	7.0	B+	-	F	9.0	A+	-	-
252	**18695A0340**	22.0	13.0	5.46	6.04	-	-	5.0	C	-	-	0.0	P	-	-	-	-	-	-	-	F	-	-	-	-	5.0	C	-	-	-	-	-	-	-	-	-	F	-	F	5.0	C	6.0	B	7.0	B+	-	-
253	**18695A0341**	22.0	22.0	7.82	7.73	-	-	-	-	-	-	0.0	P	-	-	6.0	B	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	8.0	A	6.0	B	9.0	A+	10.0	O	10.0	O	-	-
254	**18695A0342**	22.0	22.0	8.68	8.82	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	8.0	A	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	-	-
255	**18695A0343**	22.0	22.0	6.41	6.82	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	6.0	B	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	6.0	B	6.0	B	6.0	B	8.0	A	7.0	B+	-	-
256	**18695A0344**	22.0	22.0	8.09	8.02	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	8.0	A	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	-	-
257	**18695A0345**	22.0	22.0	7.32	7.24	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	-	-	-	-	-	-	0.0	P	7.0	B+	7.0	B+	7.0	B+	9.0	A+	10.0	O	-	-
258	**18695A0346**	22.0	19.0	7.47	7.41	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	-	F	-	-	-	-	7.0	B+	-	-	-	-	-	-	0.0	P	7.0	B+	7.0	B+	7.0	B+	9.0	A+	8.0	A	-	-
259	**18695A0347**	22.0	22.0	7.18	7.86	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	7.0	B+	8.0	A	7.0	B+	8.0	A	8.0	A	-	-
260	**18695A0348**	22.0	22.0	8.0	8.44	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	-	-	-	-	9.0	A+	-	-	8.0	A	9.0	A+	7.0	B+	9.0	A+	10.0	O	-	-
261	**18695A0349**	22.0	22.0	7.82	8.21	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	7.0	B+	8.0	A	9.0	A+	-	-
262	**18695A0350**	22.0	19.0	6.74	6.84	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	-	F	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	6.0	B	6.0	B	7.0	B+	8.0	A	8.0	A	-	-
263	**18695A0351**	22.0	22.0	7.09	7.48	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	8.0	A	7.0	B+	-	-
264	**18695A0352**	22.0	22.0	7.41	7.7	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	7.0	B+	8.0	A	7.0	B+	8.0	A	9.0	A+	-	-
265	**18695A0353**	22.0	22.0	7.68	8.17	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	-	-	7.0	B+	-	-	7.0	B+	8.0	A	8.0	A	8.0	A	9.0	A+	-	-
266	**18695A0354**	22.0	22.0	6.18	6.8	-	-	-	-	-	-	-	F	5.0	C	-	-	-	-	6.0	B	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	5.0	C	6.0	B	6.0	B	8.0	A	9.0	A+	-	-
267	**18695A0355**	22.0	13.0	5.62	5.85	-	F	-	-	-	-	-	-	-	-	-	-	-	-	-	F	-	-	-	-	6.0	B	0.0	P	-	-	-	-	-	-	-	F	5.0	C	4.0	P	7.0	B+	7.0	B+	-	-
268	**18695A0356**	22.0	16.0	5.25	5.35	-	-	4.0	P	-	-	0.0	P	-	-	-	-	-	-	-	F	-	-	-	-	5.0	C	-	-	-	-	-	-	-	-	4.0	P	-	F	5.0	C	8.0	A	7.0	B+	-	-
269	**18695A0357**	22.0	22.0	6.23	6.36	-	-	-	-	-	-	-	F	-	-	-	-	-	-	7.0	B+	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	6.0	B	5.0	C	6.0	B	8.0	A	8.0	A	5.0	C
270	**18695A0358**	22.0	22.0	7.59	7.5	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	9.0	A+	10.0	O	9.0	A+
271	**18695A0359**	22.0	19.0	7.47	7.38	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	-	F	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	9.0	A+	6.0	B	7.0	B+	8.0	A	9.0	A+	7.0	B+
272	**18695A0360**	22.0	22.0	6.82	6.73	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	6.0	B	7.0	B+	8.0	A	8.0	A
273	**18695A0361**	22.0	22.0	7.27	6.83	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	8.0	A	8.0	A	9.0	A+	7.0	B+

Course Code	Course Name
14CE402	RURAL WATER SUPPLY AND SANITATION
14CE403	GREEN BUILDINGS AND ENERGY CONSERVATION
14CHE401	INTRODUCTION TO NANO SCIENCE AND TECHNOLOGY
14CSE302	ETHICAL HACKING (AUDIT COURSE)
14CSU402	ARTIFICIAL INTELLIGENCE
14CSU403	MULTIMEDIA COMPUTING
14EEE401	MODERN CONTROL SYSTEMS

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - MECHANICAL ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																									
						14CE402		14CE403		14CHE401		14CSE302		14CSU402		14CSU403		14EEE401		14ENG103-M2		14ENG303		14ENG304		14HUM102		14HUM303		14HUM401		14MAT401		14MBA301		14ME111		14ME112		14ME113		14ME206		14ME207		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G

Course Code	Course Name
14ENG103-M2	SOFT SKILLS (MOOC)
14ENG303	PHONETICS AND SPOKEN ENGLISH (AUDIT COURSE)
14ENG304	INTRODUCTORY PSYCHOLOGY (AUDIT COURSE)
14HUM102	PRINCIPLES OF MANAGEMENT
14HUM303	NATIONAL SERVICE SCHEME (NSS) (AUDIT COURSE)
14HUM401	PROFESSIONAL ETHICS
14MAT401	NUMERICAL ANALYSIS
14MBA301	BUSINESS ETHICS AND CORPORATE GOVERNANCE (AUDIT COURSE)
14ME111	MACHINE DESIGN II
14ME112	HEAT TRANSFER
14ME113	PRODUCTION TECHNIQUES - II
14ME206	HEAT TRANSFER PRACTICALS
14ME207	PRODUCTION TECHNIQUES PRACTICALS – II
14PHY401	PHYSICS OF LASER AND APPLICATIONS

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

MADANAPALLE INSTITUTE OF TECHNOLOGY AND SCIENCE

(UGC - Autonomous)
(Approved by AICTE, New Delhi & Affiliated to JNTUA,Ananthapuramu)
P.B NO:14,Angallu,Kadiri Road,Madanapalle - 517325, Chittor Dist,A.P.

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - COMPUTER SCIENCE AND INFORMATION TECHNOLOGY (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																							
						14CE402		14CE403		14CHE401		14CSE302		14CSIT110		14CSIT111		14CSIT111-M1		14CSIT112		14CSIT113		14CSIT114		14CSIT207		14CSIT208		14ECE402		14ENG303		14ENG304		14HUM303		14HUM401		14MAT401		14MBA301		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
1	**17691A2501**	22.0	22.0	8.14	8.02	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	-	-	9.0	A+	7.0	B+	8.0	A	9.0	A+	10.0	O	-	-	-	-	-	-	-	-	8.0	A	-	-	0.0	P	-	-
2	**17691A2502**	22.0	22.0	8.91	8.6	-	-	-	-	-	-	0.0	P	8.0	A	9.0	A+	-	-	10.0	O	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	-	-
3	**17691A2503**	22.0	19.0	7.95	7.24	-	-	-	-	-	-	-	-	6.0	B	8.0	A	-	-	9.0	A+	7.0	B+	7.0	B+	10.0	O	10.0	O	-	F	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-
4	**17691A2504**	22.0	22.0	8.91	8.25	-	-	-	-	-	-	0.0	P	9.0	A+	9.0	A+	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	-	-	-	-	-	-	-	-	9.0	A+	-	-	-	-	-	-
5	**17691A2505**	22.0	22.0	6.55	6.26	-	-	-	-	-	-	-	-	7.0	B+	-	-	6.0	B	6.0	B	5.0	C	6.0	B	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	6.0	B
6						-	-	-	-	-	-					-	-													-	-	-	-	-	-	-	-			-	-	-	-	-	-
7	**17691A2507**	22.0	19.0	7.0	6.54	-	-	-	-	0.0	F	-	-	7.0	B+	6.0	B	-	-	7.0	B+	6.0	B	7.0	B+	8.0	A	9.0	A+	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-
8	**17691A2508**	22.0	22.0	7.14	6.67	6.0	B	-	-	-	-	-	-	7.0	B+	6.0	B	-	-	8.0	A	7.0	B+	7.0	B+	8.0	A	9.0	A+	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-
9	**17691A2509**	22.0	22.0	7.86	7.42	7.0	B+	-	-	-	-	0.0	P	8.0	A	-	-	6.0	B	9.0	A+	7.0	B+	8.0	A	9.0	A+	10.0	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	**17691A2510**	22.0	22.0	7.86	6.78	6.0	B	-	-	-	-	0.0	P	7.0	B+	9.0	A+	-	-	9.0	A+	7.0	B+	7.0	B+	9.0	A+	10.0	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	**17691A2511**	22.0	22.0	6.77	6.75	5.0	C	-	-	-	-	-	-	6.0	B	-	-	6.0	B	7.0	B+	6.0	B	7.0	B+	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-
12	**17691A2512**	22.0	22.0	7.82	7.05	-	-	-	-	-	-	-	-	9.0	A+	-	-	6.0	B	8.0	A	7.0	B+	8.0	A	10.0	O	10.0	O	6.0	B	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-
13	**17691A2513**	22.0	22.0	9.05	9.05	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	-	-	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	-	-	0.0	P	-	-	-	-	9.0	A+	-	-	-	-
14	**17691A2514**	22.0	22.0	9.32	9.33	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	-	-	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	-	-	0.0	P	-	-	-	-	9.0	A+	-	-	-	-
15	**17691A2515**	22.0	22.0	7.82	7.51	-	-	-	-	-	-	-	-	7.0	B+	9.0	A+	-	-	8.0	A	7.0	B+	8.0	A	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	-	-
16	**17691A2516**	22.0	22.0	8.95	8.65	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	-	-	10.0	O	9.0	A+	9.0	A+	9.0	A+	10.0	O	-	-	-	-	0.0	P	-	-	-	-	8.0	A	-	-	-	-
17	**17691A2517**	22.0	22.0	6.95	7.75	-	-	-	-	-	-	0.0	P	8.0	A	4.0	P	-	-	7.0	B+	5.0	C	7.0	B+	8.0	A	10.0	O	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	-	-
18	**17691A2518**	22.0	22.0	8.91	8.88	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	-	-	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-
19	**17691A2519**	22.0	22.0	7.95	7.12	-	-	-	-	-	-	-	-	8.0	A	8.0	A	-	-	8.0	A	6.0	B	8.0	A	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	-	-	-	-
20	**17691A2520**	22.0	22.0	7.27	6.99	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	-	-	7.0	B+	6.0	B	7.0	B+	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	-	-
21	**17691A2521**	22.0	22.0	8.77	8.81	-	-	-	-	-	-	-	-	8.0	A	-	-	7.0	B+	10.0	O	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	-	-
22	**17691A2522**	22.0	22.0	6.86	6.43	6.0	B	-	-	-	-	-	-	7.0	B+	6.0	B	-	-	7.0	B+	6.0	B	7.0	B+	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-
23	**17691A2523**	22.0	22.0	8.0	7.96	7.0	B+	-	-	-	-	-	-	8.0	A	6.0	B	-	-	9.0	A+	7.0	B+	9.0	A+	9.0	A+	10.0	O	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-
24	**17691A2525**	22.0	22.0	8.91	9.1	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	-	-	10.0	O	8.0	A	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-
25	**17691A2526**	22.0	22.0	7.41	7.51	7.0	B+	-	-	-	-	-	-	7.0	B+	-	-	6.0	B	9.0	A+	6.0	B	8.0	A	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-
26	**17691A2527**	22.0	22.0	8.68	8.59	-	-	-	-	-	-	-	-	9.0	A+	-	-	6.0	B	9.0	A+	8.0	A	10.0	O	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	-	-
27	**17691A2528**	22.0	22.0	9.32	8.86	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	-	-	10.0	O	8.0	A	10.0	O	10.0	O	10.0	O	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	-	-
28	**17691A2529**	22.0	19.0	8.47	8.61	-	-	-	-	-	-	-	-	8.0	A	8.0	A	-	-	9.0	A+	8.0	A	8.0	A	9.0	A+	10.0	O	-	F	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-
29	**17691A2530**	22.0	22.0	7.27	6.64	-	-	7.0	B+	-	-	-	-	7.0	B+	8.0	A	-	-	8.0	A	4.0	P	8.0	A	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-
30	**17691A2531**	22.0	22.0	8.77	8.62	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	-	-	10.0	O	8.0	A	8.0	A	10.0	O	10.0	O	-	-	-	-	-	-	0.0	P	-	-	8.0	A	-	-	-	-
31	**17691A2532**	22.0	22.0	7.59	6.65	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	-	-	8.0	A	7.0	B+	8.0	A	10.0	O	9.0	A+	-	-	-	-	0.0	P	-	-	7.0	B+	-	-	-	-	-	-
32	**17691A2533**	22.0	19.0	6.21	5.96	-	-	6.0	B	-	-	-	-	4.0	P	6.0	B	-	-	6.0	B	-	F	6.0	B	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-
33	**17691A2534**	22.0	13.0	6.31	5.97	-	-	-	-	-	-	-	-	-	F	-	F	-	-	4.0	P	-	F	6.0	B	8.0	A	9.0	A+	-	-	-	F	-	-	-	-	6.0	B	-	-	-	-	-	-
34	**17691A2535**	22.0	22.0	8.5	8.14	-	-	-	-	-	-	-	-	8.0	A	8.0	A	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	-
35	**17691A2536**	22.0	22.0	8.23	7.57	-	-	-	-	-	-	-	-	8.0	A	-	-	6.0	B	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	-	-	-	-	0.0	P	-	-	-	-	8.0	A	-	-	-	-
36	**17691A2537**	22.0	22.0	7.09	6.54	-	-	-	-	-	-	-	-	6.0	B	-	-	6.0	B	8.0	A	6.0	B	7.0	B+	9.0	A+	9.0	A+	-	-	0.0	P	-	-	-	-	7.0	B+	-	-	-	-	-	-
37	**17691A2538**	22.0	22.0	7.23	7.29	-	-	-	-	-	-	-	-	7.0	B+	-	-	6.0	B	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	5.0	C	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - COMPUTER SCIENCE AND INFORMATION TECHNOLOGY (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																					
						14CE402		14CE403		14CHE401		14CSE302		14CSIT110		14CSIT111		14CSIT111-M1		14CSIT112		14CSIT113		14CSIT114		14CSIT207		14CSIT208		14ECE402		14ENG303		14ENG304		14HUM303		14HUM401		14MAT401		14MBA301		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
38	**17691A2539**	22.0	22.0	8.68	8.27	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	-	-	10.0	O	8.0	A	9.0	A+	9.0	A+	10.0	O	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-
39	**17691A2540**	22.0	22.0	7.68	7.12	7.0	B+	-	-	-	-	0.0	P	7.0	B+	-	-	6.0	B	9.0	A+	7.0	B+	7.0	B+	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	**17691A2541**	22.0	19.0	7.74	6.97	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	-	-	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	-	F	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-
41	**17691A2542**	22.0	22.0	8.64	8.34	8.0	A	-	-	-	-	-	-	8.0	A	9.0	A+	-	-	10.0	O	7.0	B+	8.0	A	10.0	O	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-
42	**17691A2543**	22.0	22.0	8.0	7.26	-	-	-	-	-	-	-	-	7.0	B+	9.0	A+	-	-	9.0	A+	6.0	B	8.0	A	9.0	A+	10.0	O	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-
43	**17691A2544**	22.0	22.0	7.45	6.91	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	-	-	8.0	A	6.0	B	8.0	A	9.0	A+	10.0	O	6.0	B	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-
44	**17691A2545**	22.0	22.0	7.82	7.84	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	-	-	9.0	A+	7.0	B+	8.0	A	10.0	O	10.0	O	-	-	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	-	-
45	**17691A2546**	22.0	22.0	6.59	6.57	5.0	C	-	-	-	-	-	-	6.0	B	-	-	6.0	B	7.0	B+	6.0	B	7.0	B+	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-
46	**17691A2547**	22.0	22.0	8.0	7.32	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	-	-	10.0	O	7.0	B+	8.0	A	9.0	A+	10.0	O	6.0	B	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-
47	**17691A2548**	22.0	22.0	7.91	8.05	-	-	-	-	-	-	-	-	8.0	A	-	-	6.0	B	10.0	O	7.0	B+	9.0	A+	8.0	A	10.0	O	6.0	B	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-
48								-	-	-	-	-	-					-	-											-	-	-	-	-	-	-	-	-	-	-	-			-	-
49	**17691A2550**	22.0	19.0	6.21	6.01	4.0	P	-	-	-	-	-	-	6.0	B	-	F	-	-	7.0	B+	5.0	C	6.0	B	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-
50	**17691A2551**	22.0	22.0	7.73	7.96	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	-	-	9.0	A+	5.0	C	8.0	A	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	7.0	B+	-	-	-	-
51	**17691A2552**	22.0	22.0	6.82	6.93	5.0	C	-	-	-	-	-	-	6.0	B	6.0	B	-	-	8.0	A	6.0	B	7.0	B+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-
52	**17691A2553**	22.0	22.0	8.0	8.06	-	-	-	-	-	-	-	-	8.0	A	-	-	6.0	B	9.0	A+	7.0	B+	8.0	A	9.0	A+	10.0	O	-	-	-	-	0.0	P	-	-	-	-	8.0	A	-	-	-	-
53	**17691A2555**	22.0	22.0	8.77	8.92	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	-	-	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-
54	**17691A2556**	22.0	22.0	7.32	6.66	-	-	-	-	-	-	-	-	6.0	B	-	-	6.0	B	8.0	A	7.0	B+	8.0	A	9.0	A+	10.0	O	-	-	0.0	P	-	-	-	-	-	-	6.0	B	-	-	-	-
55	**17691A2557**	22.0	22.0	7.64	7.13	-	-	-	-	-	-	-	-	7.0	B+	-	-	6.0	B	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	8.0	A	-	-	0.0	P	-	-
56	**17691A2558**	22.0	22.0	8.0	7.4	7.0	B+	-	-	-	-	-	-	7.0	B+	8.0	A	-	-	9.0	A+	7.0	B+	8.0	A	9.0	A+	10.0	O	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-
57	**17691A2559**	22.0	22.0	8.5	8.65	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	-	-	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-
58	**17691A2560**	22.0	22.0	7.32	6.99	6.0	B	-	-	-	-	-	-	7.0	B+	7.0	B+	-	-	8.0	A	6.0	B	7.0	B+	9.0	A+	10.0	O	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-

Course Code	Course Name
14CE402	RURAL WATER SUPPLY AND SANITATION
14CE403	GREEN BUILDINGS AND ENERGY CONSERVATION
14CHE401	INTRODUCTION TO NANO SCIENCE AND TECHNOLOGY
14CSE302	ETHICAL HACKING (AUDIT COURSE)
14CSIT110	COMPUTER NETWORKS
14CSIT111	OPERATING SYSTEMS
14CSIT111-M1	INTRODUCTION TO OPERATING SYSTEMS (MOOC)
14CSIT112	OBJECT ORIENTED ANALYSIS & DESIGN PATTERNS
14CSIT113	THEORY OF COMPUTATION
14CSIT114	INFORMATION THEORY AND CODING
14CSIT207	OPERATING SYSTEMS PRACTICALS
14CSIT208	UML & CN PRACTICALS
14ECE402	DIGITAL IMAGE PROCESSING
14ENG303	PHONETICS AND SPOKEN ENGLISH (AUDIT COURSE)
14ENG304	INTRODUCTORY PSYCHOLOGY (AUDIT COURSE)
14HUM303	NATIONAL SERVICE SCHEME (NSS) (AUDIT COURSE)
14HUM401	PROFESSIONAL ETHICS

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - COMPUTER SCIENCE AND INFORMATION TECHNOLOGY (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																							
						14CE402		14CE403		14CHE401		14CSE302		14CSIT110		14CSIT111		14CSIT111-M1		14CSIT112		14CSIT113		14CSIT114		14CSIT207		14CSIT208		14ECE402		14ENG303		14ENG304		14HUM303		14HUM401		14MAT401		14MBA301		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G

Course Code	Course Name
14MAT401	NUMERICAL ANALYSIS
14MBA301	BUSINESS ETHICS AND CORPORATE GOVERNANCE (AUDIT COURSE)
14PHY401	PHYSICS OF LASER AND APPLICATIONS

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

MADANAPALLE INSTITUTE OF TECHNOLOGY AND SCIENCE

(UGC - Autonomous)
(Approved by AICTE, New Delhi & Affiliated to JNTUA,Ananthapuramu)
P.B NO:14,Angallu,Kadiri Road,Madanapalle - 517325, Chittor Dist,A.P.

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - INFORMATION TECHNOLOGY (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																					
						14CE402		14CE403		14CHE401		14CSE302		14ECE402		14ENG303		14ENG304		14HUM303		14HUM401		14IT110		14IT111		14IT111-M1		14IT112		14IT113		14IT114		14IT207		14IT208		14MAT401		14MBA301	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 0.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
1	**17691A1201**	22.0	19.0	5.95	5.82	-	-	-	-	-	-	-	-	-	F	-	-	0.0	P	-	-	-	-	4.0	P	6.0	B	-	-	6.0	B	6.0	B	5.0	C	8.0	A	8.0	A	-	-	-	-
2	**17691A1202**	22.0	22.0	8.91	8.38	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	8.0	A	7.0	B+	9.0	A+	-	-	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	-	-	-	-
3	**17691A1203**	22.0	22.0	9.18	8.37	-	-	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	8.0	A	9.0	A+	-	-	10.0	O	10.0	O	8.0	A	10.0	O	10.0	O	-	-	-	-
4	**17691A1204**	22.0	13.0	5.77	6.14	-	-	-	-	-	-	-	-	-	F	-	-	0.0	P	-	-	-	-	-	F	4.0	P	-	-	7.0	B+	-	F	4.0	P	8.0	A	7.0	B+	-	-	-	-
5	**17691A1205**	22.0	16.0	6.06	6.0	-	-	-	-	-	-	-	-	-	F	-	-	-	-	-	-	-	-	6.0	B	6.0	B	-	-	-	F	6.0	B	5.0	C	7.0	B+	7.0	B+	-	-	0.0	P
6	**17691A1206**	22.0	22.0	8.91	8.0	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	-	-	9.0	A+	10.0	O	8.0	A	10.0	O	10.0	O	-	-	0.0	P
7	**17691A1207**	22.0	19.0	6.79	6.67	5.0	C	-	-	-	-	-	-	-	-	-	F	-	-	-	-	-	-	-	F	-	-	6.0	B	8.0	A	7.0	B+	5.0	C	9.0	A+	9.0	A+	-	-	-	-
8	**17691A1208**	22.0	22.0	7.23	6.17	6.0	B	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	-	-	9.0	A+	7.0	B+	6.0	B	9.0	A+	9.0	A+	-	-	-	-
9	**17691A1209**	22.0	22.0	6.59	6.91	6.0	B	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	4.0	P	6.0	B	-	-	7.0	B+	6.0	B	6.0	B	10.0	O	10.0	O	-	-	-	-
10	**17691A1210**	22.0	22.0	7.91	7.22	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	-	-	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	-	-	-	-
11	**17691A1211**	22.0	22.0	7.14	6.88	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	-	-	8.0	A	7.0	B+	6.0	B	9.0	A+	8.0	A	-	-	-	-
12	**17691A1212**	22.0	22.0	8.09	8.35	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	-	-	6.0	B	9.0	A+	9.0	A+	7.0	B+	10.0	O	10.0	O	-	-	-	-
13	**17691A1213**	22.0	22.0	8.5	8.24	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	8.0	A	7.0	B+	9.0	A+	-	-	9.0	A+	9.0	A+	7.0	B+	10.0	O	10.0	O	-	-	-	-
14	**17691A1214**	22.0	22.0	8.5	8.94	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	8.0	A	8.0	A	-	-	7.0	B+	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	-	-
15	**17691A1215**	22.0	22.0	9.05	8.61	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-
16	**17691A1216**	22.0	22.0	9.73	9.0	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	9.0	A+	10.0	O	-	-	10.0	O	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	-	-
17	**17691A1217**	22.0	22.0	8.91	7.96	-	-	8.0	A	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	7.0	B+	9.0	A+	-	-	10.0	O	10.0	O	8.0	A	10.0	O	10.0	O	-	-	-	-
18	**17691A1218**	22.0	22.0	6.77	6.05	7.0	B+	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	-	-	7.0	B+	6.0	B	6.0	B	8.0	A	8.0	A	-	-	-	-
19	**17691A1219**	22.0	22.0	7.36	7.12	-	-	-	-	-	-	-	-	5.0	C	-	-	0.0	P	-	-	-	-	6.0	B	8.0	A	-	-	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	-	-	-	-
20	**17691A1220**	22.0	22.0	6.91	6.29	5.0	C	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	5.0	C	7.0	B+	-	-	8.0	A	6.0	B	7.0	B+	9.0	A+	10.0	O	-	-	-	-
21	**17691A1222**	22.0	22.0	9.45	9.33	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	-	-	10.0	O	10.0	O	8.0	A	10.0	O	10.0	O	10.0	O	-	-
22	**17691A1223**	22.0	22.0	8.64	8.05	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	8.0	A	8.0	A	8.0	A	-	-	9.0	A+	10.0	O	7.0	B+	10.0	O	10.0	O	-	-	-	-
23	**17691A1224**	22.0	22.0	8.64	7.69	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	0.0	P
24	**17691A1225**	22.0	22.0	8.36	7.4	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	8.0	A	7.0	B+	8.0	A	-	-	9.0	A+	9.0	A+	7.0	B+	10.0	O	10.0	O	-	-	-	-
25	**17691A1226**	22.0	22.0	9.18	8.72	9.0	A+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	-	-	10.0	O	10.0	O	8.0	A	10.0	O	10.0	O	-	-	0.0	P
26	**17691A1227**	22.0	22.0	8.5	7.33	8.0	A	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	-	-
27	**17691A1228**	22.0	22.0	8.55	7.24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	9.0	A+	-	-	0.0	P
28	**17691A1229**	22.0	22.0	9.59	9.28	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	-	-	10.0	O	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	-	-
29	**17691A1230**	22.0	22.0	8.0	6.83	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	8.0	A	7.0	B+	8.0	A	-	-	7.0	B+	9.0	A+	7.0	B+	9.0	A+	10.0	O	-	-	-	-
30	**17691A1231**	22.0	22.0	9.32	8.88	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	-	-	10.0	O	10.0	O	8.0	A	10.0	O	10.0	O	10.0	O	-	-
31	**17691A1232**	22.0	19.0	7.05	6.59	-	-	-	-	-	-	0.0	P	-	F	-	-	-	-	-	-	-	-	7.0	B+	-	-	6.0	B	6.0	B	7.0	B+	6.0	B	9.0	A+	10.0	O	-	-	-	-
32	**17691A1233**	22.0	22.0	6.68	5.92	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	6.0	B	-	-	7.0	B+	7.0	B+	6.0	B	7.0	B+	8.0	A	-	-	-	-
33	**17691A1234**	22.0	22.0	7.23	6.47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	6.0	B	-	-	6.0	B	8.0	A	6.0	B	9.0	A+	9.0	A+	-	-	0.0	P
34	**17691A1235**	22.0	22.0	9.05	8.77	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	8.0	A	8.0	A	9.0	A+	-	-	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	-	-
35	**17691A1236**	22.0	22.0	9.59	9.13	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	-	-	10.0	O	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	-	-
36	**17691A1237**	22.0	22.0	8.45	8.03	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	-	-	9.0	A+	9.0	A+	8.0	A	9.0	A+	9.0	A+	8.0	A	-	-
37	**17691A1238**	22.0	22.0	7.73	6.72	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	7.0	B+	7.0	B+	-	-	8.0	A	8.0	A	7.0	B+	10.0	O	9.0	A+	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - INFORMATION TECHNOLOGY (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																					
						14CE402		14CE403		14CHE401		14CSE302		14ECE402		14ENG303		14ENG304		14HUM303		14HUM401		14IT110		14IT111		14IT111-M1		14IT112		14IT113		14IT114		14IT207		14IT208		14MAT401		14MBA301	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 0.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
38	**17691A1239**	22.0	22.0	9.18	7.73	-	-	9.0	A+	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	-	-	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	-	-	-	-
39	**17691A1240**	22.0	22.0	6.77	6.55	-	-	-	-	-	-	-	-	5.0	C	-	-	-	-	-	-	-	-	6.0	B	6.0	B	-	-	8.0	A	8.0	A	6.0	B	8.0	A	8.0	A	-	-	0.0	P
40	**17691A1241**	22.0	22.0	6.77	6.66	-	-	-	-	5.0	C	0.0	P	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	6.0	B	7.0	B+	7.0	B+	6.0	B	9.0	A+	10.0	O	-	-	-	-
41	**17691A1242**	22.0	22.0	8.77	8.08	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	-	-	9.0	A+	10.0	O	8.0	A	10.0	O	10.0	O	-	-	-	-
42	**17691A1243**	22.0	22.0	7.68	6.96	6.0	B	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	7.0	B+	-	-	9.0	A+	8.0	A	6.0	B	10.0	O	10.0	O	-	-	-	-
43	**17691A1244**	22.0	22.0	8.64	7.71	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	8.0	A	8.0	A	-	-	6.0	B	10.0	O	10.0	O	8.0	A	10.0	O	10.0	O	-	-	-	-
44	**17691A1245**	22.0	22.0	6.95	6.32	6.0	B	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	6.0	B	-	-	6.0	B	8.0	A	8.0	A	5.0	C	9.0	A+	9.0	A+	-	-	-	-
45	**17691A1246**	22.0	22.0	8.77	8.28	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-
46	**17691A1247**	22.0	22.0	9.05	8.2	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	-	-	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-
47	**17691A1248**	22.0	22.0	7.68	8.04	-	-	-	-	-	-	0.0	P	5.0	C	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	-	-	9.0	A+	9.0	A+	8.0	A	9.0	A+	8.0	A	-	-	-	-
48	**17691A1249**	22.0	22.0	9.05	8.7	8.0	A	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	9.0	A+	-	-	10.0	O	10.0	O	9.0	A+	10.0	O	10.0	O	-	-	-	-
49	**17691A1250**	22.0	22.0	8.23	6.97	8.0	A	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	-	-	6.0	B	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	-	-
50	**17691A1251**	22.0	22.0	8.32	6.99	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	-	-	9.0	A+	9.0	A+	8.0	A	9.0	A+	9.0	A+	7.0	B+	-	-
51	**17691A1252**	22.0	22.0	8.05	7.36	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	-	-	9.0	A+	8.0	A	7.0	B+	9.0	A+	9.0	A+	7.0	B+	-	-
52	**17691A1253**	22.0	22.0	8.68	7.91	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	8.0	A	8.0	A	9.0	A+	-	-	9.0	A+	9.0	A+	8.0	A	9.0	A+	10.0	O	-	-	-	-
53	**17691A1254**	22.0	22.0	9.05	8.46	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	-	-	10.0	O	10.0	O	9.0	A+	10.0	O	10.0	O	8.0	A	-	-
54	**17691A1255**	22.0	22.0	8.36	7.49	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	8.0	A	8.0	A	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	-	-	-	-
55	**17691A1256**	22.0	16.0	7.13	6.49	-	-	5.0	C	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	F	6.0	B	-	-	8.0	A	7.0	B+	-	F	9.0	A+	9.0	A+	-	-	-	-
56	**17691A1257**	22.0	22.0	7.64	7.63	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	6.0	B	7.0	B+	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-	-	-
57	**17691A1258**	22.0	22.0	7.09	6.28	6.0	B	-	-	-	-	-	-	-	-	-	F	-	-	-	-	-	-	5.0	C	7.0	B+	-	-	8.0	A	8.0	A	6.0	B	9.0	A+	9.0	A+	-	-	-	-
58	**17691A1259**	22.0	22.0	8.27	7.62	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	8.0	A	-	-	10.0	O	9.0	A+	7.0	B+	9.0	A+	10.0	O	-	-	-	-
59	**17691A1260**	22.0	22.0	9.32	9.23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	8.0	A	9.0	A+	-	-	10.0	O	10.0	O	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-

Course Code	Course Name
14CE402	RURAL WATER SUPPLY AND SANITATION
14CE403	GREEN BUILDINGS AND ENERGY CONSERVATION
14CHE401	INTRODUCTION TO NANO SCIENCE AND TECHNOLOGY
14CSE302	ETHICAL HACKING (AUDIT COURSE)
14ECE402	DIGITAL IMAGE PROCESSING
14ENG303	PHONETICS AND SPOKEN ENGLISH (AUDIT COURSE)
14ENG304	INTRODUCTORY PSYCHOLOGY (AUDIT COURSE)
14HUM303	NATIONAL SERVICE SCHEME (NSS) (AUDIT COURSE)
14HUM401	PROFESSIONAL ETHICS
14IT110	SOFTWARE TESTING
14IT111	OPERATING SYSTEMS
14IT111-M1	INTRODUCTION TO OPERATING SYSTEMS (MOOC)
14IT112	OBJECT ORIENTED ANALYSIS & DESIGN PATTERNS
14IT113	INFORMATION THEORY AND CODING
14IT114	COMPUTER NETWORKS
14IT207	OPERATING SYSTEMS PRACTICALS

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - INFORMATION TECHNOLOGY (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																			
						14CE402		14CE403		14CHE401		14CSE302		14ECE402		14ENG303		14ENG304		14HUM303		14HUM401		14IT110		14IT111		14IT111-M1		14IT112		14IT113		14IT114		14IT207		14IT208		14MAT401		14MBA301	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 0.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G

Course Code	Course Name
14IT208	UML & COMPUTER NETWORKS PRACTICALS
14MAT401	NUMERICAL ANALYSIS
14MBA301	BUSINESS ETHICS AND CORPORATE GOVERNANCE (AUDIT COURSE)

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

MADANAPALLE INSTITUTE OF TECHNOLOGY AND SCIENCE

(UGC - Autonomous)
(Approved by AICTE, New Delhi & Affiliated to JNTUA,Ananthapuramu)
P.B NO:14,Angallu,Kadiri Road,Madanapalle - 517325, Chittor Dist,A.P.

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - COMPUTER SCIENCE & ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																									
						14CE402		14CE403		14CHE401		14CSE302		14CSU110		14CSU110-M2		14CSU111		14CSU112		14CSU113		14CSU207		14CSU208		14ECE402		14ENG103		14ENG303		14ENG304		14HUM303		14HUM401		14MAT401		14MBA301		14ME402		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
1	**16691A0511**	22.0	7.0	6.43	6.78	-	-	-	-	-	F	0.0	P	-	F	-	-	-	F	-	F	-	F	8.0	A	7.0	B+	-	-	5.0	C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	**16691A0549**	22.0	4.0	7.5	6.8	-	-	-	-	-	F	0.0	P	-	F	-	-	-	F	-	F	-	F	8.0	A	7.0	B+	-	-	-	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	**16691A05B8**	22.0	4.0	8.0	6.4	-	-	-	-	-	F	0.0	P	-	F	-	-	-	F	-	F	-	F	9.0	A+	7.0	B+	-	-	-	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4																																															
5	**16699A0512**	22.0	0.0	0.0	5.9	-	F	-	-	-	-	-	-	-	Ab	-	-	-	Ab	-	F	-	Ab	-	Ab	-	Ab	-	-	-	F	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-
6	**16699A0517**	22.0	17.0	5.06	6.12	-	-	-	-	-	-	-	-	5.0	C	-	-	4.0	P	6.0	B	-	F	7.0	B+	-	Ab	-	-	4.0	P	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	5.0	C
7																																															
8																																															
9																																															
10	**17691A0501**	22.0	19.0	7.26	6.83	-	-	-	-	-	-	0.0	P	6.0	B	-	-	6.0	B	7.0	B+	-	F	9.0	A+	9.0	A+	-	-	7.0	B+	-	-	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-
11	**17691A0502**	22.0	22.0	7.18	7.58	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	7.0	B+	8.0	A	7.0	B+	10.0	O	9.0	A+	4.0	P	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	**17691A0503**	22.0	22.0	7.55	7.6	-	-	-	-	-	-	-	-	8.0	A	-	-	7.0	B+	7.0	B+	6.0	B	10.0	O	10.0	O	-	-	7.0	B+	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	-	-	-	-
13	**17691A0504**	22.0	22.0	8.0	8.57	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	9.0	A+	7.0	B+	10.0	O	9.0	A+	-	-	8.0	A	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	-	-	-	-
14	**17691A0505**	22.0	22.0	7.77	7.73	-	-	-	-	-	-	-	-	-	-	6.0	B	8.0	A	9.0	A+	7.0	B+	9.0	A+	9.0	A+	-	-	7.0	B+	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	-	-	-
15	**17691A0506**	22.0	22.0	8.5	8.37	-	-	-	-	-	-	-	-	9.0	A+	-	-	8.0	A	8.0	A	7.0	B+	10.0	O	10.0	O	-	-	8.0	A	0.0	P	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-
16	**17691A0507**	22.0	19.0	6.79	6.84	-	-	-	-	-	-	-	-	7.0	B+	-	-	6.0	B	6.0	B	-	F	9.0	A+	9.0	A+	5.0	C	7.0	B+	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-
17	**17691A0508**	22.0	22.0	6.77	7.07	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	5.0	C	9.0	A+	10.0	O	6.0	B	6.0	B	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-
18	**17691A0509**	22.0	22.0	7.64	7.24	-	-	-	-	-	-	-	-	8.0	A	-	-	7.0	B+	8.0	A	6.0	B	9.0	A+	9.0	A+	-	-	7.0	B+	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	-	-	-
19	**17691A0510**	22.0	22.0	6.95	6.63	-	-	6.0	B	-	-	0.0	P	7.0	B+	-	-	6.0	B	6.0	B	6.0	B	9.0	A+	9.0	A+	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	**17691A0511**	22.0	22.0	6.82	6.43	-	-	-	-	-	-	-	-	7.0	B+	-	-	6.0	B	6.0	B	5.0	C	9.0	A+	9.0	A+	-	-	7.0	B+	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	-	-	-	-
21	**17691A0512**	22.0	22.0	8.23	8.73	-	-	-	-	-	-	-	-	7.0	B+	-	-	8.0	A	9.0	A+	7.0	B+	10.0	O	10.0	O	-	-	8.0	A	-	-	-	-	-	-	8.0	A	-	-	0.0	P	-	-	-	-
22	**17691A0514**	22.0	22.0	7.14	7.05	-	-	-	-	-	-	-	-	6.0	B	-	-	7.0	B+	8.0	A	5.0	C	10.0	O	10.0	O	6.0	B	7.0	B+	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-
23	**17691A0515**	22.0	22.0	8.14	8.49	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	8.0	A	9.0	A+	7.0	B+	10.0	O	9.0	A+	-	-	7.0	B+	-	-	-	-	-	-	-	-	9.0	A+	-	-	-	-	-	-
24	**17691A0516**	22.0	19.0	6.47	6.88	-	-	-	-	-	-	-	-	6.0	B	-	-	6.0	B	6.0	B	4.0	P	9.0	A+	9.0	A+	-	F	7.0	B+	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-
25	**17691A0517**	22.0	22.0	7.36	7.27	-	-	7.0	B+	-	-	-	-	8.0	A	-	-	7.0	B+	7.0	B+	6.0	B	9.0	A+	9.0	A+	-	-	7.0	B+	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-
26	**17691A0518**	22.0	22.0	6.68	6.59	-	-	7.0	B+	-	-	0.0	P	-	-	6.0	B	6.0	B	6.0	B	4.0	P	9.0	A+	9.0	A+	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	**17691A0519**	22.0	22.0	9.18	9.28	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	9.0	A+	-	-	-	-	-	-	-	-	10.0	O	-	-	-	-	-	-
28	**17691A0520**	22.0	22.0	7.82	8.43	-	-	-	-	6.0	B	0.0	P	8.0	A	-	-	7.0	B+	8.0	A	7.0	B+	10.0	O	10.0	O	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	**17691A0521**	22.0	22.0	8.91	9.01	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	8.0	A	10.0	O	7.0	B+	10.0	O	10.0	O	-	-	8.0	A	-	-	-	-	-	-	-	-	10.0	O	-	-	-	-	-	-
30	**17691A0522**	22.0	22.0	8.45	8.77	-	-	-	-	-	-	-	-	9.0	A+	-	-	8.0	A	9.0	A+	7.0	B+	9.0	A+	9.0	A+	-	-	9.0	A+	0.0	P	-	-	-	-	-	-	8.0	A	-	-	-	-	-	-
31	**17691A0523**	22.0	22.0	7.86	7.84	-	-	-	-	-	-	-	-	8.0	A	-	-	7.0	B+	8.0	A	6.0	B	10.0	O	9.0	A+	-	-	8.0	A	-	-	-	-	0.0	P	-	-	8.0	A	-	-	-	-	-	-
32	**17691A0524**	22.0	22.0	7.23	7.54	7.0	B+	-	-	-	-	-	-	8.0	A	-	-	8.0	A	7.0	B+	5.0	C	9.0	A+	9.0	A+	-	-	6.0	B	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-
33	**17691A0525**	22.0	22.0	6.5	6.35	-	-	6.0	B	-	-	-	-	-	-	6.0	B	7.0	B+	6.0	B	4.0	P	10.0	O	9.0	A+	-	-	6.0	B	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-
34	**17691A0527**	22.0	22.0	9.05	9.11	-	-	-	-	-	-	-	-	9.0	A+	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	9.0	A+	0.0	P	-	-	-	-	-	-	10.0	O	-	-	-	-	-	-
35	**17691A0528**	22.0	22.0	8.82	8.89	8.0	A	-	-	-	-	-	-	9.0	A+	-	-	9.0	A+	10.0	O	8.0	A	10.0	O	9.0	A+	-	-	8.0	A	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	**17691A0529**	22.0	22.0	8.77	8.98	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	**17691A0530**	22.0	22.0	8.41	9.1	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	8.0	A	9.0	A+	7.0	B+	9.0	A+	10.0	O	8.0	A	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - COMPUTER SCIENCE & ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																									
						14CE402		14CE403		14CHE401		14CSE302		14CSU110		14CSU110-M2		14CSU111		14CSU112		14CSU113		14CSU207		14CSU208		14ECE402		14ENG103		14ENG303		14ENG304		14HUM303		14HUM401		14MAT401		14MBA301		14ME402		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
38	**17691A0531**	22.0	22.0	8.64	9.11	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	8.0	A	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39																																															
40	**17691A0533**	22.0	22.0	7.32	7.02	-	-	-	-	-	-	0.0	P	-	-	6.0	B	8.0	A	6.0	B	7.0	B+	10.0	O	9.0	A+	-	-	7.0	B+	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-
41	**17691A0534**	22.0	22.0	7.41	7.67	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	6.0	B	8.0	A	5.0	C	10.0	O	10.0	O	-	-	7.0	B+	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	-	-
42	**17691A0535**	22.0	22.0	8.05	8.58	-	-	-	-	-	-	0.0	P	8.0	A	-	-	7.0	B+	7.0	B+	8.0	A	9.0	A+	9.0	A+	-	-	9.0	A+	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	-	-
43	**17691A0537**	22.0	22.0	8.77	9.01	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	**17691A0538**	22.0	22.0	7.32	7.21	7.0	B+	-	-	-	-	-	-	7.0	B+	-	-	7.0	B+	7.0	B+	6.0	B	9.0	A+	10.0	O	-	-	7.0	B+	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-
45	**17691A0540**	22.0	22.0	8.0	8.78	-	-	-	-	-	-	-	-	8.0	A	-	-	7.0	B+	8.0	A	7.0	B+	10.0	O	9.0	A+	-	-	8.0	A	-	-	-	-	-	-	8.0	A	-	-	0.0	P	-	-	-	-
46	**17691A0541**	22.0	22.0	8.14	8.49	-	-	-	-	-	-	0.0	P	8.0	A	-	-	8.0	A	9.0	A+	7.0	B+	10.0	O	9.0	A+	-	-	7.0	B+	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	-	-
47	**17691A0542**	22.0	22.0	8.36	8.75	-	-	-	-	-	-	-	-	8.0	A	-	-	8.0	A	8.0	A	7.0	B+	10.0	O	10.0	O	-	-	9.0	A+	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	-	-	-
48	**17691A0543**	22.0	22.0	8.36	8.56	-	-	-	-	-	-	-	-	8.0	A	-	-	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	7.0	B+	9.0	A+	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-
49	**17691A0544**	22.0	22.0	6.18	7.21	-	-	-	-	-	-	-	-	6.0	B	-	-	6.0	B	5.0	C	5.0	C	9.0	A+	8.0	A	5.0	C	7.0	B+	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	**17691A0545**	22.0	22.0	7.09	6.55	-	-	8.0	A	-	-	-	-	-	-	6.0	B	7.0	B+	6.0	B	5.0	C	9.0	A+	9.0	A+	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-
51	**17691A0546**	22.0	22.0	9.05	9.24	-	-	-	-	-	-	-	-	9.0	A+	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	9.0	A+	-	-	-	-	0.0	P	-	-	10.0	O	-	-	-	-	-	-
52	**17691A0547**	22.0	22.0	7.18	6.85	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	6.0	B	9.0	A+	10.0	O	-	-	7.0	B+	-	-	-	-	0.0	P	-	-	7.0	B+	-	-	-	-	-	-
53	**17691A0548**	22.0	22.0	8.82	9.02	-	-	9.0	A+	-	-	0.0	P	9.0	A+	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	9.0	A+	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
54	**17691A0549**	22.0	22.0	8.68	9.0	-	-	-	-	-	-	0.0	P	8.0	A	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	9.0	A+	-	-	9.0	A+	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	-	-
55	**17691A0550**	22.0	22.0	8.09	8.61	8.0	A	-	-	-	-	-	-	8.0	A	-	-	8.0	A	7.0	B+	7.0	B+	10.0	O	10.0	O	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-
56	**17691A0551**	22.0	22.0	8.05	8.3	8.0	A	-	-	-	-	-	-	8.0	A	-	-	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-
57	**17691A0552**	22.0	22.0	8.36	8.46	-	-	-	-	-	-	0.0	P	8.0	A	-	-	7.0	B+	7.0	B+	8.0	A	10.0	O	10.0	O	-	-	8.0	A	-	-	-	-	-	-	-	-	10.0	O	-	-	-	-	-	-
58	**17691A0553**	22.0	22.0	7.14	7.86	-	-	8.0	A	-	-	-	-	7.0	B+	-	-	6.0	B	7.0	B+	6.0	B	10.0	O	7.0	B+	-	-	7.0	B+	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-
59	**17691A0554**	22.0	22.0	7.14	8.05	-	-	-	-	-	-	-	-	7.0	B+	-	-	6.0	B	6.0	B	6.0	B	10.0	O	10.0	O	-	-	6.0	B	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	-	-
60	**17691A0555**	22.0	22.0	7.68	8.61	8.0	A	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	6.0	B	7.0	B+	10.0	O	10.0	O	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-
61	**17691A0556**	22.0	22.0	6.18	6.1	-	-	-	-	-	-	0.0	P	-	-	6.0	B	7.0	B+	4.0	P	5.0	C	9.0	A+	8.0	A	5.0	C	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62	**17691A0557**	22.0	22.0	9.32	9.42	-	-	-	-	-	-	-	-	10.0	O	-	-	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	0.0	P	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-
63	**17691A0558**	22.0	22.0	7.36	7.88	-	-	-	-	-	-	0.0	P	8.0	A	-	-	7.0	B+	8.0	A	6.0	B	9.0	A+	9.0	A+	6.0	B	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
64	**17691A0559**	22.0	22.0	7.95	8.24	-	-	-	-	-	-	-	-	8.0	A	-	-	7.0	B+	7.0	B+	6.0	B	10.0	O	10.0	O	-	-	8.0	A	-	-	-	-	-	-	9.0	A+	-	-	0.0	P	-	-	-	-
65	**17691A0560**	22.0	22.0	7.27	7.66	-	-	-	-	-	-	-	-	6.0	B	-	-	7.0	B+	7.0	B+	4.0	P	10.0	O	10.0	O	-	-	8.0	A	-	-	-	-	-	-	8.0	A	-	-	0.0	P	-	-	-	-
66	**17691A0561**	22.0	22.0	6.18	7.21	-	-	-	-	-	-	0.0	P	6.0	B	-	-	5.0	C	6.0	B	4.0	P	9.0	A+	8.0	A	6.0	B	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
67	**17691A0562**	22.0	22.0	8.5	8.8	-	-	-	-	-	-	-	-	8.0	A	-	-	7.0	B+	9.0	A+	7.0	B+	10.0	O	10.0	O	-	-	8.0	A	-	-	0.0	P	-	-	-	-	10.0	O	-	-	-	-	-	-
68	**17691A0563**	22.0	22.0	7.59	7.92	-	-	8.0	A	-	-	-	-	8.0	A	-	-	6.0	B	7.0	B+	6.0	B	10.0	O	9.0	A+	-	-	8.0	A	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-
69	**17691A0564**	22.0	22.0	8.41	9.06	-	-	-	-	-	-	-	-	9.0	A+	-	-	7.0	B+	9.0	A+	7.0	B+	10.0	O	9.0	A+	-	-	8.0	A	-	-	0.0	P	-	-	-	-	9.0	A+	-	-	-	-	-	-
70	**17691A0565**	22.0	10.0	5.8	5.43	4.0	P	-	-	-	-	0.0	P	4.0	P	-	-	0.0	F	-	F	-	F	9.0	A+	8.0	A	-	-	-	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	**17691A0566**	22.0	10.0	6.9	6.79	-	-	-	-	-	-	0.0	P	4.0	P	-	-	0.0	F	-	F	-	F	9.0	A+	9.0	A+	-	F	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
72	**17691A0567**	22.0	19.0	6.42	6.25	-	-	-	-	-	-	0.0	P	-	-	6.0	B	4.0	P	5.0	C	-	F	9.0	A+	10.0	O	-	-	6.0	B	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-
73	**17691A0568**	22.0	22.0	7.86	8.4	-	-	-	-	-	-	0.0	P	8.0	A	-	-	6.0	B	9.0	A+	6.0	B	10.0	O	9.0	A+	-	-	8.0	A	-	-	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-
74	**17691A0569**	22.0	22.0	8.64	9.12	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	8.0	A	9.0	A+	7.0	B+	10.0	O	10.0	O	-	-	8.0	A	-	-	-	-	-	-	-	-	9.0	A+	-	-	-	-	-	-
75	**17691A0570**	22.0	22.0	8.68	8.91	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	9.0	A+	-	-	8.0	A	-	-	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-
76	**17691A0571**	22.0	16.0	5.44	5.98	5.0	C	-	-	-	-	0.0	P	5.0	C	-	-	-	F	-	F	4.0	P	8.0	A	7.0	B+	-	-	5.0	C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	**17691A0572**	22.0	22.0	7.05	7.72	7.0	B+	-	-	-	-	0.0	P	7.0	B+	-	-	6.0	B	8.0	A	4.0	P	10.0	O	9.0	A+	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
78	**17691A0573**	22.0	22.0	7.59	7.71	8.0	A	-	-	-	-	-	-	8.0	A	-	-	7.0	B+	7.0	B+	6.0	B	9.0	A+	10.0	O	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - COMPUTER SCIENCE & ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																									
						14CE402		14CE403		14CHE401		14CSE302		14CSU110		14CSU110-M2		14CSU111		14CSU112		14CSU113		14CSU207		14CSU208		14ECE402		14ENG103		14ENG303		14ENG304		14HUM303		14HUM401		14MAT401		14MBA301		14ME402		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
79	**17691A0575**	22.0	16.0	6.06	6.0	-	-	-	-	-	-	0.0	P	-	-	6.0	B	5.0	C	-	F	4.0	P	9.0	A+	8.0	A	0.0	F	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80	**17691A0576**	22.0	22.0	6.95	6.66	-	-	-	-	-	-	-	-	-	-	6.0	B	6.0	B	4.0	P	6.0	B	9.0	A+	9.0	A+	-	-	8.0	A	-	-	-	-	-	-	9.0	A+	-	-	0.0	P	-	-	-	-
81	**17691A0577**	22.0	16.0	7.63	6.84	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	7.0	B+	-	F	-	F	10.0	O	9.0	A+	-	-	7.0	B+	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-
82	**17691A0578**	22.0	16.0	8.31	7.78	-	-	-	-	-	-	-	-	8.0	A	-	-	6.0	B	-	F	-	F	10.0	O	10.0	O	-	-	8.0	A	-	-	0.0	P	-	-	-	-	9.0	A+	-	-	-	-	-	-
83	**17691A0579**	22.0	22.0	7.27	7.56	-	-	-	-	-	-	-	-	7.0	B+	-	-	7.0	B+	7.0	B+	4.0	P	10.0	O	10.0	O	-	-	8.0	A	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	-	-
84	**17691A0580**	22.0	22.0	7.45	8.12	-	-	-	-	-	-	0.0	P	8.0	A	-	-	6.0	B	8.0	A	4.0	P	10.0	O	9.0	A+	-	-	8.0	A	-	-	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-
85	**17691A0581**	22.0	22.0	8.14	8.5	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	8.0	A	8.0	A	7.0	B+	10.0	O	9.0	A+	7.0	B+	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	**17691A0582**	22.0	22.0	7.68	7.49	-	-	-	-	-	-	0.0	P	8.0	A	-	-	7.0	B+	7.0	B+	6.0	B	10.0	O	10.0	O	-	-	7.0	B+	-	-	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-
87	**17691A0583**	22.0	22.0	8.91	9.21	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	8.0	A	10.0	O	7.0	B+	10.0	O	10.0	O	-	-	8.0	A	-	-	-	-	-	-	-	-	10.0	O	-	-	-	-	-	-
88	**17691A0584**	22.0	22.0	8.77	8.75	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	8.0	A	10.0	O	6.0	B	10.0	O	10.0	O	-	-	8.0	A	-	-	-	-	-	-	-	-	10.0	O	-	-	-	-	-	-
89	**17691A0585**	22.0	19.0	5.53	5.55	-	-	-	-	-	-	0.0	P	5.0	C	-	-	4.0	P	4.0	P	-	F	8.0	A	7.0	B+	-	-	6.0	B	-	-	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-
90	**17691A0586**	22.0	22.0	9.05	9.05	-	-	-	-	-	-	0.0	P	10.0	O	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	8.0	A	-	-	-	-	-	-	-	-	10.0	O	-	-	-	-	-	-
91	**17691A0587**	22.0	19.0	6.26	6.21	6.0	B	-	-	-	-	-	-	6.0	B	-	-	5.0	C	4.0	P	-	F	10.0	O	9.0	A+	-	-	6.0	B	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-
92	**17691A0588**	22.0	19.0	7.79	8.15	8.0	A	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	-	Ab	10.0	O	10.0	O	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-
93	**17691A0589**	22.0	22.0	6.82	6.67	-	-	-	-	-	-	-	-	7.0	B+	-	-	6.0	B	6.0	B	5.0	C	9.0	A+	9.0	A+	-	-	7.0	B+	-	-	-	-	0.0	P	-	-	7.0	B+	-	-	-	-	-	-
94	**17691A0590**	22.0	22.0	7.68	7.71	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	7.0	B+	7.0	B+	7.0	B+	10.0	O	10.0	O	6.0	B	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95	**17691A0591**	22.0	22.0	8.41	8.66	9.0	A+	-	-	-	-	0.0	P	9.0	A+	-	-	7.0	B+	9.0	A+	6.0	B	10.0	O	9.0	A+	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
96	**17691A0592**	22.0	22.0	7.18	7.79	-	-	-	-	-	-	0.0	P	8.0	A	-	-	6.0	B	6.0	B	6.0	B	10.0	O	9.0	A+	6.0	B	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
97	**17691A0593**	22.0	22.0	9.36	9.46	-	-	-	-	-	-	0.0	P	10.0	O	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	9.0	A+	-	-	-	-	-	-	-	-	10.0	O	-	-	-	-	-	-
98	**17691A0594**	22.0	22.0	7.18	7.04	-	-	-	-	-	-	-	-	8.0	A	-	-	6.0	B	6.0	B	5.0	C	9.0	A+	10.0	O	-	-	7.0	B+	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	-	-	-
99	**17691A0595**	22.0	22.0	8.0	8.29	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	8.0	A	8.0	A	7.0	B+	10.0	O	9.0	A+	7.0	B+	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100	**17691A0596**	22.0	22.0	7.09	7.22	-	-	-	-	-	-	0.0	P	8.0	A	-	-	7.0	B+	7.0	B+	6.0	B	9.0	A+	9.0	A+	5.0	C	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
101	**17691A0597**	22.0	19.0	6.79	6.83	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	6.0	B	0.0	F	6.0	B	9.0	A+	9.0	A+	4.0	P	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
102	**17691A0598**	22.0	22.0	8.0	8.15	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	7.0	B+	8.0	A	6.0	B	10.0	O	9.0	A+	-	-	7.0	B+	-	-	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-
103	**17691A0599**	22.0	22.0	8.77	8.87	-	-	-	-	-	-	-	-	9.0	A+	-	-	9.0	A+	9.0	A+	6.0	B	10.0	O	10.0	O	-	-	9.0	A+	-	-	-	-	-	-	9.0	A+	-	-	0.0	P	-	-	-	-
104	**17691A05A0**	22.0	22.0	6.77	7.4	-	-	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	5.0	C	4.0	P	10.0	O	9.0	A+	-	-	8.0	A	-	-	0.0	P	-	-	7.0	B+	-	-	-	-	-	-	-	-
105	**17691A05A1**	22.0	16.0	6.56	6.57	-	-	-	-	-	-	0.0	P	6.0	B	-	-	6.0	B	0.0	F	5.0	C	9.0	A+	9.0	A+	-	-	6.0	B	-	-	-	-	-	-	-	-	0.0	F	-	-	-	-	-	-
106	**17691A05A2**	22.0	22.0	7.45	8.05	-	-	8.0	A	-	-	-	-	7.0	B+	-	-	7.0	B+	7.0	B+	7.0	B+	10.0	O	9.0	A+	-	-	6.0	B	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-
107	**17691A05A3**	22.0	19.0	6.58	6.57	-	-	-	-	-	-	-	-	5.0	C	-	-	4.0	P	4.0	P	0.0	F	10.0	O	9.0	A+	-	-	7.0	B+	-	-	-	-	0.0	P	9.0	A+	-	-	-	-	-	-	-	-
108	**17691A05A4**	22.0	16.0	6.5	5.84	6.0	B	-	-	-	-	-	-	6.0	B	-	-	5.0	C	-	F	-	F	8.0	A	8.0	A	-	-	7.0	B+	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-
109	**17691A05A5**	22.0	22.0	7.27	7.88	-	-	-	-	-	-	-	-	7.0	B+	-	-	7.0	B+	6.0	B	5.0	C	10.0	O	10.0	O	-	-	7.0	B+	-	-	-	-	0.0	P	-	-	8.0	A	-	-	-	-	-	-
110	**17691A05A6**	22.0	22.0	8.91	8.4	8.0	A	-	-	-	-	-	-	9.0	A+	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-
111	**17691A05A7**	22.0	22.0	7.45	7.66	-	-	-	-	-	-	-	-	6.0	B	-	-	7.0	B+	8.0	A	5.0	C	9.0	A+	10.0	O	-	-	8.0	A	-	-	-	-	0.0	P	-	-	8.0	A	-	-	-	-	-	-
112	**17691A05A8**	22.0	22.0	6.18	7.35	-	-	-	-	-	-	0.0	P	6.0	B	-	-	6.0	B	4.0	P	4.0	P	10.0	O	7.0	B+	-	-	8.0	A	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	-	-
113	**17691A05A9**	22.0	22.0	7.5	7.42	7.0	B+	-	-	-	-	-	-	8.0	A	-	-	7.0	B+	7.0	B+	6.0	B	9.0	A+	9.0	A+	-	-	8.0	A	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-
114	**17691A05B0**	22.0	22.0	7.27	7.7	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	7.0	B+	7.0	B+	6.0	B	10.0	O	10.0	O	6.0	B	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
115	**17691A05B1**	22.0	16.0	7.13	6.7	-	-	-	-	-	-	-	-	6.0	B	-	-	6.0	B	-	F	-	F	10.0	O	8.0	A	-	-	7.0	B+	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	-	-	-	-
116	**17691A05B2**	22.0	22.0	8.0	8.62	-	-	-	-	-	-	-	-	8.0	A	-	-	8.0	A	8.0	A	7.0	B+	10.0	O	9.0	A+	6.0	B	9.0	A+	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-
117	**17691A05B3**	22.0	22.0	8.23	8.27	8.0	A	-	-	-	-	-	-	9.0	A+	-	-	8.0	A	7.0	B+	7.0	B+	10.0	O	10.0	O	-	-	8.0	A	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-
118	**17691A05B4**	22.0	22.0	7.86	8.52	-	-	-	-	-	-	-	-	8.0	A	-	-	8.0	A	8.0	A	7.0	B+	10.0	O	9.0	A+	6.0	B	8.0	A	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-
119	**17691A05B5**	22.0	19.0	6.89	6.94	7.0	B+	-	-	-	-	0.0	P	6.0	B	-	-	7.0	B+	-	Ab	5.0	C	9.0	A+	10.0	O	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - COMPUTER SCIENCE & ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																							
						14CE402		14CE403		14CHE401		14CSE302		14CSU110		14CSU110-M2		14CSU111		14CSU112		14CSU113		14CSU207		14CSU208		14ECE402		14ENG103		14ENG303		14ENG304		14HUM303		14HUM401		14MAT401		14MBA301		14ME402		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
120	**17691A05B6**	22.0	22.0	8.55	8.83	-	-	-	-	-	-	0.0	P	10.0	O	-	-	8.0	A	9.0	A+	9.0	A+	10.0	O	9.0	A+	6.0	B	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	**17691A05B7**	22.0	16.0	6.44	6.39	-	-	-	-	-	-	-	-	-	F	-	-	5.0	C	5.0	C	-	F	8.0	A	9.0	A+	-	-	6.0	B	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	-	-	-	-
122	**17691A05B8**	22.0	22.0	7.59	7.29	8.0	A	-	-	-	-	-	-	8.0	A	-	-	7.0	B+	7.0	B+	6.0	B	10.0	O	9.0	A+	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-
123																																													
124	**17691A05C0**	22.0	19.0	7.11	6.41	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	6.0	B	6.0	B	-	F	9.0	A+	9.0	A+	-	-	7.0	B+	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-
125	**17691A05C1**	22.0	22.0	6.68	7.46	-	-	-	-	-	-	-	-	7.0	B+	-	-	7.0	B+	4.0	P	4.0	P	9.0	A+	9.0	A+	-	-	7.0	B+	-	-	0.0	P	-	-	8.0	A	-	-	-	-	-	-	-	-
126	**17691A05C2**	22.0	22.0	6.68	7.06	-	-	7.0	B+	-	-	-	-	-	-	6.0	B	7.0	B+	5.0	C	5.0	C	9.0	A+	9.0	A+	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
127	**17691A05C3**	22.0	22.0	6.68	6.96	-	-	-	-	-	-	0.0	P	6.0	B	-	-	6.0	B	7.0	B+	5.0	C	10.0	O	8.0	A	-	-	6.0	B	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-
128	**17691A05C4**	22.0	19.0	5.84	6.04	-	-	-	-	-	-	-	-	4.0	P	-	-	4.0	P	6.0	B	-	F	9.0	A+	9.0	A+	-	-	5.0	C	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	6.0	B
129	**17691A05C5**	22.0	13.0	6.0	5.88	-	-	4.0	P	-	-	-	-	4.0	P	-	-	-	F	-	F	-	F	9.0	A+	9.0	A+	-	-	6.0	B	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-
130	**17691A05C6**	22.0	19.0	7.16	7.6	-	-	6.0	B	-	-	-	-	7.0	B+	-	-	6.0	B	7.0	B+	-	F	10.0	O	10.0	O	-	-	6.0	B	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-
131	**17691A05C7**	22.0	16.0	6.56	6.37	-	-	-	-	-	-	0.0	P	-	-	6.0	B	-	F	6.0	B	-	F	9.0	A+	9.0	A+	-	-	6.0	B	-	-	-	-	-	-	-	-	5.0	C	-	-	-	-	-	-
132	**17691A05C8**	22.0	22.0	8.36	8.91	-	-	-	-	-	-	-	-	7.0	B+	-	-	8.0	A	9.0	A+	7.0	B+	10.0	O	10.0	O	-	-	8.0	A	-	-	0.0	P	-	-	-	-	9.0	A+	-	-	-	-	-	-
133	**17691A05C9**	22.0	22.0	6.14	6.2	-	-	7.0	B+	-	-	-	-	6.0	B	-	-	5.0	C	5.0	C	4.0	P	9.0	A+	9.0	A+	-	-	6.0	B	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
134	**17691A05D0**	22.0	10.0	7.5	6.48	-	-	-	-	-	-	-	-	-	F	-	-	-	F	0.0	F	-	F	9.0	A+	9.0	A+	-	-	7.0	B+	-	-	0.0	P	-	-	6.0	B	-	-	-	-	-	-	-	-
135	**17691A05D1**	22.0	22.0	9.05	9.28	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	-	-	-	-	-	-	-	-	10.0	O	-	-	-	-	-	-
136	**17691A05D2**	22.0	19.0	6.58	6.32	-	-	-	-	-	-	-	-	6.0	B	-	-	6.0	B	5.0	C	-	F	10.0	O	9.0	A+	-	-	5.0	C	-	-	0.0	P	-	-	7.0	B+	-	-	-	-	-	-	-	-
137	**17691A05D3**	22.0	22.0	9.05	9.38	-	-	-	-	-	-	-	-	10.0	O	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	9.0	A+	0.0	P	-	-	-	-	-	-	9.0	A+	-	-	-	-	-	-
138	**17691A05D4**	22.0	22.0	8.64	9.02	-	-	-	-	-	-	-	-	9.0	A+	-	-	8.0	A	9.0	A+	7.0	B+	10.0	O	10.0	O	-	-	8.0	A	-	-	0.0	P	-	-	9.0	A+	-	-	-	-	-	-	-	-
139	**17691A05D5**	22.0	22.0	7.45	7.65	-	-	-	-	-	-	-	-	8.0	A	-	-	6.0	B	7.0	B+	6.0	B	10.0	O	9.0	A+	-	-	7.0	B+	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	-	-
140	**17691A05D6**	22.0	22.0	6.55	6.54	8.0	A	-	-	-	-	-	-	7.0	B+	-	-	5.0	C	4.0	P	5.0	C	9.0	A+	9.0	A+	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141	**17691A05D7**	22.0	22.0	8.55	9.19	-	-	-	-	-	-	-	-	8.0	A	-	-	8.0	A	9.0	A+	7.0	B+	10.0	O	9.0	A+	-	-	8.0	A	-	-	0.0	P	-	-	-	-	10.0	O	-	-	-	-	-	-
142	**17691A05D8**	22.0	22.0	6.36	7.13	-	-	6.0	B	-	-	-	-	7.0	B+	-	-	4.0	P	6.0	B	4.0	P	10.0	O	9.0	A+	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-
143	**17691A05D9**	22.0	22.0	8.91	9.23	-	-	-	-	-	-	-	-	9.0	A+	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	8.0	A	-	-	0.0	P	-	-	-	-	9.0	A+	-	-	-	-	-	-
144	**17691A05E0**	22.0	10.0	6.8	6.15	-	-	-	-	-	-	0.0	P	6.0	B	-	-	-	F	-	F	-	Ab	8.0	A	8.0	A	-	-	6.0	B	-	-	-	-	-	-	-	-	-	Ab	-	-	-	-	-	-
145	**17691A05E1**	22.0	22.0	8.36	8.85	-	-	-	-	-	-	0.0	P	8.0	A	-	-	7.0	B+	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	8.0	A	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	-	-
146	**17691A05E2**	22.0	22.0	8.36	8.98	-	-	-	-	-	-	-	-	9.0	A+	-	-	7.0	B+	8.0	A	8.0	A	10.0	O	10.0	O	-	-	8.0	A	0.0	P	-	-	-	-	-	-	8.0	A	-	-	-	-	-	-
147	**17691A05E3**	22.0	22.0	8.5	8.71	-	-	-	-	-	-	-	-	9.0	A+	-	-	7.0	B+	9.0	A+	7.0	B+	10.0	O	10.0	O	-	-	8.0	A	-	-	0.0	P	-	-	-	-	9.0	A+	-	-	-	-	-	-
148	**17691A05E4**	22.0	22.0	8.91	9.17	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	8.0	A	-	-	-	-	-	-	-	-	10.0	O	-	-	-	-	-	-
149	**17691A05E5**	22.0	22.0	5.86	6.18	-	-	-	-	-	-	-	-	7.0	B+	-	-	4.0	P	4.0	P	4.0	P	9.0	A+	9.0	A+	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	-	-	5.0	C	-	-
150	**17691A05E6**	22.0	22.0	6.41	6.74	-	-	-	-	-	-	-	-	7.0	B+	-	-	4.0	P	6.0	B	6.0	B	9.0	A+	9.0	A+	5.0	C	7.0	B+	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
151	**17691A05E7**	22.0	22.0	9.32	9.23	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	9.0	A+	10.0	O	8.0	A	10.0	O	10.0	O	-	-	9.0	A+	-	-	-	-	-	-	-	-	10.0	O	-	-	-	-	-	-
152	**17691A05E8**	22.0	22.0	6.55	6.57	-	-	-	-	-	-	-	-	7.0	B+	-	-	4.0	P	6.0	B	4.0	P	9.0	A+	9.0	A+	-	-	7.0	B+	-	-	0.0	P	-	-	8.0	A	-	-	-	-	-	-	-	-
153	**17691A05E9**	22.0	22.0	6.55	6.49	-	-	-	-	-	-	-	-	7.0	B+	-	-	4.0	P	5.0	C	4.0	P	9.0	A+	9.0	A+	-	-	8.0	A	-	-	0.0	P	-	-	8.0	A	-	-	-	-	-	-	-	-
154	**17691A05F0**	22.0	22.0	8.09	8.71	-	-	-	-	-	-	-	-	8.0	A	-	-	6.0	B	8.0	A	7.0	B+	10.0	O	10.0	O	-	-	9.0	A+	0.0	P	-	-	-	-	-	-	8.0	A	-	-	-	-	-	-
155	**17691A05F1**	22.0	22.0	6.41	6.59	-	-	-	-	-	-	-	-	6.0	B	-	-	5.0	C	6.0	B	4.0	P	9.0	A+	9.0	A+	-	-	6.0	B	-	-	-	-	-	-	8.0	A	-	-	0.0	P	-	-	-	-
156	**17691A05F2**	22.0	22.0	8.91	9.3	-	-	-	-	-	-	0.0	P	8.0	A	-	-	7.0	B+	10.0	O	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	-	-	-	-	-	-	-	-	10.0	O	-	-	-	-	-	-
157	**17691A05F3**	22.0	22.0	8.64	8.99	-	-	-	-	-	-	-	-	9.0	A+	-	-	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	-	-	9.0	A+	-	-	0.0	P	-	-	-	-	8.0	A	-	-	-	-	-	-
158	**17691A05F4**	22.0	13.0	6.92	6.14	-	-	-	-	-	-	-	-	5.0	C	-	-	-	F	6.0	B	-	F	9.0	A+	9.0	A+	-	F	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-
159	**17691A05F5**	22.0	22.0	7.27	8.09	-	-	-	-	-	-	-	-	7.0	B+	-	-	4.0	P	8.0	A	6.0	B	10.0	O	10.0	O	-	-	8.0	A	-	-	0.0	P	-	-	-	-	7.0	B+	-	-	-	-	-	-
160	**17691A05F6**	22.0	22.0	7.18	7.58	-	-	-	-	5.0	C	0.0	P	7.0	B+	-	-	6.0	B	7.0	B+	7.0	B+	10.0	O	9.0	A+	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - COMPUTER SCIENCE & ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																									
						14CE402		14CE403		14CHE401		14CSE302		14CSU110		14CSU110-M2		14CSU111		14CSU112		14CSU113		14CSU207		14CSU208		14ECE402		14ENG103		14ENG303		14ENG304		14HUM303		14HUM401		14MAT401		14MBA301		14ME402		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
161	**17691A05F7**	22.0	22.0	7.86	8.23	-	-	-	-	-	-	-	-	7.0	B+	-	-	7.0	B+	8.0	A	6.0	B	9.0	A+	10.0	O	-	-	8.0	A	-	-	-	-	-	-	-	-	9.0	A+	0.0	P	-	-	-	-
162	**17691A05F8**	22.0	7.0	6.29	6.07	-	-	-	-	-	-	-	-	4.0	P	-	-	-	F	-	F	-	F	8.0	A	8.0	A	-	-	-	F	-	F	-	-	-	-	-	-	-	-	-	-	-	-	-	F
163	**17691A05F9**	22.0	22.0	8.77	9.28	-	-	-	-	-	-	-	-	9.0	A+	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	9.0	A+	-	-	0.0	P	-	-	-	-	8.0	A	-	-	-	-	-	-
164	**17691A05G1**	22.0	22.0	8.5	8.75	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	7.0	B+	8.0	A	7.0	B+	10.0	O	10.0	O	-	-	9.0	A+	-	-	-	-	-	-	-	-	9.0	A+	-	-	-	-	-	-
165	**17691A05G2**	22.0	16.0	6.25	5.98	-	-	-	-	-	-	0.0	P	6.0	B	-	-	-	F	5.0	C	-	F	9.0	A+	8.0	A	-	-	6.0	B	-	-	-	-	-	-	-	-	5.0	C	-	-	-	-	-	-
166	**17691A05G3**	22.0	22.0	6.68	7.21	-	-	-	-	4.0	P	-	-	7.0	B+	-	-	6.0	B	7.0	B+	6.0	B	9.0	A+	9.0	A+	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-
167	**17691A05G4**	22.0	22.0	7.82	8.38	-	-	-	-	-	-	0.0	P	8.0	A	-	-	6.0	B	8.0	A	6.0	B	10.0	O	10.0	O	-	-	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	-
168	**17691A05G5**	22.0	16.0	7.13	6.67	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	F	6.0	B	-	F	9.0	A+	9.0	A+	-	-	6.0	B	0.0	P	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-
169	**17691A05G6**	22.0	22.0	7.14	8.39	-	-	-	-	-	-	0.0	P	8.0	A	-	-	6.0	B	6.0	B	6.0	B	10.0	O	10.0	O	-	-	7.0	B+	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	-	-
170	**17691A05G7**	22.0	22.0	8.91	9.25	-	-	-	-	-	-	-	-	9.0	A+	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	8.0	A	-	-	0.0	P	-	-	-	-	10.0	O	-	-	-	-	-	-
171	**17691A05G8**	22.0	16.0	6.75	7.09	-	-	-	-	-	-	0.0	P	6.0	B	-	-	5.0	C	7.0	B+	-	F	9.0	A+	9.0	A+	-	-	0.0	F	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	-	-
172	**17691A05G9**	22.0	22.0	7.41	7.34	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	7.0	B+	8.0	A	5.0	C	9.0	A+	8.0	A	-	-	7.0	B+	-	-	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-
173	**17691A05H0**	22.0	22.0	6.73	6.13	-	-	-	-	-	-	-	-	7.0	B+	-	-	6.0	B	6.0	B	5.0	C	10.0	O	7.0	B+	-	-	6.0	B	-	-	-	-	-	-	8.0	A	-	-	0.0	P	-	-	-	-
174	**17691A05H1**	22.0	19.0	6.32	6.8	-	-	6.0	B	-	-	-	-	-	-	6.0	B	5.0	C	6.0	B	-	F	9.0	A+	9.0	A+	-	-	5.0	C	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
175	**17691A05H2**	22.0	19.0	7.0	6.88	-	-	6.0	B	-	-	-	-	6.0	B	-	-	6.0	B	6.0	B	-	F	10.0	O	10.0	O	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
176	**17691A05H3**	22.0	10.0	5.9	6.28	-	-	-	-	-	-	-	-	4.0	P	-	-	-	F	-	F	-	F	9.0	A+	7.0	B+	-	-	5.0	C	-	-	-	-	-	-	-	-	-	F	0.0	P	-	-	-	-
177	**17691A05H4**	22.0	19.0	6.79	6.03	-	-	-	-	-	-	-	-	7.0	B+	-	-	5.0	C	5.0	C	-	F	9.0	A+	9.0	A+	-	-	7.0	B+	-	-	0.0	P	-	-	7.0	B+	-	-	-	-	-	-	-	-
178	**17691A05H5**	22.0	22.0	8.23	8.64	-	-	-	-	-	-	0.0	P	8.0	A	-	-	8.0	A	9.0	A+	7.0	B+	10.0	O	10.0	O	-	-	7.0	B+	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	-	-
179	**17691A05H6**	22.0	13.0	6.85	6.8	-	-	6.0	B	-	-	0.0	P	6.0	B	-	-	0.0	F	-	F	5.0	C	10.0	O	9.0	A+	-	-	-	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180	**17691A05H7**	22.0	22.0	6.18	6.74	-	-	-	-	-	-	-	-	7.0	B+	-	-	6.0	B	4.0	P	4.0	P	10.0	O	10.0	O	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	4.0	P	-	-	-	-	-	-
181	**17691A05H9**	22.0	22.0	7.27	8.08	-	-	-	-	-	-	-	-	8.0	A	-	-	5.0	C	7.0	B+	7.0	B+	10.0	O	10.0	O	-	-	6.0	B	-	-	0.0	P	-	-	-	-	7.0	B+	-	-	-	-	-	-
182	**17691A05I0**	22.0	22.0	6.09	6.04	-	-	-	-	-	-	-	-	7.0	B+	-	-	4.0	P	4.0	P	4.0	P	9.0	A+	10.0	O	-	-	6.0	B	-	-	0.0	P	-	-	7.0	B+	-	-	-	-	-	-	-	-
183	**17691A05I1**	22.0	19.0	6.11	7.41	-	-	-	-	-	-	0.0	P	6.0	B	-	-	4.0	P	5.0	C	4.0	P	9.0	A+	10.0	O	-	-	0.0	F	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	-
184	**17691A05I2**	22.0	22.0	7.45	8.14	-	-	-	-	-	-	-	-	9.0	A+	-	-	6.0	B	7.0	B+	7.0	B+	10.0	O	9.0	A+	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	6.0	B	-	-	-	-	-	-
185	**17691A05I3**	22.0	13.0	6.77	6.13	-	-	-	-	-	F	-	-	6.0	B	-	-	6.0	B	0.0	F	0.0	F	9.0	A+	8.0	A	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-
186	**17695A0503**	22.0	13.0	5.77	6.06	-	-	-	-	-	F	0.0	P	5.0	C	-	-	5.0	C	-	F	-	F	8.0	A	7.0	B+	-	-	5.0	C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
187	**17699A0501**	22.0	22.0	6.14	5.82	6.0	B	-	-	-	-	-	-	7.0	B+	-	-	7.0	B+	5.0	C	4.0	P	7.0	B+	8.0	A	-	-	6.0	B	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188	**17699A0502**	22.0	13.0	6.08	5.93	5.0	C	-	-	-	-	0.0	P	5.0	C	-	-	-	F	-	F	-	F	8.0	A	9.0	A+	-	-	5.0	C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189	**17699A0503**	22.0	22.0	6.55	6.01	-	-	-	-	-	-	-	-	-	-	6.0	B	6.0	B	6.0	B	4.0	P	9.0	A+	9.0	A+	-	-	6.0	B	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	-	-	-
190	**17699A0504**	22.0	22.0	8.09	8.07	-	-	-	-	-	-	0.0	P	8.0	A	-	-	8.0	A	8.0	A	7.0	B+	10.0	O	10.0	O	-	-	7.0	B+	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	-	-
191	**17699A0505**	22.0	22.0	7.68	8.23	-	-	-	-	-	-	-	-	8.0	A	-	-	7.0	B+	8.0	A	6.0	B	10.0	O	10.0	O	6.0	B	8.0	A	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-
192	**17699A0506**	22.0	22.0	8.77	8.79	-	-	8.0	A	-	-	-	-	9.0	A+	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	9.0	A+	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-
193	**17699A0507**	22.0	22.0	6.05	6.16	-	-	7.0	B+	-	-	0.0	P	-	-	6.0	B	5.0	C	7.0	B+	4.0	P	7.0	B+	7.0	B+	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
194	**17699A0509**	22.0	22.0	6.73	7.53	-	-	-	-	-	-	-	-	7.0	B+	-	-	6.0	B	8.0	A	6.0	B	9.0	A+	8.0	A	4.0	P	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-
195	**17699A0510**	22.0	22.0	7.73	7.67	-	-	-	-	-	-	-	-	8.0	A	-	-	7.0	B+	7.0	B+	6.0	B	10.0	O	9.0	A+	-	-	8.0	A	0.0	P	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-
196	**17699A0511**	22.0	22.0	7.23	7.07	-	-	-	-	-	-	-	-	8.0	A	-	-	6.0	B	7.0	B+	6.0	B	10.0	O	8.0	A	-	-	6.0	B	-	-	0.0	P	-	-	8.0	A	-	-	-	-	-	-	-	-
197	**17699A0512**	22.0	22.0	7.55	7.47	-	-	-	-	-	-	-	-	8.0	A	-	-	6.0	B	8.0	A	6.0	B	10.0	O	10.0	O	-	-	7.0	B+	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	-	-
198	**17699A0513**	22.0	22.0	8.82	8.29	9.0	A+	-	-	-	-	-	-	9.0	A+	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	9.0	A+	-	-	8.0	A	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-
199	**17699A0514**	22.0	22.0	5.68	6.0	6.0	B	-	-	-	-	0.0	P	-	-	6.0	B	4.0	P	6.0	B	4.0	P	7.0	B+	9.0	A+	-	-	5.0	C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200	**17699A0515**	22.0	22.0	7.45	7.79	7.0	B+	-	-	-	-	0.0	P	8.0	A	-	-	7.0	B+	7.0	B+	7.0	B+	9.0	A+	10.0	O	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
201	**17699A0516**	22.0	22.0	6.36	7.1	-	-	7.0	B+	-	-	0.0	P	6.0	B	-	-	6.0	B	6.0	B	5.0	C	7.0	B+	9.0	A+	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - COMPUTER SCIENCE & ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																									
						14CE402		14CE403		14CHE401		14CSE302		14CSU110		14CSU110-M2		14CSU111		14CSU112		14CSU113		14CSU207		14CSU208		14ECE402		14ENG103		14ENG303		14ENG304		14HUM303		14HUM401		14MAT401		14MBA301		14ME402		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
202	17699A0517	22.0	22.0	6.32	6.79	6.0	B	-	-	-	-	0.0	P	-	-	6.0	B	6.0	B	6.0	B	5.0	C	9.0	A+	8.0	A	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
203	17699A0518	22.0	22.0	7.64	8.15	-	-	8.0	A	-	-	0.0	P	7.0	B+	-	-	8.0	A	7.0	B+	7.0	B+	9.0	A+	9.0	A+	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	17699A0519	22.0	22.0	8.77	9.24	-	-	-	-	-	-	-	-	10.0	O	-	-	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	7.0	B+	8.0	A	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-
205	17699A0520	22.0	22.0	8.64	8.96	-	-	-	-	-	-	-	-	9.0	A+	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	7.0	B+	9.0	A+	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-
206	17699A0521	22.0	22.0	8.23	8.21	8.0	A	-	-	-	-	-	-	9.0	A+	-	-	7.0	B+	8.0	A	7.0	B+	10.0	O	10.0	O	-	-	8.0	A	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-
207	17699A0522	22.0	22.0	8.5	9.03	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	7.0	B+	9.0	A+	7.0	B+	10.0	O	10.0	O	-	-	8.0	A	-	-	-	-	-	-	-	-	9.0	A+	-	-	-	-	-	-
208	17699A0523	22.0	22.0	6.55	6.98	-	-	7.0	B+	-	-	-	-	6.0	B	-	-	6.0	B	6.0	B	5.0	C	8.0	A	7.0	B+	-	-	8.0	A	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
209	17699A0525	22.0	13.0	6.38	6.3	-	-	-	-	-	-	0.0	P	-	-	6.0	B	-	F	-	F	-	F	8.0	A	8.0	A	-	-	5.0	C	-	-	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-
210	17699A0526	22.0	22.0	8.91	9.22	-	-	9.0	A+	-	-	0.0	P	9.0	A+	-	-	8.0	A	10.0	O	7.0	B+	10.0	O	10.0	O	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
211	17699A0527	22.0	22.0	8.64	9.08	-	-	9.0	A+	-	-	-	-	9.0	A+	-	-	7.0	B+	9.0	A+	7.0	B+	10.0	O	10.0	O	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-
212	17699A0528	22.0	22.0	7.5	7.76	-	-	-	-	-	-	-	-	8.0	A	-	-	7.0	B+	6.0	B	7.0	B+	9.0	A+	9.0	A+	-	-	7.0	B+	-	-	-	-	-	-	8.0	A	-	-	0.0	P	-	-	-	-
213	17699A0530	22.0	22.0	6.86	7.44	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	6.0	B	6.0	B	4.0	P	10.0	O	10.0	O	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-
214	17699A0531	22.0	19.0	6.63	6.92	-	-	-	-	-	-	0.0	P	6.0	B	-	-	6.0	B	6.0	B	0.0	F	10.0	O	8.0	A	-	-	6.0	B	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	-	-
215	17699A0532	22.0	22.0	7.32	7.15	-	-	8.0	A	-	-	-	-	8.0	A	-	-	7.0	B+	6.0	B	5.0	C	10.0	O	9.0	A+	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-
216	17699A0533	22.0	22.0	7.45	7.21	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	7.0	B+	7.0	B+	7.0	B+	10.0	O	9.0	A+	-	-	8.0	A	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	-	-
217	17699A0534	22.0	22.0	7.5	8.45	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	6.0	B	8.0	A	7.0	B+	9.0	A+	9.0	A+	-	-	6.0	B	-	-	-	-	-	-	-	-	9.0	A+	-	-	-	-	-	-
218	17699A0535	22.0	22.0	9.05	8.43	-	-	9.0	A+	-	-	0.0	P	9.0	A+	-	-	9.0	A+	10.0	O	8.0	A	10.0	O	10.0	O	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
219	17699A0536	22.0	19.0	6.37	6.4	-	-	7.0	B+	-	-	-	-	-	-	6.0	B	5.0	C	-	F	4.0	P	10.0	O	10.0	O	-	-	5.0	C	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
220	17699A0537	22.0	22.0	8.64	8.55	8.0	A	-	-	-	-	0.0	P	9.0	A+	-	-	9.0	A+	10.0	O	7.0	B+	10.0	O	10.0	O	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
221	17699A0538	22.0	22.0	8.5	8.44	-	-	-	-	-	-	-	-	9.0	A+	-	-	8.0	A	9.0	A+	6.0	B	10.0	O	10.0	O	-	-	8.0	A	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	-	-	-	-
222	17699A0539	22.0	22.0	8.82	9.04	-	-	9.0	A+	-	-	-	-	10.0	O	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	9.0	A+	-	-	8.0	A	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-
223	17699A0541	22.0	22.0	7.77	7.79	-	-	8.0	A	-	-	-	-	8.0	A	-	-	6.0	B	9.0	A+	7.0	B+	10.0	O	8.0	A	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-
224	17699A0543	22.0	22.0	8.55	8.88	-	-	9.0	A+	-	-	-	-	9.0	A+	-	-	8.0	A	10.0	O	7.0	B+	10.0	O	9.0	A+	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-
225	17699A0544	22.0	13.0	6.38	6.35	-	-	-	-	-	-	0.0	P	6.0	B	-	-	-	F	-	F	-	F	10.0	O	9.0	A+	-	-	5.0	C	-	-	-	-	-	-	-	-	4.0	P	-	-	-	-	-	-
226	17699A0546	22.0	22.0	8.5	8.83	8.0	A	-	-	-	-	-	-	8.0	A	-	-	9.0	A+	9.0	A+	7.0	B+	10.0	O	10.0	O	-	-	8.0	A	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-
227	17699A0547	22.0	19.0	6.58	6.52	-	-	-	-	-	-	0.0	P	-	-	6.0	B	5.0	C	5.0	C	5.0	C	9.0	A+	10.0	O	-	-	-	F	-	-	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-
228	17699A0548	22.0	19.0	6.42	6.6	-	-	-	-	-	-	0.0	P	-	-	5.0	C	5.0	C	5.0	C	0.0	F	8.0	A	8.0	A	-	-	7.0	B+	-	-	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-
229	17699A0549	22.0	22.0	6.32	7.1	-	-	5.0	C	-	-	0.0	P	-	-	7.0	B+	6.0	B	7.0	B+	4.0	P	9.0	A+	8.0	A	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
230	17699A0550	22.0	16.0	7.13	6.11	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	F	5.0	C	-	F	9.0	A+	9.0	A+	-	-	6.0	B	-	-	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-
231	17699A0551	22.0	22.0	8.36	8.91	8.0	A	-	-	-	-	0.0	P	9.0	A+	-	-	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
232	17699A0552	22.0	22.0	6.86	7.38	-	-	-	-	-	-	0.0	P	8.0	A	-	-	5.0	C	6.0	B	4.0	P	10.0	O	10.0	O	-	-	7.0	B+	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	-
233	17699A0553	22.0	22.0	7.23	7.46	-	-	-	-	-	-	0.0	P	8.0	A	-	-	6.0	B	7.0	B+	6.0	B	9.0	A+	9.0	A+	-	-	7.0	B+	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	-
234	17699A0554	22.0	22.0	8.64	8.86	-	-	8.0	A	-	-	0.0	P	9.0	A+	-	-	8.0	A	9.0	A+	7.0	B+	10.0	O	10.0	O	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
235	17699A0555	22.0	22.0	9.86	9.71	-	-	-	-	-	-	0.0	P	10.0	O	-	-	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	-	-	-	-	-	-	-	-	10.0	O	-	-	-	-	-	-
236	17699A0556	22.0	22.0	8.95	9.04	8.0	A	-	-	-	-	-	-	9.0	A+	-	-	9.0	A+	10.0	O	8.0	A	10.0	O	9.0	A+	-	-	9.0	A+	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
237	17699A0557	22.0	22.0	6.55	6.89	-	-	-	-	-	-	0.0	P	6.0	B	-	-	6.0	B	6.0	B	5.0	C	9.0	A+	9.0	A+	-	-	7.0	B+	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	-	-
238	17699A0558	22.0	22.0	7.86	6.92	-	-	-	-	-	-	-	-	8.0	A	-	-	6.0	B	7.0	B+	6.0	B	9.0	A+	10.0	O	-	-	9.0	A+	-	-	-	-	0.0	P	9.0	A+	-	-	-	-	-	-	-	-
239	17699A0559	22.0	22.0	6.27	6.5	-	-	-	-	-	-	-	-	6.0	B	-	-	5.0	C	6.0	B	5.0	C	9.0	A+	9.0	A+	-	-	8.0	A	0.0	P	-	-	-	-	-	-	4.0	P	-	-	-	-	-	-
240	17699A0560	22.0	22.0	8.77	8.94	-	-	-	-	-	-	-	-	10.0	O	-	-	7.0	B+	8.0	A	8.0	A	10.0	O	10.0	O	-	-	9.0	A+	-	-	0.0	P	-	-	9.0	A+	-	-	-	-	-	-	-	-
241	18695A0501	22.0	22.0	7.64	7.7	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	8.0	A	7.0	B+	7.0	B+	9.0	A+	9.0	A+	-	-	7.0	B+	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	-	-
242	18695A0502	22.0	19.0	6.74	6.98	-	-	-	-	-	-	0.0	P	-	-	6.0	B	7.0	B+	5.0	C	5.0	C	10.0	O	9.0	A+	-	F	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR I SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - DECEMBER 2019

RESULTS - COMPUTER SCIENCE & ENGINEERING (2017 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																									
						14CE402		14CE403		14CHE401		14CSE302		14CSU110		14CSU110-M2		14CSU111		14CSU112		14CSU113		14CSU207		14CSU208		14ECE402		14ENG103		14ENG303		14ENG304		14HUM303		14HUM401		14MAT401		14MBA301		14ME402		14PHY401	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
243	**18695A0503**	22.0	22.0	6.91	7.24	-	-	-	-	-	-	0.0	P	-	-	6.0	B	8.0	A	6.0	B	6.0	B	10.0	O	9.0	A+	5.0	C	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
244	**18695A0504**	22.0	22.0	6.55	6.83	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	6.0	B	6.0	B	5.0	C	9.0	A+	9.0	A+	5.0	C	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
245	**18695A0505**	22.0	22.0	6.45	6.8	-	-	-	-	-	-	0.0	P	-	-	6.0	B	6.0	B	6.0	B	6.0	B	9.0	A+	8.0	A	5.0	C	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
246	**18695A0506**	22.0	22.0	8.09	8.41	-	-	-	-	-	-	-	-	9.0	A+	-	-	7.0	B+	7.0	B+	7.0	B+	10.0	O	10.0	O	-	-	8.0	A	-	-	0.0	P	-	-	-	-	8.0	A	-	-	-	-	-	-
247	**18695A0507**	22.0	22.0	7.45	7.21	-	-	-	-	-	-	-	-	8.0	A	-	-	8.0	A	7.0	B+	6.0	B	10.0	O	9.0	A+	6.0	B	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-
248	**18695A0508**	22.0	22.0	8.64	8.68	-	-	-	-	-	-	-	-	9.0	A+	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	8.0	A	8.0	A	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-
249	**18695A0509**	22.0	19.0	6.42	6.47	-	-	-	-	-	-	-	-	6.0	B	-	-	6.0	B	6.0	B	4.0	P	9.0	A+	10.0	O	-	-	6.0	B	-	-	0.0	P	-	-	-	-	-	F	-	-	-	-	-	-
250	**18695A0510**	22.0	22.0	6.05	6.44	-	-	6.0	B	-	-	0.0	P	6.0	B	-	-	5.0	C	5.0	C	5.0	C	9.0	A+	8.0	A	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
251	**18695A0511**	22.0	19.0	6.16	6.13	-	-	6.0	B	-	-	-	-	6.0	B	-	-	5.0	C	4.0	P	0.0	F	10.0	O	8.0	A	-	-	6.0	B	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-

Course Code	Course Name
14CE402	RURAL WATER SUPPLY AND SANITATION
14CE403	GREEN BUILDINGS AND ENERGY CONSERVATION
14CHE401	INTRODUCTION TO NANO SCIENCE AND TECHNOLOGY
14CSE302	ETHICAL HACKING (AUDIT COURSE)
14CSU110	OPERATING SYSTEMS
14CSU110-M2	INTRODUCTION TO OPERATING SYSTEMS (MOOC)
14CSU111	MICROPROCESSORS AND INTERFACING
14CSU112	THEORY OF COMPUTATION
14CSU113	PRINCIPLES OF PROGRAMMING LANGUAGES
14CSU207	OPERATING SYSTEMS PRACTICALS
14CSU208	MICROPROCESSORS AND INTERFACING PRACTICALS
14ECE402	DIGITAL IMAGE PROCESSING
14ENG103	SOFT SKILLS
14ENG303	PHONETICS AND SPOKEN ENGLISH (AUDIT COURSE)
14ENG304	INTRODUCTORY PSYCHOLOGY (AUDIT COURSE)
14HUM303	NATIONAL SERVICE SCHEME (NSS) (AUDIT COURSE)
14HUM401	PROFESSIONAL ETHICS
14MAT401	NUMERICAL ANALYSIS
14MBA301	BUSINESS ETHICS AND CORPORATE GOVERNANCE (AUDIT COURSE)
14ME402	POWER PLANT ENGINEERING
14PHY401	PHYSICS OF LASER AND APPLICATIONS

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations