MADANAPALLE INSTITUTE OF TECHNOLOGY AND SCIENCE

(UGC - Autonomous)
(Approved by AICTE, New Delhi & Affiliated to JNTUA,Ananthapuramu)
P.B NO:14,Angallu,Kadiri Road,Madanapalle - 517325, Chittor Dist,A.P.

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - CIVIL ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						20CE110		20CE111		20CE112		20CE113		20CE208		20CE209		20CE210		20CE211		20CE4M10		20CE606		20CE901		20CHE901		20CSE301		20CSE302		20CST301		20EEE302		20HUM902		20ME301	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 2.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
1	**19691A0108**	21.5	12.5	4.23	4.27	6.0	B	-	-	-	F	-	F	9.0	A+	-	-	8.0	A	9.0	A+	-	Ab	8.0	A	-	-	-	-	-	-	-	-	-	-	6.0	B	0.0	P	-	-
2	**19691A0153**	21.5	21.5	6.63	7.08	-	-	4.0	P	6.0	B	6.0	B	-	-	9.0	A+	9.0	A+	9.0	A+	6.0	B	9.0	A+	-	-	0.0	P	-	-	-	-	6.0	B	-	-	-	-	-	-
3	**20691A0103**	21.5	9.5	3.37	3.87	-	-	6.0	B	-	F	-	F	-	-	10.0	O	8.0	A	9.0	A+	-	F	7.0	B+	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	-	F
4	**20691A0104**	21.5	15.5	4.84	4.2	-	-	5.0	C	-	F	-	F	-	-	10.0	O	8.0	A	10.0	O	6.0	B	7.0	B+	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	5.0	C
5	**20691A0105**	21.5	21.5	7.91	8.0	-	-	6.0	B	8.0	A	9.0	A+	-	-	10.0	O	10.0	O	10.0	O	6.0	B	10.0	O	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B
6	**20691A0106**	21.5	21.5	7.19	8.08	-	-	6.0	B	6.0	B	7.0	B+	-	-	10.0	O	9.0	A+	10.0	O	6.0	B	9.0	A+	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B
7	**20691A0108**	21.5	18.5	5.19	4.58	-	-	4.0	P	5.0	C	4.0	P	-	-	10.0	O	8.0	A	9.0	A+	6.0	B	7.0	B+	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	-	F
8	**20691A0109**	21.5	15.5	4.7	5.93	-	-	4.0	P	6.0	B	5.0	C	-	-	10.0	O	8.0	A	10.0	O	-	F	7.0	B+	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	-	F
9	**20691A0110**	21.5	21.5	7.14	7.44	-	-	6.0	B	9.0	A+	6.0	B	-	-	8.0	A	7.0	B+	10.0	O	6.0	B	7.0	B+	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+
10	**20691A0111**	21.5	9.5	2.86	5.84	-	-	-	F	-	F	4.0	P	-	-	7.0	B+	7.0	B+	7.0	B+	-	F	9.0	A+	0.0	P	-	-	-	F	-	-	-	-	-	-	-	-	-	-
11	**20691A0112**	21.5	21.5	8.28	8.33	-	-	7.0	B+	9.0	A+	9.0	A+	-	-	10.0	O	10.0	O	10.0	O	6.0	B	8.0	A	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	8.0	A
12	**20691A0113**	21.5	18.5	5.42	6.73	-	-	4.0	P	5.0	C	6.0	B	-	-	9.0	A+	8.0	A	10.0	O	-	F	8.0	A	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	5.0	C
13	**20691A0114**	21.5	21.5	7.4	7.67	-	-	6.0	B	7.0	B+	6.0	B	-	-	9.0	A+	9.0	A+	10.0	O	7.0	B+	9.0	A+	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+
14	**20691A0115**	21.5	21.5	7.19	7.18	-	-	6.0	B	6.0	B	6.0	B	-	-	10.0	O	9.0	A+	10.0	O	6.0	B	9.0	A+	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+
15	**20691A0117**	21.5	15.5	4.51	5.02	-	-	4.0	P	4.0	P	-	F	-	-	9.0	A+	8.0	A	9.0	A+	6.0	B	8.0	A	0.0	P	-	-	-	-	-	-	-	F	-	-	-	-	-	-
16	**20691A0118**	21.5	9.5	2.79	3.23	-	-	-	F	-	F	-	F	-	-	7.0	B+	6.0	B	7.0	B+	6.0	B	6.0	B	0.0	P	-	-	-	-	-	-	-	F	-	-	-	-	-	-
17	**20691A0119**	21.5	18.5	5.79	6.37	-	-	7.0	B+	-	F	4.0	P	-	-	9.0	A+	9.0	A+	7.0	B+	6.0	B	9.0	A+	0.0	P	-	-	-	-	-	-	6.0	B	-	-	-	-	-	-
18	**20691A0120**	21.5	9.5	2.53	4.41	-	-	4.0	P	-	F	-	F	-	-	-	F	7.0	B+	-	F	6.0	B	7.0	B+	-	F	-	-	-	-	-	-	-	-	-	-	-	-	-	F
19	**20691A0121**	21.5	15.5	5.07	5.97	-	-	5.0	C	7.0	B+	-	F	-	-	9.0	A+	7.0	B+	10.0	O	-	F	8.0	A	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B
20	**20691A0122**	21.5	6.5	2.26	4.23	-	-	-	F	-	F	-	F	-	-	7.0	B+	7.0	B+	9.0	A+	-	F	7.0	B+	0.0	P	-	-	-	-	-	-	-	F	-	-	-	-	-	-
21	**21695A0101**	21.5	21.5	8.6	8.67	-	-	8.0	A	8.0	A	8.0	A	-	-	10.0	O	10.0	O	10.0	O	7.0	B+	10.0	O	0.0	P	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-
22	**21695A0102**	21.5	21.5	8.3	8.88	-	-	9.0	A+	7.0	B+	9.0	A+	-	-	10.0	O	10.0	O	9.0	A+	7.0	B+	9.0	A+	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+
23	**21695A0103**	21.5	21.5	7.47	8.57	-	-	7.0	B+	6.0	B	6.0	B	-	-	10.0	O	9.0	A+	10.0	O	7.0	B+	9.0	A+	0.0	P	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-
24	**21695A0105**	21.5	21.5	8.4	9.09	-	-	8.0	A	9.0	A+	10.0	O	-	-	8.0	A	10.0	O	9.0	A+	7.0	B+	10.0	O	0.0	P	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-
25	**21695A0106**	21.5	21.5	8.67	9.28	-	-	8.0	A	9.0	A+	10.0	O	-	-	9.0	A+	10.0	O	10.0	O	6.0	B	10.0	O	0.0	P	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-
26	**21695A0107**	21.5	15.5	4.56	6.08	-	-	6.0	B	4.0	P	6.0	B	-	-	9.0	A+	7.0	B+	8.0	A	-	F	7.0	B+	0.0	P	-	-	-	F	-	-	-	-	-	-	-	-	-	-
27	**21695A0108**	21.5	21.5	8.4	8.82	-	-	7.0	B+	7.0	B+	10.0	O	-	-	10.0	O	10.0	O	9.0	A+	6.0	B	10.0	O	0.0	P	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-
28	**21695A0109**	21.5	21.5	8.19	8.78	-	-	7.0	B+	9.0	A+	8.0	A	-	-	9.0	A+	10.0	O	9.0	A+	7.0	B+	10.0	O	0.0	P	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	-
29	**21695A0110**	21.5	21.5	8.4	9.16	-	-	8.0	A	8.0	A	10.0	O	-	-	10.0	O	10.0	O	9.0	A+	6.0	B	10.0	O	0.0	P	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-
30	**21695A0111**	21.5	21.5	6.33	6.8	-	-	5.0	C	4.0	P	5.0	C	-	-	10.0	O	9.0	A+	9.0	A+	6.0	B	8.0	A	0.0	P	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-
31	**21695A0112**	21.5	21.5	8.33	8.83	-	-	7.0	B+	9.0	A+	9.0	A+	-	-	10.0	O	10.0	O	10.0	O	6.0	B	10.0	O	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+
32	**21695A0113**	21.5	21.5	8.53	8.62	-	-	7.0	B+	8.0	A	10.0	O	-	-	10.0	O	10.0	O	9.0	A+	7.0	B+	10.0	O	0.0	P	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-
33	**21695A0114**	21.5	21.5	7.12	7.37	-	-	6.0	B	6.0	B	7.0	B+	-	-	9.0	A+	9.0	A+	10.0	O	6.0	B	9.0	A+	0.0	P	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-
34	**21695A0115**	21.5	21.5	9.3	9.62	-	-	9.0	A+	10.0	O	10.0	O	-	-	10.0	O	10.0	O	10.0	O	7.0	B+	10.0	O	0.0	P	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-
35	**21695A0116**	21.5	21.5	6.93	7.06	-	-	6.0	B	7.0	B+	6.0	B	-	-	10.0	O	9.0	A+	9.0	A+	6.0	B	7.0	B+	0.0	P	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-
36	**21695A0117**	21.5	15.5	4.81	6.66	-	-	5.0	C	6.0	B	-	F	-	-	10.0	O	8.0	A	9.0	A+	-	F	9.0	A+	0.0	P	-	-	-	-	-	-	4.0	P	-	-	-	-	-	-
37	**21695A0118**	21.5	21.5	6.98	7.65	-	-	5.0	C	6.0	B	8.0	A	-	-	9.0	A+	9.0	A+	10.0	O	6.0	B	9.0	A+	0.0	P	-	-	-	-	-	-	5.0	C	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - CIVIL ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																			
						20CE110		20CE111		20CE112		20CE113		20CE208		20CE209		20CE210		20CE211		20CE4M10		20CE606		20CE901		20CHE901		20CSE301		20CSE302		20CST301		20EEE302		20HUM902		20ME301	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 2.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
38	**21695A0119**	21.5	21.5	7.21	8.13	-	-	5.0	C	6.0	B	9.0	A+	-	-	9.0	A+	9.0	A+	8.0	A	6.0	B	10.0	O	0.0	P	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-
39	**21695A0120**	21.5	21.5	8.05	8.62	-	-	7.0	B+	6.0	B	8.0	A	-	-	10.0	O	10.0	O	10.0	O	8.0	A	10.0	O	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+
40	**21695A0121**	21.5	18.5	6.14	6.84	-	-	6.0	B	5.0	C	7.0	B+	-	-	9.0	A+	9.0	A+	10.0	O	-	F	9.0	A+	0.0	P	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-
41	**21695A0122**	21.5	21.5	6.91	7.2	-	-	6.0	B	6.0	B	6.0	B	-	-	10.0	O	9.0	A+	10.0	O	6.0	B	9.0	A+	0.0	P	-	-	5.0	C	-	-	-	-	-	-	-	-	-	-
42	**21695A0123**	21.5	21.5	8.33	8.73	-	-	8.0	A	8.0	A	9.0	A+	-	-	9.0	A+	10.0	O	9.0	A+	8.0	A	10.0	O	0.0	P	-	-	-	-	-	-	6.0	B	-	-	-	-	-	-
43	**21695A0124**	21.5	18.5	5.63	6.74	-	-	5.0	C	4.0	P	7.0	B+	-	-	10.0	O	8.0	A	10.0	O	-	F	8.0	A	0.0	P	-	-	5.0	C	-	-	-	-	-	-	-	-	-	-
44	**21695A0126**	21.5	21.5	8.02	8.61	-	-	7.0	B+	7.0	B+	9.0	A+	-	-	10.0	O	10.0	O	9.0	A+	7.0	B+	9.0	A+	0.0	P	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-
45	**21695A0127**	21.5	21.5	8.6	9.03	-	-	8.0	A	8.0	A	9.0	A+	-	-	10.0	O	10.0	O	10.0	O	7.0	B+	10.0	O	0.0	P	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-
46	**21695A0128**	21.5	21.5	7.91	7.97	-	-	7.0	B+	8.0	A	7.0	B+	-	-	10.0	O	9.0	A+	9.0	A+	7.0	B+	10.0	O	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+
47	**21695A0129**	21.5	21.5	8.47	8.52	-	-	7.0	B+	8.0	A	8.0	A	-	-	10.0	O	10.0	O	10.0	O	7.0	B+	10.0	O	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	9.0	A+
48	**21695A0130**	21.5	21.5	6.49	7.23	-	-	4.0	P	5.0	C	6.0	B	-	-	9.0	A+	8.0	A	8.0	A	7.0	B+	9.0	A+	0.0	P	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-
49	**21695A0131**	21.5	21.5	7.16	7.57	-	-	6.0	B	7.0	B+	7.0	B+	-	-	9.0	A+	9.0	A+	10.0	O	6.0	B	8.0	A	0.0	P	-	-	-	-	-	-	6.0	B	-	-	-	-	-	-
50	**21695A0132**	21.5	21.5	8.74	9.1	-	-	9.0	A+	8.0	A	9.0	A+	-	-	10.0	O	10.0	O	10.0	O	7.0	B+	10.0	O	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	8.0	A
51	**21695A0133**	21.5	21.5	8.53	8.58	-	-	8.0	A	9.0	A+	8.0	A	-	-	10.0	O	9.0	A+	10.0	O	6.0	B	10.0	O	0.0	P	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-
52	**21695A0134**	21.5	21.5	9.3	9.37	-	-	9.0	A+	9.0	A+	10.0	O	-	-	10.0	O	10.0	O	10.0	O	8.0	A	10.0	O	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	9.0	A+
53	**21695A0135**	21.5	21.5	8.09	8.2	-	-	8.0	A	8.0	A	8.0	A	-	-	10.0	O	10.0	O	10.0	O	6.0	B	9.0	A+	0.0	P	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	-
54	**21695A0136**	21.5	21.5	8.47	8.64	-	-	7.0	B+	8.0	A	8.0	A	-	-	10.0	O	10.0	O	10.0	O	6.0	B	10.0	O	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	10.0	O
55	**21695A0137**	21.5	21.5	8.33	8.74	-	-	8.0	A	8.0	A	8.0	A	-	-	10.0	O	10.0	O	10.0	O	6.0	B	10.0	O	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	8.0	A
56	**21695A0138**	21.5	21.5	7.95	8.65	-	-	6.0	B	8.0	A	8.0	A	-	-	10.0	O	10.0	O	10.0	O	7.0	B+	9.0	A+	0.0	P	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-
57	**21695A0139**	21.5	21.5	8.09	8.7	-	-	7.0	B+	7.0	B+	9.0	A+	-	-	10.0	O	10.0	O	10.0	O	7.0	B+	9.0	A+	0.0	P	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-
58	**21695A0140**	21.5	21.5	9.02	9.08	-	-	9.0	A+	9.0	A+	9.0	A+	-	-	10.0	O	10.0	O	10.0	O	8.0	A	10.0	O	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	8.0	A
59	**21695A0141**	21.5	21.5	8.47	8.69	-	-	7.0	B+	8.0	A	8.0	A	-	-	10.0	O	10.0	O	10.0	O	7.0	B+	10.0	O	0.0	P	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-

Course Code	Course Name
20CE110	DESIGN OF CONCRETE STRUCTURES
20CE111	GEOTECHNICAL ENGINEERING
20CE112	TRANSPORTATION ENGINEERING
20CE113	DESIGN OF STEEL STRUCTURES
20CE208	ADVANCED CIVIL ENGINEERING LABORATORY
20CE209	GEOTECHNICAL ENGINEERING LAB
20CE210	DESIGN LABORATORY
20CE211	TRANSPORTATION ENGINEERING LABORATORY
20CE4M10	SAFETY IN CONSTRUCTION (MOOC)
20CE606	PYTHON IN CIVIL ENGINEERING (SC)
20CE901	DISASTER MANAGEMENT
20CHE901	ENVIRONMENTAL SCIENCE
20CSE301	JAVA PROGRAMMING
20CSE302	MULTIMEDIA TECHNOLOGIES
20CST301	OPERATING SYSTEMS
20EEE302	INTRODUCTION TO MEMS

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - CIVIL ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																			
						20CE110		20CE111		20CE112		20CE113		20CE208		20CE209		20CE210		20CE211		20CE4M10		20CE606		20CE901		20CHE901		20CSE301		20CSE302		20CST301		20EEE302		20HUM902		20ME301	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 2.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G

Course Code	Course Name
20HUM902	UNIVERSAL HUMAN VALUES
20ME301	MATERIALS SCIENCE FOR ENGINEERS

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

MADANAPALLE INSTITUTE OF TECHNOLOGY AND SCIENCE

(UGC - Autonomous)
(Approved by AICTE, New Delhi & Affiliated to JNTUA,Ananthapuramu)
P.B NO:14,Angallu,Kadiri Road,Madanapalle - 517325, Chittor Dist,A.P.

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - ELECTRICAL AND ELECTRONICS ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																			
						20CE301		20CE302		20CE901		20CSE301		20CSE302		20CST301		20ECE301		20ECE302		20EEE112		20EEE113		20EEE114		20EEE210		20EEE211		20EEE212		20EEE4M06		20EEE4M06C		20EEE603		20ME301	
						Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
1	**18691A0269**	21.5	21.5	7.53	6.27	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	-	-	-	-	7.0	B+	6.0	B	8.0	A	9.0	A+	9.0	A+	8.0	A	-	-	5.0	C	9.0	A+	-	-
2	**20691A0201**	21.5	21.5	8.67	8.56	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	10.0	O	-	-
3	**20691A0202**	21.5	21.5	5.6	5.47	-	-	-	-	0.0	P	-	-	-	-	6.0	B	-	-	-	-	5.0	C	6.0	B	5.0	C	9.0	A+	8.0	A	6.0	B	-	-	4.0	P	4.0	P	-	-
4	**20691A0203**	21.5	18.5	6.23	6.06	-	-	-	-	0.0	P	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	7.0	B+	6.0	B	10.0	O	10.0	O	8.0	A	-	-	-	F	7.0	B+	-	-
5	**20691A0204**	21.5	21.5	9.44	9.37	-	-	-	-	0.0	P	9.0	A+	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-
6	**20691A0205**	21.5	21.5	8.58	8.47	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	9.0	A+	7.0	B+	-	-	9.0	A+	9.0	A+
7	**20691A0206**	21.5	21.5	8.28	8.54	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	6.0	B	8.0	A	-	-
8	**20691A0207**	21.5	21.5	7.4	7.46	-	-	9.0	A+	0.0	P	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	6.0	B	9.0	A+	9.0	A+	8.0	A	-	-	5.0	C	9.0	A+	-	-
9	**20691A0208**	21.5	18.5	6.33	6.74	-	-	-	-	0.0	P	6.0	B	-	-	-	-	-	-	-	-	-	Ab	7.0	B+	8.0	A	8.0	A	10.0	O	8.0	A	-	-	6.0	B	8.0	A	-	-
10	**20691A0210**	21.5	18.5	5.16	4.68	-	-	6.0	B	0.0	P	-	-	-	-	-	-	-	-	-	-	6.0	B	5.0	C	4.0	P	9.0	A+	8.0	A	7.0	B+	-	-	-	F	6.0	B	-	-
11	**20691A0211**	21.5	15.5	4.67	5.09	-	-	-	-	0.0	P	-	-	6.0	B	-	-	-	-	-	-	6.0	B	-	F	5.0	C	10.0	O	8.0	A	7.0	B+	-	-	-	F	6.0	B	-	-
12	**20691A0212**	21.5	21.5	6.05	5.82	5.0	C	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	6.0	B	6.0	B	7.0	B+	9.0	A+	8.0	A	7.0	B+	-	-	4.0	P	5.0	C	-	-
13	**20691A0213**	21.5	21.5	6.84	6.62	-	-	-	-	0.0	P	-	-	7.0	B+	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	8.0	A	-	-	4.0	P	6.0	B	-	-
14	**20691A0214**	21.5	18.5	6.33	6.62	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	10.0	O	9.0	A+	7.0	B+	-	-	-	F	8.0	A	7.0	B+
15	**20691A0215**	21.5	21.5	7.7	7.13	-	-	-	-	0.0	P	-	-	8.0	A	-	-	-	-	-	-	8.0	A	7.0	B+	7.0	B+	10.0	O	9.0	A+	8.0	A	-	-	7.0	B+	7.0	B+	-	-
16	**20691A0216**	21.5	21.5	7.98	8.09	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	6.0	B	10.0	O	-	-
17	**20691A0217**	21.5	18.5	4.86	5.62	-	-	-	-	0.0	P	-	-	-	-	4.0	P	-	-	-	-	6.0	B	5.0	C	4.0	P	9.0	A+	9.0	A+	7.0	B+	-	-	-	F	5.0	C	-	-
18	**20691A0219**	21.5	21.5	7.63	7.65	-	-	8.0	A	0.0	P	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	8.0	A	10.0	O	10.0	O	8.0	A	-	-	7.0	B+	7.0	B+	-	-
19	**20691A0220**	21.5	21.5	7.7	7.6	-	-	-	-	0.0	P	-	-	8.0	A	-	-	-	-	-	-	7.0	B+	8.0	A	8.0	A	9.0	A+	10.0	O	8.0	A	-	-	6.0	B	7.0	B+	-	-
20	**20691A0221**	21.5	21.5	7.26	6.88	-	-	-	-	0.0	P	-	-	8.0	A	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	8.0	A	6.0	B	-	-	6.0	B	-	-
21	**20691A0222**	21.5	21.5	8.12	8.04	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	-	-	-	-	9.0	A+	8.0	A	8.0	A	9.0	A+	10.0	O	8.0	A	-	-	6.0	B	7.0	B+	-	-
22	**20691A0223**	21.5	12.5	3.86	6.2	-	-	-	-	0.0	P	-	-	-	-	5.0	C	-	-	-	-	5.0	C	-	F	-	F	9.0	A+	9.0	A+	8.0	A	-	-	-	F	7.0	B+	-	-
23	**20691A0225**	21.5	21.5	8.47	8.19	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	8.0	A	-	-	7.0	B+	7.0	B+	-	-
24	**20691A0226**	21.5	18.5	5.44	5.85	-	-	-	-	0.0	P	6.0	B	-	-	-	-	-	-	-	-	6.0	B	6.0	B	4.0	P	9.0	A+	9.0	A+	8.0	A	-	-	-	F	6.0	B	-	-
25	**20691A0227**	21.5	21.5	6.6	5.54	-	-	-	-	0.0	P	-	-	7.0	B+	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	9.0	A+	9.0	A+	8.0	A	-	-	4.0	P	5.0	C	-	-
26	**20691A0228**	21.5	21.5	7.88	7.94	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	8.0	A	-	-	6.0	B	9.0	A+	7.0	B+
27	**20691A0229**	21.5	21.5	6.63	6.71	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	6.0	B	8.0	A	8.0	A	7.0	B+	-	-	5.0	C	6.0	B	7.0	B+
28	**20691A0230**	21.5	21.5	6.28	6.61	-	-	-	-	0.0	P	-	-	-	-	6.0	B	-	-	-	-	6.0	B	5.0	C	6.0	B	9.0	A+	9.0	A+	8.0	A	-	-	5.0	C	6.0	B	-	-
29	**21695A0201**	21.5	21.5	9.02	8.72	-	-	-	-	0.0	P	9.0	A+	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-
30	**21695A0202**	21.5	21.5	7.51	8.56	-	-	-	-	0.0	P	-	-	8.0	A	-	-	-	-	-	-	8.0	A	7.0	B+	6.0	B	9.0	A+	10.0	O	8.0	A	-	-	6.0	B	8.0	A	-	-
31	**21695A0203**	21.5	21.5	8.02	8.56	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	-	-	-	-	8.0	A	8.0	A	7.0	B+	9.0	A+	10.0	O	10.0	O	7.0	B+	-	-	9.0	A+	-	-
32	**21695A0204**	21.5	21.5	8.28	8.51	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	6.0	B	8.0	A	-	-
33	**21695A0205**	21.5	21.5	8.09	8.38	-	-	-	-	0.0	P	-	-	8.0	A	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	6.0	B	9.0	A+	-	-
34	**21695A0206**	21.5	21.5	8.09	8.19	-	-	-	-	0.0	P	-	-	8.0	A	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	8.0	A	-	-	6.0	B	9.0	A+	-	-
35	**21695A0207**	21.5	21.5	7.49	7.38	-	-	-	-	0.0	P	-	-	8.0	A	-	-	-	-	-	-	8.0	A	7.0	B+	7.0	B+	9.0	A+	9.0	A+	8.0	A	-	-	6.0	B	7.0	B+	-	-
36	**21695A0208**	21.5	21.5	8.07	7.92	-	-	-	-	0.0	P	-	-	-	-	8.0	A	-	-	-	-	9.0	A+	7.0	B+	8.0	A	10.0	O	9.0	A+	10.0	O	-	-	6.0	B	8.0	A	-	-
37	**21695A0209**	21.5	21.5	7.79	8.06	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	5.0	C	8.0	A	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - ELECTRICAL AND ELECTRONICS ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																			
						20CE301		20CE302		20CE901		20CSE301		20CSE302		20CST301		20ECE301		20ECE302		20EEE112		20EEE113		20EEE114		20EEE210		20EEE211		20EEE212		20EEE4M06		20EEE4M06C		20EEE603		20ME301	
						Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
38	**21695A0210**	21.5	21.5	8.49	8.81	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	6.0	B	8.0	A	-	-
39	**21695A0211**	21.5	21.5	7.77	8.2	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	6.0	B	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	7.0	B+	-	-
40	**21695A0212**	21.5	21.5	7.58	8.04	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	6.0	B	9.0	A+	10.0	O	9.0	A+	-	-	6.0	B	8.0	A	-	-
41	**21695A0213**	21.5	21.5	8.3	8.88	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	8.0	A	9.0	A+	10.0	O	8.0	A	-	-	7.0	B+	9.0	A+	-	-
42	**21695A0214**	21.5	21.5	7.7	8.6	-	-	-	-	0.0	P	-	-	8.0	A	-	-	-	-	-	-	8.0	A	7.0	B+	7.0	B+	9.0	A+	10.0	O	8.0	A	-	-	7.0	B+	7.0	B+	-	-
43	**21695A0215**	21.5	21.5	8.84	9.16	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	-	-	-	10.0	O	9.0	A+	10.0	O	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	8.0	A	-	-
44	**21695A0217**	21.5	21.5	8.02	8.07	-	-	-	-	0.0	P	-	-	10.0	O	-	-	-	-	-	-	8.0	A	8.0	A	7.0	B+	10.0	O	10.0	O	9.0	A+	-	-	6.0	B	6.0	B	-	-
45	**21695A0218**	21.5	21.5	7.0	7.37	-	-	-	-	0.0	P	-	-	8.0	A	-	-	-	-	-	-	7.0	B+	7.0	B+	6.0	B	9.0	A+	9.0	A+	9.0	A+	-	-	4.0	P	7.0	B+	-	-
46	**21695A0219**	21.5	21.5	6.35	6.82	-	-	-	-	0.0	P	-	-	7.0	B+	-	-	-	-	-	-	6.0	B	5.0	C	6.0	B	9.0	A+	9.0	A+	9.0	A+	-	-	4.0	P	6.0	B	-	-
47	**21695A0220**	21.5	21.5	7.42	8.27	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	9.0	A+	10.0	O	8.0	A	-	-	6.0	B	7.0	B+	-	-
48	**21695A0221**	21.5	21.5	6.44	7.33	-	-	-	-	0.0	P	-	-	-	-	6.0	B	-	-	-	-	6.0	B	6.0	B	6.0	B	9.0	A+	8.0	A	8.0	A	-	-	5.0	C	7.0	B+	-	-
49	**21695A0222**	21.5	21.5	7.79	8.08	-	-	-	-	0.0	P	-	-	8.0	A	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	6.0	B	8.0	A	-	-
50	**21695A0223**	21.5	21.5	7.67	7.99	-	-	-	-	0.0	P	-	-	-	-	6.0	B	-	-	-	-	8.0	A	7.0	B+	7.0	B+	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+	-	-
51	**21695A0224**	21.5	21.5	5.86	6.01	-	-	-	-	0.0	P	-	-	-	-	5.0	C	-	-	-	-	6.0	B	5.0	C	5.0	C	9.0	A+	9.0	A+	8.0	A	-	-	4.0	P	6.0	B	-	-
52	**21695A0225**	21.5	21.5	8.07	8.21	-	-	-	-	0.0	P	9.0	A+	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	9.0	A+	10.0	O	10.0	O	6.0	B	-	-	8.0	A	-	-
53	**21695A0226**	21.5	21.5	7.79	8.15	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	8.0	A	6.0	B	-	-	8.0	A	-	-
54	**21695A0228**	21.5	21.5	8.07	8.37	-	-	-	-	0.0	P	-	-	8.0	A	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	6.0	B	5.0	C	-	-
55	**21695A0229**	21.5	21.5	9.07	9.19	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	-	-	-	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	8.0	A	-	-	9.0	A+	-	-
56	**21695A0230**	21.5	21.5	6.21	5.87	-	-	-	-	0.0	P	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	5.0	C	6.0	B	9.0	A+	9.0	A+	7.0	B+	-	-	4.0	P	6.0	B	-	-
57	**21695A0231**	21.5	21.5	7.93	7.98	-	-	-	-	0.0	P	-	-	8.0	A	-	-	-	-	-	-	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	8.0	A	-	-	5.0	C	8.0	A	-	-
58	**21695A0232**	21.5	21.5	7.72	7.91	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	6.0	B	8.0	A	-	-
59	**21695A0233**	21.5	21.5	8.37	8.1	-	-	-	-	0.0	P	-	-	-	-	8.0	A	-	-	-	-	9.0	A+	7.0	B+	9.0	A+	10.0	O	10.0	O	8.0	A	-	-	7.0	B+	9.0	A+	-	-
60	**21695A0234**	21.5	21.5	7.16	7.53	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	-	-	-	-	6.0	B	6.0	B	7.0	B+	9.0	A+	10.0	O	9.0	A+	-	-	6.0	B	8.0	A	-	-
61	**21695A0235**	21.5	21.5	8.37	8.58	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	8.0	A	9.0	A+	9.0	A+	8.0	A	-	-	7.0	B+	9.0	A+	-	-
62	**21695A0236**	21.5	21.5	8.19	8.49	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	8.0	A	7.0	B+	-	-	7.0	B+	-	-
63	**21695A0237**	21.5	20.0	4.44	4.05	-	-	-	-	0.0	P	-	-	5.0	C	-	-	-	-	-	-	4.0	P	5.0	C	4.0	P	7.0	B+	-	Ab	6.0	B	-	-	4.0	P	5.0	C	-	-
64	**21695A0238**	21.5	21.5	7.79	7.41	-	-	8.0	A	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	7.0	B+	10.0	O	10.0	O	9.0	A+	6.0	B	-	-	8.0	A	-	-
65	**21695A0240**	21.5	21.5	8.72	8.85	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	9.0	A+	6.0	B	-	-	9.0	A+	10.0	O
66	**21695A0241**	21.5	21.5	7.91	7.77	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	6.0	B	10.0	O	9.0	A+	9.0	A+	-	-	6.0	B	10.0	O	8.0	A
67	**21695A0242**	21.5	21.5	8.4	8.1	-	-	-	-	0.0	P	-	-	-	-	9.0	A+	-	-	-	-	9.0	A+	7.0	B+	7.0	B+	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	10.0	O	-	-
68	**21695A0243**	21.5	21.5	7.26	7.33	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	6.0	B	6.0	B	9.0	A+	8.0	A	9.0	A+	-	-	6.0	B	9.0	A+	-	-
69	**21695A0244**	21.5	21.5	8.02	8.15	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	9.0	A+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+	8.0	A
70	**21695A0245**	21.5	21.5	7.56	7.08	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	7.0	B+	6.0	B	9.0	A+	9.0	A+	9.0	A+	6.0	B	-	-	10.0	O	-	-
71	**21695A0246**	21.5	18.5	7.05	7.05	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	-	-	-	-	8.0	A	7.0	B+	-	F	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+	-	-
72	**21695A0248**	21.5	21.5	8.58	7.5	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	7.0	B+	9.0	A+	9.0	A+	9.0	A+	-	-	8.0	A	9.0	A+	9.0	A+
73	**21695A0249**	21.5	21.5	9.3	9.47	-	-	-	-	0.0	P	9.0	A+	-	-	-	-	-	-	-	-	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	8.0	A	-	-	10.0	O	-	-
74	**21695A0251**	21.5	18.5	5.67	6.67	-	-	-	-	0.0	P	-	-	-	-	6.0	B	-	-	-	-	6.0	B	6.0	B	5.0	C	9.0	A+	9.0	A+	8.0	A	-	-	-	F	7.0	B+	-	-
75	**21695A0252**	21.5	21.5	8.65	8.8	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	6.0	B	-	-	9.0	A+	-	-
76	**21695A0253**	21.5	21.5	9.14	9.02	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	9.0	A+	9.0	A+	9.0	A+
77	**21695A0254**	21.5	21.5	7.09	8.0	-	-	-	-	0.0	P	6.0	B	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	8.0	A	9.0	A+	10.0	O	8.0	A	-	-	5.0	C	8.0	A	-	-
78	**21695A0255**	21.5	21.5	8.51	8.86	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	-	-	-	9.0	A+	10.0	O	8.0	A	10.0	O	9.0	A+	9.0	A+	-	-	6.0	B	9.0	A+	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - ELECTRICAL AND ELECTRONICS ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																			
						20CE301		20CE302		20CE901		20CSE301		20CSE302		20CST301		20ECE301		20ECE302		20EEE112		20EEE113		20EEE114		20EEE210		20EEE211		20EEE212		20EEE4M06		20EEE4M06C		20EEE603		20ME301	
						Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
79	**21695A0256**	21.5	21.5	6.58	6.9	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	6.0	B	5.0	C	6.0	B	9.0	A+	9.0	A+	9.0	A+	-	-	6.0	B	7.0	B+	6.0	B
80	**21695A0257**	21.5	21.5	8.49	8.72	8.0	A	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	9.0	A+	7.0	B+	-	-	8.0	A	-	-
81	**21695A0258**	21.5	21.5	8.02	8.46	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	9.0	A+	6.0	B	-	-	9.0	A+	-	-
82	**21695A0259**	21.5	21.5	7.42	7.46	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	6.0	B	6.0	B	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	10.0	O	-	-
83	**21695A0260**	21.5	21.5	7.88	7.78	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	6.0	B	9.0	A+	-	-
84	**21695A0261**	21.5	21.5	8.37	8.33	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	8.0	A	9.0	A+	9.0	A+
85	**21695A0262**	21.5	21.5	6.72	7.33	5.0	C	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	6.0	B	9.0	A+	9.0	A+	9.0	A+	-	-	6.0	B	7.0	B+	-	-
86	**21695A0263**	21.5	21.5	7.44	7.97	-	-	-	-	0.0	P	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	7.0	B+	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	6.0	B	8.0	A	-	-
87	**21695A0264**	21.5	21.5	7.93	7.88	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	8.0	A	8.0	A
88	**21695A0265**	21.5	21.5	7.44	7.49	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	8.0	A	9.0	A+	9.0	A+	8.0	A	-	-	7.0	B+	8.0	A	7.0	B+
89	**21695A0266**	21.5	21.5	7.74	7.87	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	9.0	A+	6.0	B	-	-	9.0	A+	-	-
90	**21695A0267**	21.5	21.5	9.16	9.38	-	-	-	-	0.0	P	9.0	A+	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	10.0	O	-	-
91	**21695A0268**	21.5	21.5	8.81	8.92	-	-	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	6.0	B	-	-	10.0	O	-	-
92	**21695A0270**	21.5	15.5	5.37	6.05	-	F	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	-	F	9.0	A+	9.0	A+	9.0	A+	-	-	6.0	B	9.0	A+	-	-
93	**21695A0271**	21.5	21.5	8.44	8.37	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+	-	-
94	**21695A0272**	21.5	21.5	9.16	9.42	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	-	-	-	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	10.0	O	-	-
95	**21695A0273**	21.5	21.5	8.09	7.63	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	6.0	B	9.0	A+	9.0	A+
96	**21695A0274**	21.5	21.5	7.95	7.36	-	-	8.0	A	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+	-	-
97	**21695A0275**	21.5	21.5	8.28	8.69	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	-	-	-	-	9.0	A+	8.0	A	9.0	A+	9.0	A+	10.0	O	9.0	A+	7.0	B+	-	-	8.0	A	-	-
98	**21695A0276**	21.5	21.5	8.05	7.63	-	-	-	-	0.0	P	6.0	B	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	10.0	O	-	-
99	**21695A0277**	21.5	21.5	9.23	9.06	-	-	-	-	0.0	P	-	-	-	-	9.0	A+	-	-	-	-	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	9.0	A+	-	-	8.0	A	10.0	O	-	-
100	**21695A0278**	21.5	21.5	9.0	8.95	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	9.0	A+	-	-	8.0	A	9.0	A+	9.0	A+
101	**21695A0279**	21.5	21.5	8.95	8.72	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	-	-	-	-	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	9.0	A+	7.0	B+	-	-	10.0	O	-	-
102	**21695A0280**	21.5	21.5	9.37	9.07	-	-	-	-	0.0	P	-	-	10.0	O	-	-	-	-	-	-	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	9.0	A+	-	-	8.0	A	10.0	O	-	-
103	**21695A0281**	21.5	21.5	8.95	9.26	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	9.0	A+	8.0	A	-	-	10.0	O	-	-
104	**21695A0282**	21.5	21.5	9.07	8.55	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	-	-	-	-	9.0	A+	9.0	A+	10.0	O	9.0	A+	10.0	O	9.0	A+	-	-	8.0	A	9.0	A+	-	-
105	**21695A0283**	21.5	21.5	8.53	8.19	-	-	-	-	0.0	P	-	-	-	-	-	-	8.0	A	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	10.0	O	-	-
106	**21695A0284**	21.5	21.5	9.02	8.75	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	8.0	A	10.0	O	9.0	A+
107	**21695A0285**	21.5	21.5	7.51	7.23	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	8.0	A	-	-
108	**21695A0286**	21.5	21.5	7.12	7.24	-	-	-	-	0.0	P	-	-	6.0	B	-	-	-	-	-	-	7.0	B+	6.0	B	6.0	B	9.0	A+	10.0	O	9.0	A+	-	-	6.0	B	9.0	A+	-	-
109	**21695A0287**	21.5	21.5	8.49	8.99	9.0	A+	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	9.0	A+	6.0	B	-	-	8.0	A	-	-
110	**21695A0288**	21.5	21.5	8.26	8.4	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	6.0	B	-	-	10.0	O	-	-
111	**21695A0289**	21.5	21.5	9.58	9.63	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	-	-	-	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	9.0	A+	-	-	10.0	O	-	-
112	**21695A0290**	21.5	21.5	8.95	8.83	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	8.0	A	10.0	O	-	-
113	**21695A0291**	21.5	21.5	7.88	8.41	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	9.0	A+	7.0	B+	-	-	9.0	A+	-	-
114	**21695A0292**	21.5	21.5	6.81	6.59	-	-	-	-	0.0	P	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	6.0	B	5.0	C	9.0	A+	10.0	O	8.0	A	-	-	6.0	B	8.0	A	-	-
115	**21695A0293**	21.5	21.5	8.47	8.63	-	-	-	-	0.0	P	-	-	-	-	8.0	A	-	-	-	-	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	6.0	B	-	-	10.0	O	-	-
116	**21695A0294**	21.5	21.5	7.95	7.83	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	7.0	B+	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+	-	-
117	**21695A0295**	21.5	21.5	8.65	8.4	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	9.0	A+	10.0	O	9.0	A+	9.0	A+	-	-	8.0	A	9.0	A+	9.0	A+
118	**21695A0296**	21.5	21.5	8.72	8.75	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	-	-	-	-	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	7.0	B+	-	-	9.0	A+	-	-
119	**21695A0297**	21.5	21.5	7.6	7.34	-	-	-	-	0.0	P	6.0	B	-	-	-	-	-	-	-	-	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	9.0	A+	-	-	6.0	B	9.0	A+	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - ELECTRICAL AND ELECTRONICS ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																			
						20CE301		20CE302		20CE901		20CSE301		20CSE302		20CST301		20ECE301		20ECE302		20EEE112		20EEE113		20EEE114		20EEE210		20EEE211		20EEE212		20EEE4M06		20EEE4M06C		20EEE603		20ME301	
						Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
120	**21695A0298**	21.5	21.5	8.6	8.55	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	-	-	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	6.0	B	-	-	10.0	O	-	-
121	**21695A0299**	21.5	21.5	7.4	8.18	-	-	-	-	0.0	P	-	-	-	-	6.0	B	-	-	-	-	8.0	A	7.0	B+	6.0	B	9.0	A+	10.0	O	9.0	A+	6.0	B	-	-	9.0	A+	-	-
122	**21695A02A0**	21.5	21.5	7.33	7.26	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A	6.0	B	6.0	B	9.0	A+	9.0	A+	9.0	A+	-	-	5.0	C	9.0	A+	8.0	A
123	**21695A02A1**	21.5	21.5	9.3	9.36	-	-	-	-	0.0	P	-	-	-	-	-	-	10.0	O	-	-	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	6.0	B	-	-	10.0	O	-	-
124	**21695A02A2**	21.5	21.5	7.37	7.27	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	6.0	B	10.0	O	10.0	O	9.0	A+	-	-	6.0	B	8.0	A	-	-
125	**21695A02A3**	21.5	21.5	8.3	8.13	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	-	-	8.0	A	9.0	A+	8.0	A
126	**21695A02A4**	21.5	21.5	9.02	9.23	-	-	-	-	0.0	P	-	-	10.0	O	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	6.0	B	-	-	10.0	O	-	-
127	**21695A02A5**	21.5	21.5	8.74	8.77	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	6.0	B	-	-	10.0	O	-	-
128	**21695A02A6**	21.5	21.5	9.02	8.72	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	8.0	A	10.0	O	-	-
129	**21695A02A7**	21.5	21.5	7.86	8.3	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	6.0	B	8.0	A	-	-
130	**21695A02A8**	21.5	21.5	7.33	7.35	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	6.0	B	6.0	B	9.0	A+	10.0	O	10.0	O	-	-	6.0	B	9.0	A+	-	-
131	**21695A02A9**	21.5	21.5	6.65	6.58	-	-	-	-	0.0	P	-	-	-	-	6.0	B	-	-	-	-	6.0	B	6.0	B	7.0	B+	8.0	A	9.0	A+	9.0	A+	-	-	5.0	C	7.0	B+	-	-
132	**21695A02B0**	21.5	21.5	8.86	9.13	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-
133	**21695A02B1**	21.5	21.5	8.28	8.66	-	-	-	-	0.0	P	-	-	-	-	8.0	A	-	-	-	-	9.0	A+	8.0	A	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	8.0	A	-	-
134	**21695A02B2**	21.5	21.5	8.65	8.87	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	8.0	A	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+	-	-
135	**21695A02B3**	21.5	21.5	7.7	8.08	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	7.0	B+	7.0	B+	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	7.0	B+	-	-
136	**21695A02B4**	21.5	21.5	6.6	6.97	-	-	-	-	0.0	P	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	4.0	P	6.0	B	8.0	A	10.0	O	10.0	O	-	-	5.0	C	8.0	A	-	-
137	**21695A02B5**	21.5	21.5	7.35	8.01	-	-	-	-	0.0	P	-	-	-	-	6.0	B	-	-	-	-	8.0	A	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-	6.0	B	7.0	B+	-	-
138	**21695A02B6**	21.5	21.5	8.44	8.68	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	9.0	A+	7.0	B+	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+	9.0	A+
139	**21695A02B7**	21.5	21.5	7.86	8.31	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	7.0	B+	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	8.0	A	-	-
140	**21695A02B8**	21.5	21.5	8.23	8.78	-	-	-	-	0.0	P	-	-	-	-	8.0	A	-	-	-	-	9.0	A+	7.0	B+	8.0	A	10.0	O	10.0	O	10.0	O	6.0	B	-	-	9.0	A+	-	-
141	**21695A02B9**	21.5	21.5	8.58	8.91	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	7.0	B+	-	-	9.0	A+	-	-
142	**21695A02C0**	21.5	21.5	7.56	7.74	-	-	-	-	0.0	P	-	-	-	-	6.0	B	-	-	-	-	8.0	A	8.0	A	7.0	B+	9.0	A+	10.0	O	10.0	O	-	-	6.0	B	7.0	B+	-	-
143	**21695A02C1**	21.5	21.5	7.63	7.84	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	5.0	C	7.0	B+	8.0	A
144	**21695A02C2**	21.5	21.5	7.37	7.43	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A	6.0	B	6.0	B	9.0	A+	9.0	A+	9.0	A+	-	-	6.0	B	8.0	A	8.0	A
145	**21695A02C3**	21.5	21.5	8.79	9.02	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	9.0	A+	9.0	A+
146	**21695A02C4**	21.5	18.5	6.3	7.15	-	-	-	-	0.0	P	-	-	-	-	-	F	-	-	-	-	8.0	A	6.0	B	7.0	B+	9.0	A+	9.0	A+	9.0	A+	6.0	B	-	-	7.0	B+	-	-
147	**21695A02C5**	21.5	21.5	8.44	8.31	-	-	-	-	0.0	P	-	-	-	-	8.0	A	-	-	-	-	9.0	A+	8.0	A	9.0	A+	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+	-	-
148	**21695A02C6**	21.5	21.5	7.0	7.07	-	-	-	-	0.0	P	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	6.0	B	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	5.0	C	7.0	B+	-	-
149	**21695A02C7**	21.5	21.5	8.16	8.17	-	-	-	-	0.0	P	-	-	8.0	A	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	6.0	B	-	-	9.0	A+	-	-
150	**21695A02C8**	21.5	21.5	8.47	8.9	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	6.0	B	-	-	10.0	O	-	-
151	**21695A02C9**	21.5	21.5	7.93	7.82	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	9.0	A+	7.0	B+	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	6.0	B	8.0	A	8.0	A
152	**21695A02D0**	21.5	21.5	7.58	7.53	6.0	B	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A	6.0	B	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	8.0	A	-	-
153	**21695A02D1**	21.5	21.5	8.58	8.73	-	-	-	-	0.0	P	-	-	-	-	8.0	A	-	-	-	-	9.0	A+	7.0	B+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-
154	**21695A02D2**	21.5	21.5	7.72	8.06	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	9.0	A+	6.0	B	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	5.0	C	8.0	A	7.0	B+
155	**21695A02D3**	21.5	21.5	9.02	9.24	-	-	-	-	0.0	P	-	-	-	-	8.0	A	-	-	-	-	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-
156	**21695A02D4**	21.5	21.5	8.05	8.35	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	6.0	B	7.0	B+	-	-
157	**21695A02D5**	21.5	21.5	7.81	7.87	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	8.0	A	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	10.0	O	-	-	5.0	C	9.0	A+	-	-
158	**21695A02D6**	21.5	21.5	8.02	8.44	-	-	-	-	0.0	P	-	-	-	-	-	-	8.0	A	-	-	8.0	A	7.0	B+	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	6.0	B	9.0	A+	-	-
159	**21695A02D7**	21.5	21.5	8.16	8.18	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	8.0	A	8.0	A	7.0	B+	9.0	A+	8.0	A	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+	-	-
160	**21695A02D8**	21.5	21.5	8.3	8.86	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	6.0	B	9.0	A+	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - ELECTRICAL AND ELECTRONICS ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																			
						20CE301		20CE302		20CE901		20CSE301		20CSE302		20CST301		20ECE301		20ECE302		20EEE112		20EEE113		20EEE114		20EEE210		20EEE211		20EEE212		20EEE4M06		20EEE4M06C		20EEE603		20ME301	
						Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
161	**21695A02D9**	21.5	21.5	7.05	7.2	-	-	-	-	0.0	P	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	6.0	B	7.0	B+	8.0	A	9.0	A+	10.0	O	-	-	5.0	C	9.0	A+	-	-
162	**21695A02E0**	21.5	21.5	8.23	8.8	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	-	-	-	-	9.0	A+	8.0	A	9.0	A+	9.0	A+	10.0	O	9.0	A+	6.0	B	-	-	9.0	A+	-	-
163	**21695A02E2**	21.5	21.5	7.02	7.41	-	-	-	-	0.0	P	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	6.0	B	7.0	B+	9.0	A+	10.0	O	9.0	A+	-	-	5.0	C	8.0	A	-	-
164	**21695A02E3**	21.5	21.5	8.3	8.39	-	-	-	-	0.0	P	-	-	-	-	8.0	A	-	-	-	-	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+	-	-
165	**21695A02E4**	21.5	21.5	8.77	9.04	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	-	-	-	9.0	A+	10.0	O	10.0	O	9.0	A+	10.0	O	10.0	O	6.0	B	-	-	8.0	A	-	-
166	**21695A02E5**	21.5	18.5	6.67	7.19	-	-	-	-	0.0	P	-	-	8.0	A	-	-	-	-	-	-	7.0	B+	6.0	B	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	-	F	8.0	A	-	-
167	**21695A02E6**	21.5	21.5	8.0	8.49	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	7.0	B+	9.0	A+	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	-	-	6.0	B	8.0	A	-	-
168	**21695A02E7**	21.5	21.5	9.3	9.56	-	-	-	-	0.0	P	-	-	-	-	8.0	A	-	-	-	-	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	10.0	O	-	-
169	**21695A02E8**	21.5	21.5	8.02	7.93	-	-	-	-	0.0	P	-	-	-	-	8.0	A	-	-	-	-	8.0	A	7.0	B+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	-	-	6.0	B	9.0	A+	-	-
170	**21695A02E9**	21.5	21.5	8.47	8.54	8.0	A	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	9.0	A+	7.0	B+	9.0	A+	9.0	A+	9.0	A+	10.0	O	7.0	B+	-	-	10.0	O	-	-
171	**21695A02F0**	21.5	21.5	8.79	8.84	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	6.0	B	-	-	9.0	A+	-	-
172	**21695A02F1**	21.5	21.5	8.58	8.49	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+	-	-
173	**21695A02F2**	21.5	21.5	7.14	7.41	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	4.0	P	7.0	B+	-	-
174	**21695A02F3**	21.5	21.5	8.42	8.25	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	8.0	A	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	8.0	A	-	-
175	**21695A02F4**	21.5	21.5	8.53	8.84	-	-	-	-	0.0	P	-	-	-	-	8.0	A	-	-	-	-	9.0	A+	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	6.0	B	-	-	10.0	O	-	-
176	**21695A02F5**	21.5	21.5	8.44	8.31	-	-	9.0	A+	0.0	P	-	-	-	-	-	-	-	-	-	-	9.0	A+	7.0	B+	9.0	A+	10.0	O	10.0	O	9.0	A+	6.0	B	-	-	9.0	A+	-	-
177	**21695A02F6**	21.5	21.5	8.3	8.73	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	5.0	C	9.0	A+	-	-
178	**21695A02F7**	21.5	21.5	8.4	8.26	-	-	-	-	0.0	P	-	-	-	-	8.0	A	-	-	-	-	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	10.0	O	-	-
179	**21695A02F8**	21.5	21.5	7.37	6.86	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	7.0	B+	-	-	5.0	C	8.0	A	-	-
180	**21695A02F9**	21.5	21.5	6.88	6.65	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	5.0	C	7.0	B+	9.0	A+	8.0	A	9.0	A+	-	-	5.0	C	8.0	A	-	-
181	**21695A02G0**	21.5	21.5	7.23	7.24	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	6.0	B	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	5.0	C	8.0	A	-	-
182	**21695A02G1**	21.5	21.5	9.02	8.9	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	-	-	-	10.0	O	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	8.0	A	-	-	10.0	O	-	-
183	**21695A02G3**	21.5	18.5	6.49	7.34	-	-	-	-	0.0	P	-	-	-	-	-	F	-	-	-	-	8.0	A	6.0	B	7.0	B+	10.0	O	10.0	O	9.0	A+	-	-	5.0	C	9.0	A+	-	-
184	**21695A02G4**	21.5	21.5	7.7	7.73	-	-	-	-	0.0	P	6.0	B	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	9.0	A+	10.0	O	10.0	O	6.0	B	-	-	10.0	O	-	-
185	**21695A02G5**	21.5	21.5	7.86	7.6	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	5.0	C	8.0	A	-	-
186	**21695A02G6**	21.5	21.5	8.95	9.13	-	-	-	-	0.0	P	-	-	10.0	O	-	-	-	-	-	-	9.0	A+	8.0	A	10.0	O	9.0	A+	10.0	O	10.0	O	6.0	B	-	-	10.0	O	-	-
187	**21695A02G7**	21.5	21.5	8.47	8.53	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	7.0	B+	9.0	A+	10.0	O	10.0	O	10.0	O	6.0	B	-	-	10.0	O	-	-
188	**21695A02G8**	21.5	21.5	8.09	8.12	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	8.0	A	9.0	A+	9.0	A+	-	-	6.0	B	9.0	A+	-	-
189	**21695A02G9**	21.5	21.5	7.58	7.83	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	4.0	P	8.0	A	8.0	A
190	**21695A02H0**	21.5	21.5	8.33	8.84	-	-	-	-	0.0	P	-	-	-	-	-	-	8.0	A	-	-	8.0	A	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-
191	**21695A02H1**	21.5	21.5	8.47	8.83	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	8.0	A	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	6.0	B	10.0	O	-	-
192	**21695A02H2**	21.5	21.5	8.42	8.65	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	8.0	A	8.0	A	-	-
193	**21695A02H3**	21.5	21.5	7.72	8.67	6.0	B	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	9.0	A+	10.0	O	9.0	A+	7.0	B+	-	-	8.0	A	-	-
194	**21695A02H4**	21.5	21.5	7.49	7.38	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A	6.0	B	8.0	A	9.0	A+	8.0	A	9.0	A+	-	-	7.0	B+	7.0	B+	7.0	B+
195	**21695A02H5**	21.5	21.5	7.81	7.64	-	-	-	-	0.0	P	-	-	8.0	A	-	-	-	-	-	-	8.0	A	6.0	B	8.0	A	9.0	A+	9.0	A+	10.0	O	6.0	B	-	-	9.0	A+	-	-
196	**21695A02H6**	21.5	21.5	7.98	8.38	-	-	-	-	0.0	P	-	-	-	-	6.0	B	-	-	-	-	8.0	A	7.0	B+	9.0	A+	9.0	A+	10.0	O	10.0	O	6.0	B	-	-	10.0	O	-	-
197	**21695A02H7**	21.5	21.5	8.72	8.93	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+	-	-
198	**21695A02H9**	21.5	21.5	7.67	7.17	-	-	8.0	A	0.0	P	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	5.0	C	9.0	A+	-	-
199	**21695A02I0**	21.5	21.5	6.6	6.8	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	6.0	B	8.0	A	9.0	A+	7.0	B+	-	-	5.0	C	8.0	A	6.0	B
200	**21695A02I1**	21.5	21.5	6.74	7.23	-	-	-	-	0.0	P	-	-	6.0	B	-	-	-	-	-	-	6.0	B	8.0	A	7.0	B+	9.0	A+	8.0	A	7.0	B+	-	-	4.0	P	8.0	A	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - ELECTRICAL AND ELECTRONICS ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																			
						20CE301		20CE302		20CE901		20CSE301		20CSE302		20CST301		20ECE301		20ECE302		20EEE112		20EEE113		20EEE114		20EEE210		20EEE211		20EEE212		20EEE4M06		20EEE4M06C		20EEE603		20ME301	
						Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G

Course Code	Course Name
20CE301	GROUND IMPROVEMENT TECHNIQUES
20CE302	ENVIRONMENTAL IMPACT ASSESSMENT
20CE901	DISASTER MANAGEMENT
20CSE301	JAVA PROGRAMMING
20CSE302	MULTIMEDIA TECHNOLOGIES
20CST301	OPERATING SYSTEMS
20ECE301	BIO-MEDICAL ELECTRONICS
20ECE302	VLSI DESIGN
20EEE112	MEASUREMENTS AND TRANSDUCERS
20EEE113	SIGNALS AND SYSTEMS
20EEE114	POWER SYSTEMS – II (ANALYSIS)
20EEE210	MEASUREMENTS AND TRANSDUCERS LABORATORY
20EEE211	POWER SYSTEMS – II LABORATORY
20EEE212	POWER ELECTRONICS LABORATORY
20EEE4M06	NON-CONVENTIONAL ENERGY RESOURCES (MOOC)
20EEE4M06C	NON-CONVENTIONAL ENERGY RESOURCES
20EEE603	INTERNET OF THINGS (SC)
20ME301	MATERIALS SCIENCE FOR ENGINEERS

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

MADANAPALLE INSTITUTE OF TECHNOLOGY AND SCIENCE

(UGC - Autonomous)
(Approved by AICTE, New Delhi & Affiliated to JNTUA,Ananthapuramu)
P.B NO:14,Angallu,Kadiri Road,Madanapalle - 517325, Chittor Dist,A.P.

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - MECHANICAL ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						20CE301		20CE302		20CSE301		20CSE302		20CST301		20ECE301		20EEE302		20HUM902		20ME112		20ME113		20ME114		20ME210		20ME211		20ME212		20ME4M07		20ME4M08		20ME603	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
1	**20691A0301**	21.5	15.5	4.42	3.58	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	0.0	P	-	F	4.0	P	6.0	B	7.0	B+	8.0	A	7.0	B+	-	-	-	F	7.0	B+
2	**20691A0305**	21.5	21.5	7.19	5.94	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	6.0	B	6.0	B	8.0	A	8.0	A	9.0	A+	8.0	A	-	-	6.0	B	9.0	A+
3	**20691A0306**	21.5	21.5	7.07	5.83	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	0.0	P	6.0	B	6.0	B	7.0	B+	9.0	A+	9.0	A+	8.0	A	-	-	6.0	B	10.0	O
4	**20691A0308**	21.5	18.5	5.86	5.33	-	-	0.0	F	-	-	-	-	-	-	-	-	-	-	0.0	P	4.0	P	5.0	C	7.0	B+	9.0	A+	9.0	A+	10.0	O	-	-	6.0	B	9.0	A+
5	**20691A0310**	21.5	15.5	4.58	4.1	-	-	0.0	F	-	-	-	-	-	-	-	-	-	-	0.0	P	4.0	P	4.0	P	7.0	B+	9.0	A+	8.0	A	8.0	A	-	-	-	F	8.0	A
6	**20691A0311**	21.5	18.5	6.05	6.09	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	0.0	P	6.0	B	6.0	B	7.0	B+	9.0	A+	9.0	A+	8.0	A	-	-	-	F	8.0	A
7	**20691A0312**	21.5	21.5	9.16	8.79	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O
8	**20691A0313**	21.5	21.5	8.12	7.85	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	6.0	B	10.0	O
9	**20691A0315**	21.5	21.5	8.74	8.63	-	-	-	-	-	-	-	-	-	-	8.0	A	-	-	0.0	P	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O
10	**20691A0316**	21.5	15.5	5.07	6.49	-	-	-	-	-	-	-	-	-	-	-	-	-	F	0.0	P	0.0	F	6.0	B	6.0	B	9.0	A+	9.0	A+	8.0	A	-	-	6.0	B	8.0	A
11	**20691A0317**	21.5	18.5	5.7	5.08	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	0.0	P	6.0	B	5.0	C	6.0	B	9.0	A+	8.0	A	8.0	A	-	-	-	F	8.0	A
12	**20691A0318**	21.5	18.5	6.35	6.2	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	6.0	B	7.0	B+	7.0	B+	8.0	A	9.0	A+	8.0	A	-	-	-	F	9.0	A+
13	**20691A0319**	21.5	21.5	6.91	6.38	-	-	-	-	-	-	5.0	C	-	-	-	-	-	-	0.0	P	6.0	B	6.0	B	7.0	B+	9.0	A+	9.0	A+	9.0	A+	-	-	6.0	B	9.0	A+
14	**20691A0320**	21.5	18.5	5.44	4.07	-	-	4.0	P	-	-	-	-	-	-	-	-	-	-	0.0	P	6.0	B	4.0	P	7.0	B+	8.0	A	8.0	A	8.0	A	-	-	-	F	9.0	A+
15	**20691A0321**	21.5	21.5	6.7	6.16	-	-	5.0	C	-	-	-	-	-	-	-	-	-	-	0.0	P	6.0	B	6.0	B	6.0	B	9.0	A+	9.0	A+	8.0	A	-	-	6.0	B	9.0	A+
16	**20691A0326**	21.5	18.5	4.88	4.07	-	-	4.0	P	-	-	-	-	-	-	-	-	-	-	0.0	P	4.0	P	-	F	5.0	C	9.0	A+	8.0	A	7.0	B+	-	-	6.0	B	6.0	B
17	**20691A0327**	21.5	18.5	5.93	4.92	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	0.0	P	6.0	B	5.0	C	7.0	B+	8.0	A	9.0	A+	8.0	A	-	-	-	F	9.0	A+
18	**20691A0329**	21.5	21.5	7.14	6.75	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	5.0	C	7.0	B+	8.0	A	9.0	A+	8.0	A	-	-	7.0	B+	7.0	B+
19	**20691A0330**	21.5	9.5	3.3	4.84	-	-	-	-	-	-	-	-	-	-	-	F	-	-	0.0	P	-	F	0.0	F	6.0	B	8.0	A	9.0	A+	9.0	A+	-	-	-	F	7.0	B+
20	**21695A0301**	21.5	21.5	7.23	7.77	5.0	C	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	6.0	B	7.0	B+	8.0	A	10.0	O	9.0	A+	8.0	A	-	-	7.0	B+	8.0	A
21	**21695A0302**	21.5	21.5	7.81	7.42	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	0.0	P	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	-	-	6.0	B	9.0	A+
22	**21695A0304**	21.5	21.5	8.3	7.8	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	8.0	A	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+
23	**21695A0305**	21.5	21.5	8.16	7.82	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+
24	**21695A0307**	21.5	21.5	8.86	8.92	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+
25	**21695A0309**	21.5	21.5	7.67	7.52	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	0.0	P	7.0	B+	6.0	B	8.0	A	9.0	A+	9.0	A+	10.0	O	-	-	8.0	A	9.0	A+
26	**21695A0310**	21.5	21.5	8.16	8.13	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	10.0	O	6.0	B	-	-	9.0	A+
27	**21695A0311**	21.5	21.5	7.81	7.87	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	7.0	B+	9.0	A+	9.0	A+	10.0	O	9.0	A+	6.0	B	-	-	9.0	A+
28	**21695A0312**	21.5	21.5	9.09	8.86	-	-	-	-	-	-	-	-	-	-	9.0	A+	-	-	0.0	P	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	9.0	A+	10.0	O
29	**21695A0313**	21.5	21.5	8.12	8.03	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	0.0	P	7.0	B+	8.0	A	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	10.0	O
30	**21695A0314**	21.5	21.5	7.53	8.17	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	0.0	P	7.0	B+	7.0	B+	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	6.0	B	9.0	A+
31	**21695A0315**	21.5	21.5	7.56	7.52	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	6.0	B	8.0	A	9.0	A+	9.0	A+	9.0	A+	6.0	B	-	-	10.0	O
32	**21695A0316**	21.5	21.5	9.44	9.35	-	-	-	-	-	-	-	-	-	-	10.0	O	-	-	0.0	P	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O
33	**21695A0317**	21.5	21.5	7.67	7.52	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	7.0	B+	9.0	A+	9.0	A+	10.0	O	-	-	6.0	B	9.0	A+
34	**21695A0318**	21.5	21.5	9.09	8.81	-	-	-	-	-	-	9.0	A+	-	-	-	-	-	-	0.0	P	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	8.0	A	10.0	O
35	**21695A0319**	21.5	21.5	8.6	8.51	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	6.0	B	10.0	O
36	**21695A0320**	21.5	18.5	6.86	7.47	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	0.0	P	7.0	B+	7.0	B+	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	-	F	10.0	O
37	**21695A0321**	21.5	21.5	8.09	7.96	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	8.0	A	10.0	O	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - MECHANICAL ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						20CE301		20CE302		20CSE301		20CSE302		20CST301		20ECE301		20EEE302		20HUM902		20ME112		20ME113		20ME114		20ME210		20ME211		20ME212		20ME4M07		20ME4M08		20ME603	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
38	**21695A0322**	21.5	21.5	9.16	9.44	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O
39	**21695A0323**	21.5	21.5	7.26	7.27	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	0.0	P	7.0	B+	6.0	B	7.0	B+	9.0	A+	9.0	A+	10.0	O	-	-	6.0	B	9.0	A+
40	**21695A0324**	21.5	21.5	8.09	8.03	-	-	-	-	-	-	-	-	-	-	8.0	A	-	-	0.0	P	7.0	B+	7.0	B+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+
41	**21695A0325**	21.5	21.5	8.23	7.9	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+
42	**21695A0326**	21.5	21.5	9.07	9.27	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	9.0	A+
43	**21695A0327**	21.5	21.5	9.02	8.56	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O
44	**21695A0328**	21.5	21.5	7.23	7.17	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	6.0	B	6.0	B	7.0	B+	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	8.0	A
45	**21695A0329**	21.5	21.5	7.67	7.45	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	0.0	P	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	10.0	O	-	-	6.0	B	9.0	A+
46	**21695A0330**	21.5	21.5	7.77	7.0	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	7.0	B+	7.0	B+	8.0	A	9.0	A+	9.0	A+	10.0	O	-	-	6.0	B	10.0	O
47	**21695A0331**	21.5	21.5	7.74	7.75	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	8.0	A	7.0	B+	8.0	A	8.0	A	9.0	A+	10.0	O	-	-	6.0	B	9.0	A+
48	**21695A0332**	21.5	21.5	7.33	7.27	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	0.0	P	6.0	B	7.0	B+	7.0	B+	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+
49	**21695A0333**	21.5	21.5	8.65	8.83	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+
50	**21695A0334**	21.5	21.5	7.53	7.77	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	10.0	O	-	-	6.0	B	9.0	A+
51	**21695A0335**	21.5	21.5	8.47	8.73	-	-	-	-	-	-	-	-	-	-	8.0	A	-	-	0.0	P	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O
52	**21695A0336**	21.5	21.5	8.44	8.56	-	-	-	-	-	-	-	-	-	-	8.0	A	-	-	0.0	P	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	9.0	A+
53	**21695A0337**	21.5	21.5	7.6	7.83	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	7.0	B+	7.0	B+	6.0	B	10.0	O	9.0	A+	10.0	O	-	-	7.0	B+	9.0	A+
54	**21695A0338**	21.5	21.5	9.02	8.9	-	-	-	-	-	-	-	-	-	-	10.0	O	-	-	0.0	P	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O
55	**21695A0339**	21.5	21.5	8.79	8.33	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+
56	**21695A0341**	21.5	21.5	8.6	8.56	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	9.0	A+	-	-	8.0	A	10.0	O
57	**21695A0342**	21.5	21.5	8.37	8.16	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	0.0	P	8.0	A	7.0	B+	9.0	A+	10.0	O	10.0	O	8.0	A	-	-	8.0	A	9.0	A+
58	**21695A0343**	21.5	21.5	8.81	8.68	-	-	-	-	-	-	-	-	9.0	A+	-	-	-	-	0.0	P	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	8.0	A	10.0	O
59	**21695A0344**	21.5	21.5	8.23	8.46	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	0.0	P	8.0	A	7.0	B+	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	8.0	A	9.0	A+
60	**21695A0345**	21.5	21.5	8.72	8.6	-	-	-	-	-	-	-	-	-	-	9.0	A+	-	-	0.0	P	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+
61	**21695A0347**	21.5	21.5	7.98	7.83	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	9.0	A+	-	-	6.0	B	10.0	O
62	**21695A0348**	21.5	21.5	7.28	6.96	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	8.0	A	7.0	B+	6.0	B	8.0	A	9.0	A+	6.0	B	-	-	8.0	A	7.0	B+
63	**21695A0349**	21.5	21.5	7.33	7.42	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	7.0	B+	7.0	B+	8.0	A	9.0	A+	8.0	A	-	-	6.0	B	9.0	A+
64	**21695A0351**	21.5	21.5	8.37	8.62	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+
65	**21695A0352**	21.5	21.5	7.74	7.49	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	7.0	B+	-	-	6.0	B	9.0	A+
66	**21695A0353**	21.5	21.5	8.67	8.93	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	10.0	O
67	**21695A0354**	21.5	21.5	7.35	7.62	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	0.0	P	7.0	B+	7.0	B+	6.0	B	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	7.0	B+
68	**21695A0355**	21.5	21.5	7.26	7.27	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	7.0	B+	7.0	B+	8.0	A	9.0	A+	7.0	B+	6.0	B	-	-	9.0	A+
69	**21695A0356**	21.5	21.5	7.91	7.87	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	8.0	A	7.0	B+	7.0	B+	10.0	O	9.0	A+	9.0	A+	7.0	B+	-	-	10.0	O
70	**21695A0357**	21.5	21.5	8.51	8.31	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+
71	**21695A0358**	21.5	21.5	7.77	7.75	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	7.0	B+	8.0	A	9.0	A+	10.0	O	9.0	A+	6.0	B	-	-	10.0	O
72	**21695A0359**	21.5	20.0	8.12	8.45	-	-	-	-	-	-	9.0	A+	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	9.0	A+	-	F	10.0	O	9.0	A+	-	-	8.0	A	10.0	O
73	**21695A0360**	21.5	21.5	7.4	7.66	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	6.0	B	7.0	B+	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+
74	**21695A0361**	21.5	20.0	7.49	8.0	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	8.0	A	-	F	10.0	O	10.0	O	-	-	7.0	B+	10.0	O
75	**21695A0362**	21.5	21.5	7.95	8.52	-	-	-	-	-	-	9.0	A+	-	-	-	-	-	-	0.0	P	8.0	A	7.0	B+	7.0	B+	9.0	A+	10.0	O	9.0	A+	-	-	6.0	B	9.0	A+
76	**21695A0363**	21.5	21.5	8.05	8.38	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	6.0	B	10.0	O
77	**21695A0364**	21.5	21.5	9.02	9.15	-	-	-	-	-	-	9.0	A+	-	-	-	-	-	-	0.0	P	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	8.0	A	-	-	9.0	A+	10.0	O
78	**21695A0365**	21.5	21.5	7.6	7.08	-	-	-	-	-	-	8.0	A	-	-	-	-	-	-	0.0	P	7.0	B+	7.0	B+	8.0	A	8.0	A	9.0	A+	8.0	A	6.0	B	-	-	9.0	A+

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - MECHANICAL ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						20CE301		20CE302		20CSE301		20CSE302		20CST301		20ECE301		20EEE302		20HUM902		20ME112		20ME113		20ME114		20ME210		20ME211		20ME212		20ME4M07		20ME4M08		20ME603	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
79	**21695A0366**	21.5	21.5	8.09	8.32	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	8.0	A	9.0	A+	8.0	A	9.0	A+	10.0	O	9.0	A+	6.0	B	-	-	9.0	A+
80	**21695A0367**	21.5	21.5	8.47	8.48	-	-	-	-	-	-	9.0	A+	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	10.0	O
81	**21695A0368**	21.5	21.5	7.14	7.4	5.0	C	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	9.0	A+	5.0	C	-	-	10.0	O
82	**21695A0369**	21.5	21.5	7.74	7.91	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	6.0	B	-	-	9.0	A+
83	**21695A0370**	21.5	21.5	7.58	7.7	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	7.0	B+	9.0	A+	9.0	A+	8.0	A	-	-	7.0	B+	8.0	A
84	**21695A0371**	21.5	21.5	7.88	8.28	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	7.0	B+	9.0	A+	10.0	O	8.0	A	-	-	7.0	B+	9.0	A+
85	**21695A0372**	21.5	21.5	7.72	8.3	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	8.0	A	7.0	B+	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	6.0	B	8.0	A
86	**21695A0373**	21.5	21.5	7.95	7.48	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	8.0	A	-	-	7.0	B+	9.0	A+
87	**21695A0374**	21.5	21.5	8.33	8.6	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	10.0	O
88	**21695A0375**	21.5	21.5	7.3	7.09	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	7.0	B+	6.0	B	9.0	A+	9.0	A+	8.0	A	-	-	7.0	B+	8.0	A
89	**21695A0376**	21.5	21.5	8.09	8.19	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	6.0	B	9.0	A+
90	**21695A0377**	21.5	21.5	8.51	8.26	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	9.0	A+	8.0	A	9.0	A+	10.0	O	9.0	A+	6.0	B	-	-	9.0	A+
91	**21695A0378**	21.5	21.5	7.74	7.68	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	0.0	P	8.0	A	7.0	B+	7.0	B+	10.0	O	9.0	A+	8.0	A	6.0	B	-	-	9.0	A+
92	**21695A0379**	21.5	21.5	7.91	7.59	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	8.0	A	-	-	7.0	B+	10.0	O
93	**21695A0380**	21.5	18.5	6.7	7.4	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	7.0	B+	7.0	B+	8.0	A	9.0	A+	9.0	A+	-	-	-	F	9.0	A+
94	**21695A0381**	21.5	21.5	7.26	6.78	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	6.0	B	7.0	B+	9.0	A+	9.0	A+	8.0	A	-	-	6.0	B	9.0	A+
95	**21695A0382**	21.5	21.5	8.12	8.09	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	0.0	P	8.0	A	7.0	B+	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	10.0	O
96	**21695A0383**	21.5	18.5	6.49	6.7	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	0.0	P	7.0	B+	6.0	B	7.0	B+	9.0	A+	9.0	A+	9.0	A+	-	-	-	F	9.0	A+
97	**21695A0384**	21.5	21.5	8.74	8.7	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O
98	**21695A0385**	21.5	21.5	8.74	9.07	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-	0.0	P	8.0	A	9.0	A+	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	8.0	A	10.0	O
99	**21695A0386**	21.5	18.5	6.77	7.34	-	-	-	-	-	-	9.0	A+	-	-	-	-	-	-	0.0	P	7.0	B+	7.0	B+	6.0	B	9.0	A+	9.0	A+	9.0	A+	-	-	-	F	9.0	A+
100	**21695A0387**	21.5	21.5	7.49	7.66	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	7.0	B+	7.0	B+	9.0	A+	10.0	O	9.0	A+	6.0	B	-	-	10.0	O
101	**21695A0388**	21.5	21.5	7.81	7.73	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	8.0	A	7.0	B+	7.0	B+	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+
102	**21695A0389**	21.5	21.5	8.16	7.83	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	6.0	B	9.0	A+
103	**21695A0390**	21.5	21.5	7.88	7.69	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	6.0	B	9.0	A+
104	**21695A0391**	21.5	18.5	6.37	6.52	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	0.0	P	7.0	B+	6.0	B	7.0	B+	9.0	A+	9.0	A+	8.0	A	-	-	-	F	10.0	O
105	**21695A0392**	21.5	21.5	8.05	8.81	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	7.0	B+	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	8.0	A	10.0	O
106	**21695A0393**	21.5	21.5	7.95	7.67	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	7.0	B+	9.0	A+	9.0	A+	10.0	O	-	-	6.0	B	9.0	A+
107	**21695A0394**	21.5	21.5	8.93	8.76	9.0	A+	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+
108	**21695A0395**	21.5	21.5	8.23	8.38	-	-	-	-	-	-	8.0	A	-	-	-	-	-	-	0.0	P	7.0	B+	9.0	A+	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+
109	**21695A0396**	21.5	21.5	7.95	8.31	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	6.0	B	9.0	A+
110	**21695A0397**	21.5	21.5	7.4	7.37	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	0.0	P	7.0	B+	7.0	B+	7.0	B+	8.0	A	10.0	O	8.0	A	-	-	7.0	B+	9.0	A+
111	**21695A0398**	21.5	21.5	9.02	9.16	-	-	-	-	-	-	-	-	-	-	9.0	A+	-	-	0.0	P	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O
112	**21695A0399**	21.5	21.5	9.09	8.81	-	-	-	-	-	-	-	-	9.0	A+	-	-	-	-	0.0	P	9.0	A+	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	9.0	A+	10.0	O
113	**21695A03A0**	21.5	21.5	7.26	7.38	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	0.0	P	7.0	B+	7.0	B+	6.0	B	8.0	A	9.0	A+	9.0	A+	-	-	6.0	B	9.0	A+
114	**21695A03A1**	21.5	21.5	8.86	9.01	-	-	-	-	-	-	9.0	A+	-	-	-	-	-	-	0.0	P	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+
115	**21695A03A2**	21.5	21.5	8.72	8.68	9.0	A+	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	6.0	B	9.0	A+
116	**21695A03A3**	21.5	21.5	8.33	8.59	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	0.0	P	8.0	A	9.0	A+	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	6.0	B	10.0	O
117	**21695A03A4**	21.5	21.5	8.67	9.1	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	8.0	A	10.0	O
118	**21695A03A5**	21.5	18.5	6.98	7.69	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	7.0	B+	7.0	B+	9.0	A+	10.0	O	9.0	A+	-	-	-	F	9.0	A+
119	**21695A03A6**	21.5	21.5	9.28	9.02	-	-	10.0	O	-	-	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	9.0	A+	9.0	A+

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - MECHANICAL ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						20CE301		20CE302		20CSE301		20CSE302		20CST301		20ECE301		20EEE302		20HUM902		20ME112		20ME113		20ME114		20ME210		20ME211		20ME212		20ME4M07		20ME4M08		20ME603	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
120	**21695A03A7**	21.5	21.5	8.72	8.77	9.0	A+	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+
121	**21695A03A8**	21.5	21.5	7.91	8.06	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	7.0	B+	7.0	B+	8.0	A	9.0	A+	9.0	A+	10.0	O	-	-	7.0	B+	10.0	O
122	**21695A03A9**	21.5	21.5	8.65	8.37	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	0.0	P	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	8.0	A	9.0	A+
123	**21695A03B0**	21.5	21.5	8.35	8.16	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	6.0	B	8.0	A
124	**21695A03B1**	21.5	18.5	7.12	7.78	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	-	-	-	F	9.0	A+
125	**21695A03B3**	21.5	21.5	8.72	8.7	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-	0.0	P	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+
126	**21695A03B4**	21.5	18.5	7.05	7.11	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	-	F	9.0	A+
127	**21695A03B5**	21.5	21.5	7.3	7.12	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	6.0	B	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-	6.0	B	8.0	A
128	**21695A03B6**	21.5	21.5	8.6	8.69	-	-	-	-	-	-	8.0	A	-	-	-	-	-	-	0.0	P	8.0	A	7.0	B+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O
129	**21695A03B7**	21.5	21.5	8.67	8.76	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	9.0	A+	8.0	A	10.0	O	9.0	A+	-	-	8.0	A	10.0	O
130	**21695A03B8**	21.5	21.5	8.16	8.02	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	7.0	B+	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+
131	**21695A03B9**	21.5	21.5	9.07	9.08	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+
132	**21695A03C0**	21.5	21.5	9.51	9.32	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-	0.0	P	10.0	O	10.0	O	10.0	O	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	10.0	O
133	**21695A03C1**	21.5	21.5	8.33	8.1	-	-	-	-	-	-	-	-	-	-	8.0	A	-	-	0.0	P	9.0	A+	7.0	B+	8.0	A	8.0	A	10.0	O	10.0	O	-	-	7.0	B+	10.0	O
134	**21695A03C2**	21.5	21.5	7.26	7.25	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	0.0	P	7.0	B+	7.0	B+	7.0	B+	8.0	A	9.0	A+	9.0	A+	6.0	B	-	-	9.0	A+
135	**21695A03C3**	21.5	21.5	9.3	9.19	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	10.0	O	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	9.0	A+	10.0	O
136	**21695A03C4**	21.5	15.5	4.91	5.31	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	0.0	P	6.0	B	-	F	6.0	B	7.0	B+	9.0	A+	9.0	A+	-	-	-	F	7.0	B+
137	**21695A03C5**	21.5	21.5	8.3	8.31	-	-	-	-	-	-	-	-	-	-	-	-	8.0	A	0.0	P	8.0	A	8.0	A	9.0	A+	8.0	A	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+
138	**21695A03C6**	21.5	21.5	8.19	8.04	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	10.0	O	-	-	7.0	B+	10.0	O
139	**21695A03C7**	21.5	21.5	7.79	7.55	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	0.0	P	7.0	B+	7.0	B+	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	8.0	A
140	**21695A03C8**	21.5	21.5	7.95	8.55	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	7.0	B+	8.0	A	8.0	A	10.0	O	10.0	O	-	-	8.0	A	9.0	A+
141	**21695A03C9**	21.5	21.5	7.81	7.94	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	0.0	P	8.0	A	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-	6.0	B	9.0	A+
142	**21695A03D0**	21.5	21.5	8.33	8.41	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	10.0	O
143	**21695A03D1**	21.5	21.5	8.16	8.27	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	6.0	B	9.0	A+
144	**21695A03D2**	21.5	21.5	7.33	7.66	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	6.0	B	7.0	B+	7.0	B+	9.0	A+	10.0	O	8.0	A	6.0	B	-	-	9.0	A+
145	**21695A03D3**	21.5	21.5	8.3	8.44	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	9.0	A+
146	**21695A03D4**	21.5	21.5	7.88	7.73	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	6.0	B	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+
147	**21695A03D5**	21.5	21.5	8.23	7.96	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	7.0	B+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+
148	**21695A03D6**	21.5	21.5	8.12	8.3	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	6.0	B	10.0	O
149	**21695A03D7**	21.5	21.5	7.88	7.67	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	7.0	B+	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+
150	**21695A03D8**	21.5	21.5	7.91	8.28	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	7.0	B+	8.0	A	10.0	O	10.0	O	-	-	6.0	B	10.0	O
151	**21695A03D9**	21.5	21.5	8.21	8.17	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	6.0	B	8.0	A
152	**21695A03E0**	21.5	21.5	8.88	9.06	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-	0.0	P	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O
153	**21695A03E1**	21.5	21.5	8.72	9.08	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-	0.0	P	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	7.0	B+	-	-	9.0	A+
154	**21695A03E2**	21.5	21.5	8.67	9.15	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-	0.0	P	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	6.0	B	-	-	10.0	O
155	**21695A03E3**	21.5	21.5	8.67	8.59	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	10.0	O
156	**21695A03E4**	21.5	21.5	8.05	8.84	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	7.0	B+	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	10.0	O
157	**21695A03E5**	21.5	18.5	6.23	6.95	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	0.0	P	6.0	B	6.0	B	6.0	B	9.0	A+	9.0	A+	10.0	O	-	-	-	Ab	10.0	O
158	**21695A03E6**	21.5	21.5	8.02	8.05	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	8.0	A	9.0	A+	10.0	O	8.0	A	-	-	7.0	B+	9.0	A+
159	**21695A03E7**	21.5	21.5	7.81	8.16	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	7.0	B+	8.0	A	8.0	A	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+
160	**21695A03E8**	21.5	21.5	8.26	7.95	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	10.0	O

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - MECHANICAL ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						20CE301		20CE302		20CSE301		20CSE302		20CST301		20ECE301		20EEE302		20HUM902		20ME112		20ME113		20ME114		20ME210		20ME211		20ME212		20ME4M07		20ME4M08		20ME603	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
161	**21695A03E9**	21.5	18.5	7.33	7.41	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	9.0	A+	-	-	-	F	9.0	A+
162	**21695A03F0**	21.5	18.5	6.23	6.39	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	0.0	P	7.0	B+	7.0	B+	7.0	B+	8.0	A	9.0	A+	9.0	A+	-	-	-	F	7.0	B+
163	**21695A03F1**	21.5	21.5	8.4	8.3	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	10.0	O
164	**21695A03F2**	21.5	18.5	6.6	6.92	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	7.0	B+	8.0	A	9.0	A+	9.0	A+	8.0	A	-	-	-	F	8.0	A
165	**21695A03F4**	21.5	18.5	6.35	6.98	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	6.0	B	7.0	B+	7.0	B+	8.0	A	9.0	A+	8.0	A	-	-	-	F	9.0	A+
166	**21695A03F5**	21.5	21.5	7.33	7.45	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	0.0	P	6.0	B	7.0	B+	7.0	B+	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+
167	**21695A03F6**	21.5	21.5	7.84	8.11	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	0.0	P	6.0	B	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	10.0	O
168	**21695A03F7**	21.5	21.5	8.02	8.0	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+
169	**21695A03F9**	21.5	21.5	7.6	8.28	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	6.0	B	-	-	9.0	A+
170	**21695A03G1**	21.5	18.5	6.86	7.26	-	-	-	-	-	F	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	6.0	B	10.0	O
171	**21695A03G2**	21.5	21.5	8.23	8.34	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	0.0	P	7.0	B+	9.0	A+	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+
172	**21695A03G3**	21.5	21.5	8.95	9.3	-	-	-	-	-	-	-	-	10.0	O	-	-	-	-	0.0	P	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	10.0	O
173	**21695A03G4**	21.5	21.5	8.74	9.27	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O
174	**21695A03G5**	21.5	21.5	8.67	8.8	-	-	-	-	-	-	-	-	-	-	-	-	8.0	A	0.0	P	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	10.0	O
175	**21695A03G6**	21.5	18.5	6.42	7.77	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	6.0	B	7.0	B+	8.0	A	10.0	O	10.0	O	-	-	-	F	9.0	A+
176	**21695A03G7**	21.5	21.5	8.4	8.16	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	6.0	B	10.0	O
177	**21695A03G8**	21.5	21.5	8.16	7.84	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	6.0	B	9.0	A+
178	**21695A03G9**	21.5	21.5	8.19	8.29	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	9.0	A+	7.0	B+	-	-	10.0	O
179	**21695A03H0**	21.5	21.5	8.53	8.34	-	-	-	-	-	-	9.0	A+	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	10.0	O
180	**21695A03H1**	21.5	21.5	8.02	7.97	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	7.0	B+	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+
181	**21695A03H2**	21.5	21.5	8.47	8.49	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	6.0	B	-	-	10.0	O
182	**21695A03H3**	21.5	21.5	8.53	8.58	-	-	-	-	-	-	-	-	9.0	A+	-	-	-	-	0.0	P	8.0	A	9.0	A+	8.0	A	9.0	A+	10.0	O	8.0	A	-	-	7.0	B+	10.0	O
183	**21695A03H4**	21.5	21.5	8.6	8.42	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	7.0	B+	10.0	O
184	**21695A03H5**	21.5	21.5	7.67	8.04	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	7.0	B+	8.0	A	7.0	B+	9.0	A+	10.0	O	9.0	A+	-	-	6.0	B	9.0	A+
185	**21695A03H6**	21.5	21.5	7.53	8.14	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	7.0	B+	7.0	B+	7.0	B+	8.0	A	10.0	O	8.0	A	-	-	7.0	B+	9.0	A+
186	**21695A03H7**	21.5	21.5	8.23	8.25	-	-	-	-	-	-	-	-	9.0	A+	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	9.0	A+	6.0	B	-	-	9.0	A+
187	**21695A03H8**	21.5	21.5	8.02	8.76	-	-	-	-	-	-	-	-	-	-	8.0	A	-	-	0.0	P	8.0	A	7.0	B+	8.0	A	9.0	A+	10.0	O	10.0	O	6.0	B	-	-	9.0	A+
188	**21695A03H9**	21.5	21.5	8.3	8.52	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	0.0	P	8.0	A	9.0	A+	9.0	A+	8.0	A	10.0	O	9.0	A+	-	-	6.0	B	9.0	A+
189	**21695A03I0**	21.5	21.5	7.7	7.84	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	0.0	P	7.0	B+	7.0	B+	8.0	A	8.0	A	10.0	O	9.0	A+	-	-	6.0	B	10.0	O
190	**21695A03I1**	21.5	21.5	7.26	7.34	-	-	-	-	-	-	-	-	-	-	6.0	B	-	-	0.0	P	7.0	B+	6.0	B	7.0	B+	8.0	A	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+
191	**21695A03I2**	21.5	21.5	7.21	7.32	5.0	C	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	6.0	B	-	-	7.0	B+
192	**21695A03I3**	21.5	18.5	6.26	7.43	-	-	-	-	-	F	-	-	-	-	-	-	-	-	0.0	P	6.0	B	7.0	B+	7.0	B+	9.0	A+	10.0	O	8.0	A	6.0	B	-	-	8.0	A
193	**21695A03I4**	21.5	21.5	7.47	7.6	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	7.0	B+	9.0	A+	9.0	A+	9.0	A+	-	-	6.0	B	9.0	A+
194	**21695A03I5**	21.5	21.5	7.74	7.9	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	7.0	B+	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+
195	**21695A03I6**	21.5	21.5	9.21	9.27	-	-	-	-	-	-	-	-	-	-	-	-	8.0	A	0.0	P	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	10.0	O	9.0	A+
196	**21695A03I8**	21.5	21.5	7.88	7.88	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	6.0	B	-	-	9.0	A+
197	**21695A03I9**	21.5	21.5	8.33	8.13	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	8.0	A	10.0	O	8.0	A	-	-	8.0	A	10.0	O
198	**21695A03J0**	21.5	21.5	7.98	7.98	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	6.0	B	10.0	O
199	**21695A03J1**	21.5	21.5	8.33	8.41	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	0.0	P	8.0	A	8.0	A	9.0	A+	8.0	A	10.0	O	8.0	A	-	-	7.0	B+	10.0	O
200	**21695A03J2**	21.5	21.5	8.53	8.49	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	8.0	A	7.0	B+	-	-	10.0	O
201	**21695A03J3**	21.5	21.5	8.16	8.16	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	-	-	8.0	A	9.0	A+

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - MECHANICAL ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						20CE301		20CE302		20CSE301		20CSE302		20CST301		20ECE301		20EEE302		20HUM902		20ME112		20ME113		20ME114		20ME210		20ME211		20ME212		20ME4M07		20ME4M08		20ME603	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
202	**21695A03J4**	21.5	21.5	7.74	7.76	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	7.0	B+	8.0	A	9.0	A+	8.0	A	6.0	B	-	-	9.0	A+
203	**21695A03J5**	21.5	21.5	8.53	8.37	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	9.0	A+	9.0	A+	9.0	A+	9.0	A+	-	-	9.0	A+	10.0	O
204	**21695A03J6**	21.5	21.5	8.16	8.32	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	9.0	A+	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	6.0	B	9.0	A+
205	**21695A03J7**	21.5	21.5	7.67	7.41	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	7.0	B+	9.0	A+	8.0	A	-	-	7.0	B+	9.0	A+
206	**21695A03J8**	21.5	21.5	8.74	8.56	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	8.0	A	-	-	8.0	A	10.0	O
207	**21695A03J9**	21.5	21.5	7.3	7.59	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	8.0	A	-	-	6.0	B	8.0	A
208	**21695A03K0**	21.5	21.5	9.0	8.92	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	10.0	O	9.0	A+
209	**21695A03K1**	21.5	21.5	8.93	8.99	-	-	-	-	-	-	-	-	9.0	A+	-	-	-	-	0.0	P	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	8.0	A	9.0	A+
210	**21695A03K2**	21.5	21.5	7.74	7.98	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	6.0	B	9.0	A+
211	**21695A03K3**	21.5	21.5	7.67	7.65	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	0.0	P	7.0	B+	7.0	B+	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	6.0	B	9.0	A+
212	**21695A03K4**	21.5	21.5	7.58	7.84	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	8.0	A	8.0	A	6.0	B	9.0	A+	10.0	O	9.0	A+	6.0	B	-	-	8.0	A
213	**21695A03K5**	21.5	21.5	8.42	8.79	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	8.0	A	-	-	9.0	A+	8.0	A
214	**21695A03K6**	21.5	21.5	8.3	8.62	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	9.0	A+	8.0	A	8.0	A	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+
215	**21695A03K7**	21.5	21.5	7.63	7.95	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	8.0	A	7.0	B+	7.0	B+	8.0	A	9.0	A+	9.0	A+	6.0	B	-	-	10.0	O
216	**21695A03K8**	21.5	21.5	8.09	7.61	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	8.0	A	10.0	O	8.0	A	-	-	7.0	B+	9.0	A+
217	**21695A03K9**	21.5	21.5	8.65	9.11	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+
218	**21695A03L0**	21.5	21.5	7.58	7.2	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	0.0	P	8.0	A	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	-	-	7.0	B+	8.0	A
219	**21695A03L2**	21.5	21.5	7.49	7.03	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	8.0	A	-	-	7.0	B+	10.0	O
220	**21695A03L3**	21.5	21.5	7.6	7.89	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	7.0	B+	7.0	B+	9.0	A+	7.0	B+	-	-	6.0	B	9.0	A+
221	**21695A03L4**	21.5	21.5	7.74	7.71	-	-	-	-	-	-	-	-	6.0	B	-	-	-	-	0.0	P	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+
222	**21695A03L5**	21.5	21.5	7.02	7.44	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	7.0	B+	7.0	B+	8.0	A	9.0	A+	7.0	B+	-	-	6.0	B	8.0	A
223	**21695A03L6**	21.5	21.5	8.28	8.71	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	6.0	B	8.0	A
224	**21695A03L7**	21.5	21.5	9.09	9.3	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	10.0	O
225	**21695A03L8**	21.5	21.5	8.51	8.59	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	0.0	P	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	6.0	B	9.0	A+
226	**21695A03L9**	21.5	21.5	7.6	7.86	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	9.0	A+	-	-	6.0	B	9.0	A+
227	**21695A03M0**	21.5	18.5	6.21	6.17	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	7.0	B+	6.0	B	8.0	A	9.0	A+	8.0	A	-	-	-	F	9.0	A+
228	**21695A03M1**	21.5	21.5	8.79	9.16	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	8.0	A	9.0	A+
229	**21695A03M2**	21.5	21.5	8.0	7.9	-	-	-	-	-	-	-	-	-	-	8.0	A	-	-	0.0	P	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	6.0	B	8.0	A
230	**21695A03M3**	21.5	21.5	8.79	8.91	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+
231	**21695A03M4**	21.5	21.5	7.84	8.03	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	7.0	B+	10.0	O	8.0	A	-	-	6.0	B	10.0	O
232	**21695A03M5**	21.5	21.5	8.53	8.58	-	-	-	-	-	-	-	-	-	-	8.0	A	-	-	0.0	P	9.0	A+	9.0	A+	8.0	A	9.0	A+	10.0	O	8.0	A	-	-	7.0	B+	10.0	O
233	**21695A03M6**	21.5	21.5	8.3	8.26	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	8.0	A	9.0	A+	9.0	A+	9.0	A+	9.0	A+	-	-	6.0	B	9.0	A+
234	**21695A03M7**	21.5	21.5	8.56	8.9	-	-	-	-	-	-	-	-	-	-	8.0	A	-	-	0.0	P	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	8.0	A	8.0	A
235	**21695A03M8**	21.5	21.5	7.93	8.24	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	8.0	A	-	-	7.0	B+	8.0	A
236	**21695A03N0**	21.5	21.5	7.28	7.15	-	-	-	-	-	-	-	-	-	-	8.0	A	-	-	0.0	P	7.0	B+	7.0	B+	7.0	B+	8.0	A	9.0	A+	8.0	A	6.0	B	-	-	7.0	B+
237	**21695A03N1**	21.5	21.5	9.37	9.09	-	-	10.0	O	-	-	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	9.0	A+	10.0	O
238	**21695A03N2**	21.5	21.5	9.0	8.98	-	-	-	-	-	-	-	-	-	-	9.0	A+	-	-	0.0	P	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	9.0	A+
239	**21695A03N3**	21.5	21.5	8.23	7.95	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	8.0	A	9.0	A+
240	**21695A03N4**	21.5	21.5	7.95	7.61	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	0.0	P	7.0	B+	8.0	A	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+
241	**21695A03N6**	21.5	21.5	7.95	8.36	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	6.0	B	9.0	A+
242	**21695A03N7**	21.5	21.5	8.19	8.35	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	0.0	P	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	6.0	B	10.0	O

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - MECHANICAL ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						20CE301		20CE302		20CSE301		20CSE302		20CST301		20ECE301		20EEE302		20HUM902		20ME112		20ME113		20ME114		20ME210		20ME211		20ME212		20ME4M07		20ME4M08		20ME603	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
243	**21695A03N8**	21.5	21.5	7.98	8.06	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	6.0	B	10.0	O
244	**21695A03N9**	21.5	21.5	6.84	6.59	-	-	-	-	-	-	-	-	5.0	C	-	-	-	-	0.0	P	6.0	B	6.0	B	7.0	B+	8.0	A	9.0	A+	9.0	A+	-	-	6.0	B	9.0	A+
245	**21695A03O0**	21.5	21.5	7.3	7.46	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	7.0	B+	7.0	B+	8.0	A	10.0	O	8.0	A	6.0	B	-	-	8.0	A
246	**21695A03O1**	21.5	21.5	7.74	7.81	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	8.0	A	7.0	B+	8.0	A	9.0	A+	10.0	O	8.0	A	-	-	6.0	B	9.0	A+
247	**21695A03O2**	21.5	21.5	6.74	5.0	-	-	5.0	C	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	5.0	C	6.0	B	8.0	A	9.0	A+	9.0	A+	-	-	7.0	B+	8.0	A
248	**21695A03O3**	21.5	21.5	8.53	9.06	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	6.0	B	10.0	O
249	**21695A03O4**	21.5	21.5	8.02	7.62	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	7.0	B+	-	-	9.0	A+
250	**21695A03O5**	21.5	21.5	8.3	7.98	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	0.0	P	9.0	A+	9.0	A+	8.0	A	9.0	A+	10.0	O	8.0	A	-	-	6.0	B	9.0	A+
251	**21695A03O6**	21.5	21.5	7.53	7.35	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+
252	**21695A03O7**	21.5	21.5	7.95	7.67	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	0.0	P	8.0	A	9.0	A+	8.0	A	9.0	A+	9.0	A+	8.0	A	-	-	6.0	B	9.0	A+

Course Code	Course Name
20CE301	GROUND IMPROVEMENT TECHNIQUES
20CE302	ENVIRONMENTAL IMPACT ASSESSMENT
20CSE301	JAVA PROGRAMMING
20CSE302	MULTIMEDIA TECHNOLOGIES
20CST301	OPERATING SYSTEMS
20ECE301	BIO-MEDICAL ELECTRONICS
20EEE302	INTRODUCTION TO MEMS
20HUM902	UNIVERSAL HUMAN VALUES
20ME112	CAD/ CAM
20ME113	AUTOMATION AND ROBOTICS
20ME114	MACHINE LEARNING FOR MECHANICAL ENGINEERS
20ME210	CAD/ CAM LABORATORY
20ME211	ROBOTICS LABORATORY
20ME212	ENGINEERING METROLOGY AND MEASUREMENTS LABORATORY
20ME4M07	FUNDAMENTAL OF WELDING SCIENCE AND TECHNOLOGY (MOOC)
20ME4M08	OPERATIONS MANAGEMENT (MOOC)
20ME603	COMPUTER MODELING FOR MECHANICAL ENGINEERING-II (SC)

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

MADANAPALLE INSTITUTE OF TECHNOLOGY AND SCIENCE

(UGC - Autonomous)
(Approved by AICTE, New Delhi & Affiliated to JNTUA,Ananthapuramu)
P.B NO:14,Angallu,Kadiri Road,Madanapalle - 517325, Chittor Dist,A.P.

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - ELECTRONICS AND COMMUNICATION ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																							
						18ECE115		18ECE211		18HUM903		20CE301		20CE302		20CE901		20CSE301		20CSE302		20CST301		20ECE111		20ECE112		20ECE113		20ECE209		20ECE210		20ECE211		20ECE4M03		20ECE4M06		20ECE608		20EEE302		20MAT301		20ME301	
						Credits: 3.0		Credits: 1.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
1	**20690A0405**	21.0	6.0	2.43	2.63	-	Ab	9.0	A+	0.0	P	-	-	-	Ab	-	-	-	-	-	-	-	-	-	F	-	Ab	-	-	10.0	O	10.0	O	-	-	-	Ab	-	-	6.0	B	-	-	-	-	-	-
2	**20691A0401**	21.5	18.5	5.77	4.84	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	-	-	-	-	7.0	B+	6.0	B	0.0	F	7.0	B+	7.0	B+	8.0	A	-	-	6.0	B	5.0	C	-	-	-	-	-	-
3	**20691A0402**	21.5	21.5	7.26	7.09	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	7.0	B+	8.0	A	7.0	B+	10.0	O	7.0	B+	9.0	A+	-	-	6.0	B	6.0	B	-	-	-	-	-	-
4	**20691A0403**	21.5	21.5	7.47	8.11	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	8.0	A	8.0	A	9.0	A+	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
5	**20691A0404**	21.5	21.5	8.21	8.45	-	-	-	-	-	-	-	-	9.0	A+	0.0	P	-	-	-	-	-	-	7.0	B+	9.0	A+	8.0	A	8.0	A	9.0	A+	10.0	O	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
6	**20691A0405**	21.5	21.5	8.67	8.73	-	-	-	-	-	-	8.0	A	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	10.0	O	-	-	-	-	-	-
7	**20691A0406**	21.5	21.5	6.95	6.95	-	-	-	-	-	-	-	-	-	-	0.0	P	6.0	B	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	8.0	A	6.0	B	9.0	A+	6.0	B	-	-	8.0	A	-	-	-	-	-	-
8	**20691A0407**	21.5	21.5	8.09	8.33	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	8.0	A	-	-	8.0	A	7.0	B+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	6.0	B	9.0	A+	-	-	-	-	-	-
9	**20691A0408**	21.5	21.5	8.23	8.04	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
10	**20691A0409**	21.5	21.5	8.3	8.78	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
11	**20691A0410**	21.5	21.5	8.02	8.53	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	7.0	B+	9.0	A+	7.0	B+	10.0	O	9.0	A+	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
12	**20691A0411**	21.5	21.5	8.35	8.31	-	-	-	-	-	-	8.0	A	-	-	0.0	P	-	-	-	-	-	-	8.0	A	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
13	**20691A0412**	21.5	21.5	7.88	7.9	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	8.0	A	9.0	A+	6.0	B	10.0	O	8.0	A	9.0	A+	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
14	**20691A0414**	21.5	12.5	4.14	6.06	-	-	-	-	-	-	-	F	-	-	0.0	P	-	-	-	-	-	-	5.0	C	-	F	-	F	10.0	O	9.0	A+	9.0	A+	-	-	6.0	B	7.0	B+	-	-	-	-	-	-
15	**20691A0416**	21.5	21.5	8.58	8.99	-	-	-	-	-	-	-	-	9.0	A+	0.0	P	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	6.0	B	-	-	9.0	A+	-	-	-	-	-	-
16	**20691A0417**	21.5	18.5	7.33	7.75	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	8.0	A	9.0	A+	-	F	-	-	9.0	A+	-	-	-	-	-	-
17	**20691A0418**	21.5	21.5	7.3	8.24	-	-	-	-	-	-	-	-	-	-	0.0	P	6.0	B	-	-	-	-	8.0	A	6.0	B	7.0	B+	9.0	A+	10.0	O	9.0	A+	6.0	B	-	-	8.0	A	-	-	-	-	-	-
18	**20691A0419**	21.5	21.5	7.37	7.62	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	7.0	B+	8.0	A	6.0	B	10.0	O	8.0	A	9.0	A+	-	-	6.0	B	8.0	A	-	-	-	-	-	-
19	**20691A0420**	21.5	21.5	8.42	8.89	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
20	**20691A0421**	21.5	15.5	5.05	6.64	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	6.0	B	-	F	6.0	B	-	F	10.0	O	8.0	A	9.0	A+	6.0	B	-	-	7.0	B+	-	-	-	-	-	-
21	**20691A0422**	21.5	18.5	7.23	8.72	-	-	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	-	-	9.0	A+	7.0	B+	8.0	A	10.0	O	8.0	A	9.0	A+	-	F	-	-	8.0	A	-	-	-	-	-	-
22	**20691A0423**	21.5	18.5	6.37	7.64	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	-	-	-	-	-	F	7.0	B+	7.0	B+	8.0	A	9.0	A+	9.0	A+	-	-	6.0	B	7.0	B+	-	-	-	-	-	-
23	**20691A0425**	21.5	21.5	8.3	7.88	-	-	-	-	-	-	-	-	9.0	A+	0.0	P	-	-	-	-	-	-	9.0	A+	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	-	-	6.0	B	9.0	A+	-	-	-	-	-	-
24	**20691A0427**	21.5	21.5	8.3	8.26	-	-	-	-	-	-	-	-	9.0	A+	0.0	P	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
25	**20691A0428**	21.5	18.5	5.51	5.25	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	5.0	C	-	-	6.0	B	6.0	B	-	F	10.0	O	7.0	B+	8.0	A	6.0	B	-	-	6.0	B	-	-	-	-	-	-
26	**20691A0430**	21.5	21.5	7.51	6.85	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	7.0	B+	7.0	B+	8.0	A	9.0	A+	7.0	B+	9.0	A+	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
27	**20691A0431**	21.5	21.5	8.51	8.4	-	-	-	-	-	-	-	-	9.0	A+	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	8.0	A	-	-	6.0	B	9.0	A+	-	-	-	-	-	-
28	**20691A0432**	21.5	21.5	8.02	8.22	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	9.0	A+	9.0	A+	8.0	A	8.0	A	7.0	B+	8.0	A	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
29	**20691A0433**	21.5	21.5	9.3	9.06	-	-	-	-	-	-	-	-	9.0	A+	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-
30	**20691A0434**	21.5	21.5	7.23	7.23	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	8.0	A	7.0	B+	8.0	A	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
31	**20691A0435**	21.5	21.5	8.3	8.48	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	10.0	O	9.0	A+	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	9.0	A+
32	**20691A0436**	21.5	21.5	7.7	8.06	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	8.0	A	8.0	A	7.0	B+	10.0	O	8.0	A	9.0	A+	6.0	B	-	-	7.0	B+	-	-	-	-	8.0	A
33	**20691A0438**	21.5	21.5	8.28	7.62	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	7.0	B+	8.0	A	9.0	A+	9.0	A+	-	-	8.0	A	8.0	A	-	-	-	-	8.0	A
34	**20691A0439**	21.5	18.5	6.05	6.27	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	6.0	B	8.0	A	6.0	B	-	F	8.0	A	7.0	B+	9.0	A+	-	-	6.0	B	8.0	A	-	-	-	-	-	-
35	**20691A0440**	21.5	21.5	8.02	8.32	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	8.0	A	8.0	A	6.0	B	10.0	O	9.0	A+	10.0	O	-	-	6.0	B	9.0	A+	-	-	-	-	-	-
36	**20691A0441**	21.5	21.5	9.02	8.87	-	-	-	-	-	-	-	-	9.0	A+	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	10.0	O	-	-	-	-	-	-
37	**20691A0442**	21.5	21.5	8.3	7.94	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	8.0	A	7.0	B+	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - ELECTRONICS AND COMMUNICATION ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																									
						18ECE115		18ECE211		18HUM903		20CE301		20CE302		20CE901		20CSE301		20CSE302		20CST301		20ECE111		20ECE112		20ECE113		20ECE209		20ECE210		20ECE211		20ECE4M03		20ECE4M06		20ECE608		20EEE302		20MAT301		20ME301	
						Credits: 3.0		Credits: 1.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
38	**20691A0443**	21.5	18.5	8.02	8.24	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	10.0	O	10.0	O	8.0	A	10.0	O	10.0	O	9.0	A+	-	F	-	-	9.0	A+	-	-	-	-	-	-
39	**20691A0444**	21.5	21.5	7.81	8.03	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	-	-	-	-	9.0	A+	8.0	A	6.0	B	9.0	A+	8.0	A	9.0	A+	6.0	B	-	-	9.0	A+	-	-	-	-	-	-
40	**20691A0445**	21.5	21.5	8.21	8.46	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	8.0	A	9.0	A+	6.0	B	-	-	8.0	A	-	-	-	-	7.0	B+
41	**20691A0446**	21.5	21.5	8.51	9.0	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	7.0	B+	9.0	A+	8.0	A	-	-	9.0	A+	-	-	-	-	8.0	A
42	**20691A0447**	21.5	21.5	8.16	8.52	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	7.0	B+	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	7.0	B+
43	**20691A0448**	21.5	18.5	7.6	7.96	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	8.0	A	9.0	A+	9.0	A+	10.0	O	9.0	A+	10.0	O	-	F	-	-	9.0	A+	-	-	-	-	8.0	A
44	**20691A0449**	21.5	21.5	9.58	9.44	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	10.0	O	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	9.0	A+
45	**20691A0450**	21.5	21.5	8.19	8.66	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	9.0	A+	9.0	A+	8.0	A	9.0	A+	8.0	A	9.0	A+	-	-	7.0	B+	7.0	B+	-	-	-	-	-	-
46	**20691A0451**	21.5	21.5	8.86	8.88	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+	-	-	-	-	9.0	A+
47	**20691A0452**	21.5	21.5	8.23	8.18	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	9.0	A+	6.0	B	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	8.0	A
48	**20691A0453**	21.5	21.5	7.58	7.27	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	-	-	-	-	6.0	B	8.0	A	7.0	B+	10.0	O	7.0	B+	9.0	A+	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
49	**20691A0456**	21.5	21.5	8.37	8.57	-	-	-	-	-	-	-	-	9.0	A+	0.0	P	-	-	-	-	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	9.0	A+	9.0	A+	-	-	6.0	B	9.0	A+	-	-	-	-	-	-
50	**20691A0457**	21.5	21.5	6.79	7.12	-	-	-	-	-	-	-	-	-	-	0.0	P	5.0	C	-	-	-	-	7.0	B+	8.0	A	5.0	C	10.0	O	7.0	B+	9.0	A+	-	-	6.0	B	7.0	B+	-	-	-	-	-	-
51	**20691A0458**	21.5	21.5	7.23	6.8	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	6.0	B	8.0	A	6.0	B	10.0	O	7.0	B+	8.0	A	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
52	**20691A0459**	21.5	21.5	7.81	7.97	-	-	-	-	-	-	-	-	-	-	0.0	P	6.0	B	-	-	-	-	8.0	A	8.0	A	7.0	B+	10.0	O	8.0	A	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
53	**20691A0460**	21.5	21.5	7.37	8.38	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	6.0	B	7.0	B+	8.0	A	7.0	B+	10.0	O	7.0	B+	8.0	A	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
54	**20691A0462**	21.5	21.5	8.21	8.26	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	8.0	A	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	9.0	A+	10.0	O	-	-	6.0	B	8.0	A	-	-	-	-	-	-
55	**20691A0463**	21.5	20.0	5.72	6.87	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	5.0	C	-	-	6.0	B	6.0	B	6.0	B	8.0	A	-	F	8.0	A	6.0	B	-	-	6.0	B	-	-	-	-	-	-
56	**20691A0464**	21.5	21.5	8.65	8.77	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	10.0	O	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	6.0	B	9.0	A+	-	-	-	-	-	-
57	**20691A0466**	21.5	18.5	6.16	6.27	-	-	-	-	-	-	-	-	-	-	0.0	P	5.0	C	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	10.0	O	8.0	A	9.0	A+	-	F	-	-	7.0	B+	-	-	-	-	-	-
58	**20691A0467**	21.5	21.5	8.91	9.1	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	10.0	O	8.0	A	-	-	8.0	A	-	-	-	-	-	-
59	**20691A0468**	21.5	21.5	7.93	8.14	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	7.0	B+	9.0	A+	8.0	A	9.0	A+	8.0	A	10.0	O	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
60	**20691A0469**	21.5	21.5	8.58	8.57	-	-	-	-	-	-	8.0	A	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	8.0	A	9.0	A+	8.0	A	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
61	**20691A0470**	21.5	21.5	7.86	7.57	-	-	-	-	-	-	6.0	B	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	9.0	A+	8.0	A	9.0	A+	9.0	A+	10.0	O	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
62	**20691A0471**	21.5	21.5	8.49	8.37	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	9.0	A+	-	-	8.0	A	8.0	A	-	-	-	-	-	-
63	**20691A0472**	21.5	21.5	8.51	8.22	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
64	**20691A0473**	21.5	21.5	8.84	8.56	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
65	**20691A0474**	21.5	18.5	5.95	6.92	-	-	-	-	-	-	-	-	-	-	0.0	P	-	F	-	-	-	-	5.0	C	7.0	B+	6.0	B	9.0	A+	9.0	A+	10.0	O	6.0	B	-	-	7.0	B+	-	-	-	-	-	-
66	**20691A0475**	21.5	21.5	8.84	9.0	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
67	**20691A0476**	21.5	21.5	8.77	8.75	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	8.0	A	9.0	A+	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
68	**20691A0477**	21.5	21.5	7.95	8.21	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	10.0	O	8.0	A	-	-	9.0	A+	-	-	-	-	-	-
69	**20691A0478**	21.5	18.5	5.79	5.96	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	6.0	B	-	-	6.0	B	7.0	B+	6.0	B	8.0	A	7.0	B+	10.0	O	-	F	-	-	6.0	B	-	-	-	-	-	-
70	**20691A0479**	21.5	21.5	8.0	8.0	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
71	**20691A0480**	21.5	21.5	7.44	8.03	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	6.0	B	7.0	B+	8.0	A	7.0	B+	8.0	A	10.0	O	10.0	O	-	-	6.0	B	8.0	A	-	-	-	-	-	-
72	**20691A0481**	21.5	21.5	8.44	8.44	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
73	**20691A0482**	21.5	21.5	7.07	7.94	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	5.0	C	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	10.0	O	6.0	B	-	-	7.0	B+	-	-	-	-	-	-
74	**20691A0483**	21.5	21.5	8.95	9.15	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-
75	**20691A0484**	21.5	21.5	8.6	8.9	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	8.0	A	-	-	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-
76	**20691A0485**	21.5	21.5	8.58	8.8	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	7.0	B+	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
77	**20691A0486**	21.5	21.5	9.09	8.88	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	9.0	A+	9.0	A+	10.0	O	10.0	O	8.0	A	9.0	A+	-	-	8.0	A	10.0	O	-	-	-	-	-	-
78	**20691A0487**	21.5	15.5	5.07	6.29	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	6.0	B	7.0	B+	5.0	C	9.0	A+	7.0	B+	10.0	O	-	-	-	F	8.0	A	-	-	-	F	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - ELECTRONICS AND COMMUNICATION ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																							
						18ECE115		18ECE211		18HUM903		20CE301		20CE302		20CE901		20CSE301		20CSE302		20CST301		20ECE111		20ECE112		20ECE113		20ECE209		20ECE210		20ECE211		20ECE4M03		20ECE4M06		20ECE608		20EEE302		20MAT301		20ME301	
						Credits: 3.0		Credits: 1.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
79	**20691A0488**	21.5	21.5	9.07	9.09	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+	-	-	9.0	A+	-	-
80	**20691A0489**	21.5	21.5	7.3	6.51	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	-	-	-	-	7.0	B+	7.0	B+	6.0	B	9.0	A+	8.0	A	9.0	A+	-	-	6.0	B	8.0	A	-	-	-	-	-	-
81	**20691A0490**	21.5	21.5	7.16	7.6	-	-	-	-	-	-	-	-	-	-	0.0	P	6.0	B	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	9.0	A+	8.0	A	9.0	A+	6.0	B	-	-	8.0	A	-	-	-	-	-	-
82	**20691A0491**	21.5	21.5	8.4	8.44	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-
83	**20691A0492**	21.5	21.5	8.3	8.46	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	8.0	A	8.0	A	9.0	A+	9.0	A+	8.0	A	10.0	O	-	-	6.0	B	9.0	A+	-	-	-	-	-	-
84	**20691A0493**	21.5	18.5	7.49	8.22	-	-	-	-	-	-	-	-	9.0	A+	0.0	P	-	-	-	-	-	-	8.0	A	-	F	8.0	A	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-
85	**20691A0494**	21.5	17.0	5.4	5.8	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	7.0	B+	-	-	6.0	B	7.0	B+	5.0	C	9.0	A+	-	F	9.0	A+	-	-	-	F	7.0	B+	-	-	-	-	-	-
86	**20691A0495**	21.5	21.5	8.14	8.4	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
87	**20691A0496**	21.5	21.5	8.49	8.74	-	-	-	-	-	-	-	-	9.0	A+	0.0	P	-	-	-	-	-	-	8.0	A	8.0	A	9.0	A+	10.0	O	9.0	A+	10.0	O	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
88	**20691A0497**	21.5	21.5	9.0	9.0	-	-	-	-	-	-	-	-	9.0	A+	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
89	**20691A0498**	21.5	21.5	8.56	8.86	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	8.0	A	10.0	O	6.0	B	-	-	8.0	A	-	-	-	-	-	-
90	**20691A0499**	21.5	21.5	8.07	8.24	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	7.0	B+	9.0	A+	8.0	A	10.0	O	9.0	A+	10.0	O	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
91	**20691A04A0**	21.5	21.5	8.3	8.16	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	8.0	A	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
92	**20691A04A1**	21.5	21.5	8.09	8.38	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	-	-	6.0	B	9.0	A+	-	-	-	-	-	-
93	**20691A04A2**	21.5	21.5	8.79	8.87	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	8.0	A
94	**20691A04A3**	21.5	21.5	6.47	6.84	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	6.0	B	-	-	6.0	B	6.0	B	4.0	P	9.0	A+	8.0	A	9.0	A+	-	-	6.0	B	8.0	A	-	-	-	-	-	-
95	**20691A04A4**	21.5	21.5	8.58	8.15	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	10.0	O	-	-	8.0	A	9.0	A+	-	-	9.0	A+	-	-
96	**20691A04A5**	21.5	21.5	8.58	9.09	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	8.0	A	-	-	8.0	A	9.0	A+	9.0	A+	10.0	O	9.0	A+	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
97	**20691A04A6**	21.5	21.5	8.37	8.56	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	9.0	A+	9.0	A+	8.0	A	10.0	O	8.0	A	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
98	**20691A04A7**	21.5	21.5	7.3	7.43	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	9.0	A+	7.0	B+	10.0	O	-	-	7.0	B+	8.0	A	-	-	-	-	6.0	B
99	**20691A04A8**	21.5	21.5	9.14	9.16	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	9.0	A+	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
100	**20691A04A9**	21.5	21.5	7.88	7.86	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	-	-	-	-	8.0	A	8.0	A	7.0	B+	9.0	A+	8.0	A	10.0	O	6.0	B	-	-	9.0	A+	-	-	-	-	-	-
101	**20691A04B0**	21.5	21.5	8.72	8.85	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
102	**20691A04B1**	21.5	21.5	8.65	9.06	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
103	**20691A04B2**	21.5	21.5	7.93	8.24	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	8.0	A	-	-	7.0	B+	8.0	A	8.0	A	9.0	A+	7.0	B+	9.0	A+	-	-	8.0	A	8.0	A	-	-	-	-	-	-
104	**20691A04B3**	21.5	21.5	7.16	7.72	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	8.0	A	-	-	7.0	B+	6.0	B	7.0	B+	8.0	A	7.0	B+	9.0	A+	6.0	B	-	-	8.0	A	-	-	-	-	-	-
105	**20691A04B4**	21.5	18.5	6.35	7.35	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	5.0	C	8.0	A	8.0	A	7.0	B+	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	F
106	**20691A04B5**	21.5	21.5	7.65	7.82	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	8.0	A	7.0	B+	7.0	B+	8.0	A	7.0	B+	10.0	O	7.0	B+	-	-	8.0	A	-	-	-	-	8.0	A
107	**20691A04B6**	21.5	21.5	7.47	7.02	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	10.0	O	9.0	A+	10.0	O	6.0	B	-	-	9.0	A+	-	-	-	-	-	-
108	**20691A04B7**	21.5	21.5	8.09	8.56	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	8.0	A	10.0	O	10.0	O	8.0	A	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	6.0	B
109	**20691A04B8**	21.5	21.5	8.14	8.05	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	8.0	A	7.0	B+	8.0	A	10.0	O	8.0	A	10.0	O	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
110	**20691A04B9**	21.5	21.5	8.72	8.8	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
111	**20691A04C0**	21.5	21.5	6.74	6.64	-	-	-	-	-	-	-	-	6.0	B	0.0	P	-	-	-	-	-	-	6.0	B	6.0	B	6.0	B	9.0	A+	7.0	B+	10.0	O	6.0	B	-	-	8.0	A	-	-	-	-	-	-
112	**20691A04C2**	21.5	21.5	7.35	7.49	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	7.0	B+	-	-	7.0	B+	6.0	B	8.0	A	9.0	A+	7.0	B+	10.0	O	7.0	B+	-	-	7.0	B+	-	-	-	-	-	-
113	**20691A04C3**	21.5	21.5	7.6	7.38	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	7.0	B+	-	-	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
114	**20691A04C4**	21.5	21.5	7.26	7.71	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	6.0	B	7.0	B+	6.0	B	9.0	A+	7.0	B+	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
115	**20691A04C5**	21.5	21.5	8.58	8.76	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	9.0	A+
116	**20691A04C6**	21.5	21.5	8.79	8.57	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	10.0	O	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	8.0	A	-	-	9.0	A+	-	-	-	-	-	-
117	**20691A04C7**	21.5	21.5	8.4	8.55	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	9.0	A+	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	8.0	A	7.0	B+	-	-	-	-	-	-
118	**20691A04C8**	21.5	21.5	8.79	8.99	-	-	-	-	-	-	-	-	9.0	A+	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	8.0	A	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
119	**20691A04C9**	21.5	21.5	7.86	8.14	-	-	-	-	-	-	-	-	9.0	A+	0.0	P	-	-	-	-	-	-	8.0	A	8.0	A	7.0	B+	9.0	A+	8.0	A	9.0	A+	6.0	B	-	-	8.0	A	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - ELECTRONICS AND COMMUNICATION ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																									
						18ECE115		18ECE211		18HUM903		20CE301		20CE302		20CE901		20CSE301		20CSE302		20CST301		20ECE111		20ECE112		20ECE113		20ECE209		20ECE210		20ECE211		20ECE4M03		20ECE4M06		20ECE608		20EEE302		20MAT301		20ME301	
						Credits: 3.0		Credits: 1.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
120	**20691A04D0**	21.5	21.5	8.65	9.06	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
121	**20691A04D1**	21.5	21.5	8.09	7.72	-	-	-	-	-	-	8.0	A	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	7.0	B+	9.0	A+	9.0	A+	7.0	B+	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
122	**20691A04D2**	21.5	21.5	7.16	7.68	-	-	-	-	-	-	6.0	B	-	-	0.0	P	-	-	-	-	-	-	8.0	A	7.0	B+	6.0	B	9.0	A+	8.0	A	9.0	A+	6.0	B	-	-	8.0	A	-	-	-	-	-	-
123	**20691A04D3**	21.5	21.5	7.16	8.13	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	6.0	B	6.0	B	9.0	A+	7.0	B+	10.0	O	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
124	**20691A04D4**	21.5	15.5	5.28	5.89	-	-	-	-	-	-	0.0	F	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	6.0	B	-	F	9.0	A+	7.0	B+	9.0	A+	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
125	**20691A04D5**	21.5	21.5	7.6	8.16	-	-	-	-	-	-	-	-	-	-	0.0	P	6.0	B	-	-	-	-	8.0	A	7.0	B+	7.0	B+	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
126	**20691A04D6**	21.5	17.0	5.33	5.79	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	6.0	B	7.0	B+	6.0	B	9.0	A+	-	F	6.0	B	-	F	-	-	7.0	B+	-	-	-	-	-	-
127	**20691A04D7**	21.5	21.5	7.51	7.7	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	-	-	-	-	7.0	B+	6.0	B	6.0	B	10.0	O	9.0	A+	10.0	O	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
128	**20691A04D8**	21.5	21.5	7.3	7.53	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	10.0	O	7.0	B+	9.0	A+	6.0	B	-	-	8.0	A	-	-	-	-	-	-
129	**20691A04D9**	21.5	17.0	5.12	6.18	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	6.0	B	7.0	B+	6.0	B	9.0	A+	-	F	5.0	C	-	F	-	-	7.0	B+	-	-	-	-	6.0	B
130	**20691A04E0**	21.5	14.0	4.21	5.7	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	6.0	B	4.0	P	6.0	B	-	F	9.0	A+	-	F	10.0	O	-	F	-	-	7.0	B+	-	-	-	-	-	-
131	**20691A04E1**	21.5	21.5	7.93	8.05	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	7.0	B+	8.0	A	8.0	A	10.0	O	10.0	O	9.0	A+	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
132	**20691A04E2**	21.5	18.5	7.16	8.02	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	8.0	A	8.0	A	8.0	A	10.0	O	7.0	B+	9.0	A+	-	F	-	-	8.0	A	-	-	-	-	-	-
133	**20691A04E3**	21.5	21.5	8.7	8.76	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	10.0	O	8.0	A	9.0	A+	10.0	O	8.0	A	10.0	O	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
134	**20691A04E4**	21.5	21.5	8.07	8.18	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	7.0	B+	10.0	O	-	-	6.0	B	8.0	A	-	-	-	-	-	-
135	**20691A04E5**	21.5	18.5	5.67	6.53	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	6.0	B	6.0	B	6.0	B	5.0	C	9.0	A+	7.0	B+	10.0	O	-	F	-	-	7.0	B+	-	-	-	-	-	-
136	**20691A04E6**	21.5	21.5	8.51	8.42	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	8.0	A	9.0	A+	9.0	A+	8.0	A	10.0	O	8.0	A	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
137	**20691A04E7**	21.5	21.5	8.21	8.03	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	9.0	A+	6.0	B	-	-	8.0	A	-	-	-	-	8.0	A
138	**20691A04E8**	21.5	21.5	7.44	7.46	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	8.0	A	-	-	6.0	B	7.0	B+	6.0	B	10.0	O	10.0	O	10.0	O	-	-	6.0	B	8.0	A	-	-	-	-	-	-
139	**20691A04F0**	21.5	21.5	8.79	9.3	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	10.0	O	9.0	A+	9.0	A+	9.0	A+	8.0	A	9.0	A+	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
140	**20691A04F1**	21.5	21.5	6.0	5.0	-	-	-	-	-	-	-	-	6.0	B	0.0	P	-	-	-	-	-	-	6.0	B	5.0	C	4.0	P	9.0	A+	6.0	B	9.0	A+	-	-	6.0	B	6.0	B	-	-	-	-	-	-
141	**20691A04F2**	21.5	18.5	6.95	7.75	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	10.0	O	9.0	A+	10.0	O	-	F	-	-	8.0	A	-	-	-	-	-	-
142	**20691A04F3**	21.5	21.5	7.58	8.08	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	8.0	A	6.0	B	8.0	A	9.0	A+	7.0	B+	10.0	O	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
143	**20691A04F4**	21.5	12.5	3.79	5.46	-	-	-	-	-	-	-	-	6.0	B	0.0	P	-	-	-	-	-	-	5.0	C	-	F	-	F	9.0	A+	6.0	B	8.0	A	-	F	-	-	7.0	B+	-	-	-	-	-	-
144	**20691A04F5**	21.5	18.5	6.53	7.36	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	7.0	B+	6.0	B	8.0	A	10.0	O	8.0	A	9.0	A+	-	F	-	-	8.0	A	-	-	-	-	-	-
145	**20691A04F6**	21.5	21.5	7.51	7.57	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	8.0	A	7.0	B+	7.0	B+	9.0	A+	7.0	B+	9.0	A+	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
146	**20691A04F7**	21.5	21.5	7.51	7.65	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	7.0	B+	-	-	7.0	B+	7.0	B+	7.0	B+	9.0	A+	8.0	A	10.0	O	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
147	**20691A04F8**	21.5	21.5	8.77	9.06	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	9.0	A+	8.0	A	9.0	A+	10.0	O	9.0	A+	10.0	O	-	-	8.0	A	8.0	A	-	-	-	-	-	-
148	**20691A04F9**	21.5	21.5	8.44	7.77	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
149	**20691A04G0**	21.5	21.5	8.28	8.18	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	8.0	A	-	-	9.0	A+	7.0	B+	9.0	A+	9.0	A+	9.0	A+	10.0	O	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
150	**20691A04G1**	21.5	21.5	7.51	8.08	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	9.0	A+	7.0	B+	-	-	8.0	A	-	-	-	-	7.0	B+
151	**20691A04G2**	21.5	21.5	8.3	8.47	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	9.0	A+	7.0	B+	9.0	A+	10.0	O	10.0	O	9.0	A+	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
152	**20691A04G3**	21.5	21.5	7.67	7.38	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	8.0	A	6.0	B	8.0	A	9.0	A+	9.0	A+	10.0	O	6.0	B	-	-	9.0	A+	-	-	-	-	7.0	B+
153	**20691A04G4**	21.5	21.5	8.35	8.82	-	-	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	-	-	9.0	A+	7.0	B+	9.0	A+	9.0	A+	10.0	O	10.0	O	6.0	B	-	-	8.0	A	-	-	-	-	-	-
154	**20691A04G7**	21.5	12.5	3.7	5.06	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	4.0	P	6.0	B	-	F	9.0	A+	7.0	B+	9.0	A+	-	F	-	-	6.0	B	-	-	-	-	-	F
155	**20691A04G8**	21.5	21.5	7.65	7.49	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	8.0	A	-	-	7.0	B+	8.0	A	7.0	B+	9.0	A+	7.0	B+	9.0	A+	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
156	**20691A04G9**	21.5	18.5	6.4	7.58	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	6.0	B	-	-	7.0	B+	7.0	B+	7.0	B+	9.0	A+	8.0	A	10.0	O	-	F	-	-	8.0	A	-	-	-	-	-	-
157	**20691A04H0**	21.5	21.5	8.72	8.83	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	8.0	A	9.0	A+	9.0	A+	10.0	O	8.0	A	9.0	A+	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
158	**20691A04H1**	21.5	21.5	9.02	9.24	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	10.0	O	-	-	-	-	-	-
159	**20691A04H2**	21.5	21.5	6.95	6.99	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	6.0	B	6.0	B	7.0	B+	5.0	C	9.0	A+	9.0	A+	9.0	A+	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
160	**20691A04H3**	21.5	18.5	6.16	6.49	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	6.0	B	7.0	B+	8.0	A	6.0	B	9.0	A+	7.0	B+	9.0	A+	-	F	-	-	7.0	B+	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - ELECTRONICS AND COMMUNICATION ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																									
						18ECE115		18ECE211		18HUM903		20CE301		20CE302		20CE901		20CSE301		20CSE302		20CST301		20ECE111		20ECE112		20ECE113		20ECE209		20ECE210		20ECE211		20ECE4M03		20ECE4M06		20ECE608		20EEE302		20MAT301		20ME301	
						Credits: 3.0		Credits: 1.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
161	**20691A04H4**	21.5	21.5	8.49	8.86	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	8.0	A	10.0	O	9.0	A+	10.0	O	-	-	6.0	B	8.0	A	-	-	-	-	-	-
162	**20691A04H5**	21.5	21.5	8.23	8.42	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	8.0	A	-	-	7.0	B+	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
163	**20691A04H6**	21.5	21.5	8.63	8.24	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	10.0	O	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	9.0	A+	10.0	O	-	-	6.0	B	8.0	A	-	-	-	-	-	-
164	**20691A04H7**	21.5	21.5	7.19	6.96	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	6.0	B	-	-	6.0	B	8.0	A	6.0	B	9.0	A+	9.0	A+	9.0	A+	6.0	B	-	-	9.0	A+	-	-	-	-	-	-
165	**20691A04H8**	21.5	21.5	7.4	7.5	-	-	-	-	-	-	-	-	-	-	0.0	P	4.0	P	-	-	-	-	6.0	B	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	6.0	B	9.0	A+	-	-	-	-	-	-
166	**20691A04H9**	21.5	21.5	7.79	7.96	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	8.0	A	7.0	B+	8.0	A	7.0	B+	10.0	O	10.0	O	9.0	A+	6.0	B	-	-	8.0	A	-	-	-	-	-	-
167	**20691A04I0**	21.5	21.5	8.35	8.71	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	9.0	A+	10.0	O	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
168	**20691A04I1**	21.5	21.5	8.33	8.6	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	8.0	A	9.0	A+	8.0	A	10.0	O	9.0	A+	9.0	A+	-	-	7.0	B+	10.0	O	-	-	-	-	-	-
169	**20691A04I2**	21.5	21.5	8.09	8.67	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
170	**20691A04I3**	21.5	21.5	8.67	8.86	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	10.0	O	-	-	-	-	-	-
171	**20691A04I4**	21.5	21.5	8.42	8.58	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	8.0	A	10.0	O	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
172	**20691A04I5**	21.5	21.5	7.16	8.47	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	6.0	B	8.0	A	5.0	C	10.0	O	8.0	A	10.0	O	6.0	B	-	-	8.0	A	-	-	-	-	-	-
173	**20691A04I6**	21.5	21.5	8.88	9.21	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	10.0	O	-	-	-	-	-	-
174	**20691A04I8**	21.5	12.5	3.44	5.99	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	6.0	B	0.0	F	-	F	-	Ab	-	Ab	6.0	B	6.0	B	-	-	7.0	B+	-	-	5.0	C	-	-
175	**20691A04I9**	21.5	15.5	5.67	7.05	-	-	-	-	-	-	-	-	-	-	0.0	P	-	F	-	-	-	-	7.0	B+	8.0	A	-	F	9.0	A+	10.0	O	9.0	A+	7.0	B+	-	-	7.0	B+	-	-	-	-	-	-
176	**20691A04J0**	21.5	9.5	3.37	5.8	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	6.0	B	-	F	-	F	9.0	A+	9.0	A+	9.0	A+	-	-	-	F	7.0	B+	-	-	-	-	-	F
177	**20691A04J1**	21.5	21.5	8.0	8.41	-	-	-	-	-	-	-	-	-	-	0.0	P	6.0	B	-	-	-	-	8.0	A	9.0	A+	7.0	B+	10.0	O	9.0	A+	9.0	A+	-	-	8.0	A	8.0	A	-	-	-	-	-	-
178	**20691A04J4**	21.5	21.5	7.93	8.39	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	7.0	B+	8.0	A	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
179	**20691A04J5**	21.5	18.5	6.26	6.42	-	-	-	-	-	-	-	-	-	-	0.0	P	-	F	-	-	-	-	7.0	B+	8.0	A	6.0	B	7.0	B+	9.0	A+	9.0	A+	6.0	B	-	-	8.0	A	-	-	-	-	-	-
180	**20691A04J6**	21.5	21.5	9.21	9.26	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	9.0	A+
181	**20691A04J7**	21.5	21.5	7.23	7.28	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	6.0	B	6.0	B	8.0	A	6.0	B	10.0	O	9.0	A+	8.0	A	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
182	**20691A04J8**	21.5	18.5	5.19	6.16	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	5.0	C	5.0	C	-	F	9.0	A+	9.0	A+	7.0	B+	-	-	6.0	B	7.0	B+	-	-	4.0	P	-	-
183	**20691A04J9**	21.5	21.5	7.72	8.21	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	7.0	B+	9.0	A+	6.0	B	10.0	O	10.0	O	10.0	O	-	-	6.0	B	8.0	A	-	-	-	-	-	-
184	**20691A04K0**	21.5	21.5	7.65	7.05	-	-	-	-	-	-	-	-	-	-	0.0	P	5.0	C	-	-	-	-	8.0	A	8.0	A	7.0	B+	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
185	**20691A04K1**	21.5	21.5	7.6	7.33	-	-	-	-	-	-	-	-	-	-	0.0	P	6.0	B	-	-	-	-	8.0	A	8.0	A	6.0	B	10.0	O	10.0	O	9.0	A+	6.0	B	-	-	9.0	A+	-	-	-	-	-	-
186	**20691A04K2**	21.5	21.5	8.49	8.64	-	-	-	-	-	-	-	-	-	-	0.0	P	6.0	B	-	-	-	-	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	9.0	A+	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
187	**20691A04K3**	21.5	18.5	6.95	8.6	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	8.0	A	-	F	7.0	B+	10.0	O	10.0	O	9.0	A+	-	-	8.0	A	8.0	A	-	-	-	-	-	-
188	**20691A04K4**	21.5	21.5	8.12	8.34	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	9.0	A+	7.0	B+	9.0	A+	10.0	O	9.0	A+	10.0	O	-	-	7.0	B+	7.0	B+	-	-	-	-	-	-
189	**20691A04K5**	21.5	21.5	7.95	8.01	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	8.0	A	8.0	A	8.0	A	7.0	B+	10.0	O	9.0	A+	9.0	A+	6.0	B	-	-	9.0	A+	-	-	-	-	-	-
190	**20691A04K6**	21.5	21.5	8.56	8.99	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	6.0	B	-	-	8.0	A	-	-	-	-	-	-
191	**20691A04K8**	21.5	21.5	9.28	9.25	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	10.0	O	-	-	8.0	A	9.0	A+	-	-	10.0	O	-	-
192	**20691A04K9**	21.5	21.5	8.51	8.6	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	6.0	B	-	-	9.0	A+	-	-	9.0	A+	-	-
193	**20691A04L0**	21.5	21.5	8.86	9.04	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	8.0	A	10.0	O	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
194	**20691A04L1**	21.5	21.5	9.07	8.97	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
195	**20691A04L2**	21.5	21.5	7.09	8.06	-	-	-	-	-	-	-	-	-	-	0.0	P	5.0	C	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	10.0	O	8.0	A	9.0	A+	-	-	6.0	B	8.0	A	-	-	-	-	-	-
196	**20691A04L3**	21.5	21.5	8.07	8.55	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	9.0	A+	10.0	O	6.0	B	-	-	8.0	A	-	-	-	-	-	-
197	**20691A04L4**	21.5	21.5	8.21	8.51	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
198	**20691A04L5**	21.5	21.5	7.93	8.19	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
199	**20691A04L6**	21.5	21.5	7.84	7.68	-	-	-	-	-	-	-	-	-	-	0.0	P	6.0	B	-	-	-	-	9.0	A+	7.0	B+	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	7.0	B+	-	-	-	-	-	-
200	**20691A04L7**	21.5	21.5	7.3	6.65	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	8.0	A	6.0	B	10.0	O	9.0	A+	9.0	A+	6.0	B	-	-	8.0	A	6.0	B	-	-	-	-
201	**20691A04L8**	21.5	21.5	7.16	6.84	-	-	-	-	-	-	-	-	-	-	0.0	P	4.0	P	-	-	-	-	8.0	A	8.0	A	6.0	B	9.0	A+	10.0	O	9.0	A+	6.0	B	-	-	8.0	A	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - ELECTRONICS AND COMMUNICATION ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																									
						18ECE115		18ECE211		18HUM903		20CE301		20CE302		20CE901		20CSE301		20CSE302		20CST301		20ECE111		20ECE112		20ECE113		20ECE209		20ECE210		20ECE211		20ECE4M03		20ECE4M06		20ECE608		20EEE302		20MAT301		20ME301	
						Credits: 3.0		Credits: 1.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
202	**20691A04L9**	21.5	21.5	8.93	9.1	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	8.0	A	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
203	**20691A04M0**	21.5	21.5	9.12	9.18	-	-	-	-	-	-	8.0	A	-	-	0.0	P	-	-	-	-	-	-	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
204	**20691A04M1**	21.5	21.5	7.51	7.0	-	-	-	-	-	-	6.0	B	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	10.0	O	9.0	A+	10.0	O	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
205	**20691A04M3**	21.5	18.5	5.91	6.6	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	6.0	B	6.0	B	6.0	B	5.0	C	9.0	A+	10.0	O	9.0	A+	-	F	-	-	8.0	A	-	-	-	-	-	-
206	**20691A04M4**	21.5	21.5	8.28	8.35	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	6.0	B	-	-	8.0	A	-	-	-	-	-	-
207	**20691A04M5**	21.5	21.5	9.14	9.29	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	8.0	A	10.0	O	10.0	O	10.0	O	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
208	**20691A04M6**	21.5	21.5	8.21	8.17	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
209	**20691A04M7**	21.5	21.5	8.0	7.96	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	9.0	A+	7.0	B+	8.0	A	9.0	A+	9.0	A+	10.0	O	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
210	**20691A04M8**	21.5	21.5	8.79	9.5	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
211	**20691A04M9**	21.5	9.5	3.16	5.16	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	F	-	F	-	F	-	F	6.0	B	8.0	A	8.0	A	-	-	7.0	B+	7.0	B+	-	-	-	-	-	-
212	**20691A04N0**	21.5	21.5	9.4	9.13	-	-	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	-	-	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	-	-	8.0	A	8.0	A	-	-	-	-	-	-
213	**20691A04N1**	21.5	21.5	8.51	8.53	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
214	**20691A04N2**	21.5	21.5	8.86	8.31	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	9.0	A+	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
215	**20691A04N3**	21.5	21.5	8.07	7.76	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	8.0	A	8.0	A	-	-	-	-	-	-
216	**20691A04N4**	21.5	21.5	8.72	9.06	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
217	**20691A04N5**	21.5	21.5	7.3	7.16	-	-	-	-	-	-	-	-	-	-	0.0	P	6.0	B	-	-	-	-	7.0	B+	8.0	A	6.0	B	10.0	O	9.0	A+	9.0	A+	6.0	B	-	-	8.0	A	-	-	-	-	-	-
218	**20691A04N6**	21.5	21.5	9.49	9.48	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
219	**20691A04N7**	21.5	21.5	8.49	8.16	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	9.0	A+	10.0	O	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
220	**20691A04N8**	21.5	21.5	7.65	7.34	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	7.0	B+	8.0	A	7.0	B+	10.0	O	9.0	A+	10.0	O	6.0	B	-	-	8.0	A	-	-	-	-	-	-
221	**20691A04N9**	21.5	21.5	7.93	7.4	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	8.0	A	-	-	7.0	B+	9.0	A+	7.0	B+	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
222	**20691A04O0**	21.5	21.5	8.77	8.58	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	9.0	A+	9.0	A+	10.0	O	9.0	A+	10.0	O	9.0	A+	10.0	O	6.0	B	-	-	8.0	A	-	-	-	-	-	-
223	**20691A04O1**	21.5	21.5	7.7	8.0	-	-	-	-	-	-	-	-	-	-	0.0	P	6.0	B	-	-	-	-	7.0	B+	9.0	A+	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	7.0	B+	-	-	-	-	-	-
224	**20691A04O2**	21.5	21.5	8.65	8.57	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	-	-	-	-	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
225	**20691A04O3**	21.5	21.5	8.6	8.95	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	7.0	B+	-	-	-	-	-	-
226	**20691A04O4**	21.5	21.5	6.93	7.21	-	-	-	-	-	-	-	-	6.0	B	0.0	P	-	-	-	-	-	-	7.0	B+	7.0	B+	6.0	B	9.0	A+	9.0	A+	8.0	A	6.0	B	-	-	7.0	B+	-	-	-	-	-	-
227	**20691A04O5**	21.5	21.5	8.05	7.24	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	8.0	A	9.0	A+	8.0	A	10.0	O	9.0	A+	9.0	A+	7.0	B+	-	-	7.0	B+	-	-	-	-	-	-
228	**20691A04O6**	21.5	18.5	7.81	9.09	-	-	-	-	-	-	-	-	-	-	0.0	P	-	F	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
229	**20691A04O7**	21.5	21.5	8.86	8.29	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
230	**20691A04O8**	21.5	21.5	8.44	7.98	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
231	**20691A04O9**	21.5	21.5	8.14	7.4	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
232	**20691A04P0**	21.5	18.5	6.26	6.12	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	6.0	B	6.0	B	10.0	O	10.0	O	9.0	A+	6.0	B	-	-	8.0	A	-	-	-	-	-	F
233	**20691A04P1**	21.5	21.5	7.6	7.8	-	-	-	-	-	-	6.0	B	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	10.0	O	10.0	O	9.0	A+	6.0	B	-	-	9.0	A+	-	-	-	-	-	-
234	**20691A04P2**	21.5	21.5	8.88	8.54	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-
235	**20691A04P3**	21.5	21.5	9.07	8.55	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+	-	-	10.0	O	-	-
236	**20691A04P4**	21.5	21.5	8.88	8.97	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-
237	**20691A04P5**	21.5	21.5	9.58	9.54	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-
238	**20691A04P6**	21.5	4.5	1.53	4.6	-	-	-	-	-	-	-	-	6.0	B	0.0	P	-	-	-	-	-	-	-	F	-	F	-	F	10.0	O	-	F	-	F	-	F	-	-	-	Ab	-	-	-	-	-	-
239	**20691A04P7**	21.5	21.5	8.23	7.94	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	6.0	B	-	-	9.0	A+	-	-	-	-	-	-
240	**20691A04P8**	21.5	21.5	7.51	7.44	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	10.0	O	10.0	O	9.0	A+	-	-	6.0	B	8.0	A	-	-	-	-	-	-
241	**20691A04P9**	21.5	21.5	8.79	8.3	-	-	-	-	-	-	-	-	9.0	A+	0.0	P	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
242	**20691A04Q1**	21.5	21.5	8.47	7.92	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	-	-	-	-	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	6.0	B	-	-	10.0	O	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - ELECTRONICS AND COMMUNICATION ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																									
						18ECE115		18ECE211		18HUM903		20CE301		20CE302		20CE901		20CSE301		20CSE302		20CST301		20ECE111		20ECE112		20ECE113		20ECE209		20ECE210		20ECE211		20ECE4M03		20ECE4M06		20ECE608		20EEE302		20MAT301		20ME301	
						Credits: 3.0		Credits: 1.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
243	**20691A04Q2**	21.5	21.5	9.3	9.49	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	-	-	-	-	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-
244	**20691A04Q3**	21.5	21.5	9.02	9.09	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-
245	**20691A04Q4**	21.5	21.5	9.16	9.2	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-
246	**20691A04Q5**	21.5	21.5	8.07	7.81	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	-	-	-	-	7.0	B+	8.0	A	8.0	A	10.0	O	10.0	O	9.0	A+	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
247	**20691A04Q6**	21.5	21.5	9.44	9.12	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-
248	**20691A04Q7**	21.5	21.5	7.93	7.28	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	-	-	-	-	7.0	B+	8.0	A	8.0	A	10.0	O	9.0	A+	10.0	O	-	-	6.0	B	8.0	A	-	-	-	-	-	-
249	**20691A04Q8**	21.5	20.0	6.19	6.52	-	-	-	-	-	-	-	-	-	-	0.0	P	4.0	P	-	-	-	-	7.0	B+	6.0	B	7.0	B+	9.0	A+	-	F	9.0	A+	6.0	B	-	-	8.0	A	-	-	-	-	-	-
250	**20691A04Q9**	21.5	21.5	9.3	9.36	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-
251	**20691A04R0**	21.5	21.5	8.98	8.48	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	8.0	A	-	-	-	-	-	-
252	**20691A04R1**	21.5	21.5	9.3	9.04	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-
253	**20691A04R2**	21.5	21.5	8.37	8.14	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	6.0	B	-	-	9.0	A+	-	-	-	-	-	-
254	**20691A04R3**	21.5	21.5	7.07	7.2	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	6.0	B	7.0	B+	7.0	B+	7.0	B+	10.0	O	8.0	A	8.0	A	6.0	B	-	-	7.0	B+	-	-	-	-	-	-
255	**20691A04R4**	21.5	21.5	9.02	8.9	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	9.0	A+
256	**20691A04R5**	21.5	21.5	7.23	5.93	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	6.0	B	7.0	B+	6.0	B	10.0	O	10.0	O	9.0	A+	6.0	B	-	-	8.0	A	-	-	-	-	-	-
257	**20691A04R6**	21.5	18.5	6.4	6.59	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	6.0	B	6.0	B	7.0	B+	7.0	B+	10.0	O	10.0	O	9.0	A+	-	-	-	F	8.0	A	-	-	-	-	-	-
258	**20691A04R7**	21.5	21.5	8.65	8.94	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	8.0	A	-	-	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
259	**20691A04R8**	21.5	21.5	6.93	5.52	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	7.0	B+	-	-	6.0	B	6.0	B	6.0	B	9.0	A+	10.0	O	9.0	A+	-	-	6.0	B	7.0	B+	-	-	-	-	-	-
260	**20691A04R9**	21.5	21.5	9.16	9.0	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-
261	**20691A04S0**	21.5	21.5	8.14	7.91	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
262	**20691A04S1**	21.5	20.0	7.26	6.99	-	-	-	-	-	-	-	-	-	-	0.0	P	6.0	B	-	-	-	-	9.0	A+	7.0	B+	7.0	B+	10.0	O	10.0	O	-	F	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
263	**20691A04S2**	21.5	21.5	7.3	6.98	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	10.0	O	10.0	O	8.0	A	6.0	B	-	-	8.0	A	-	-	-	-	5.0	C
264	**20691A04S3**	21.5	21.5	8.79	8.91	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	8.0	A
265	**20691A04S4**	21.5	21.5	8.88	8.52	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	8.0	A
266	**20691A04S5**	21.5	21.5	8.6	8.52	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	10.0	O	-	-	-	-	-	-
267	**20691A04S6**	21.5	21.5	8.77	8.65	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	9.0	A+	7.0	B+	-	-	8.0	A	-	-	-	-	8.0	A
268	**20691A04S7**	21.5	21.5	7.93	7.46	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	9.0	A+	7.0	B+	-	-	8.0	A	-	-	-	-	6.0	B
269	**20691A04S8**	21.5	21.5	7.58	7.15	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	7.0	B+	-	-	7.0	B+	7.0	B+	7.0	B+	9.0	A+	10.0	O	9.0	A+	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
270	**21695A0401**	21.5	21.5	8.33	8.76	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	9.0	A+	9.0	A+	6.0	B	-	-	10.0	O	-	-	-	-	7.0	B+
271	**21695A0402**	21.5	21.5	8.65	8.59	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	7.0	B+	9.0	A+	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
272	**21695A0403**	21.5	20.0	6.91	6.3	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	8.0	A	7.0	B+	10.0	O	-	F	9.0	A+	6.0	B	-	-	9.0	A+	-	-	-	-	6.0	B
273	**21695A0404**	21.5	21.5	8.21	8.3	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	8.0	A	9.0	A+	9.0	A+	7.0	B+	10.0	O	7.0	B+	10.0	O	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
274	**21695A0405**	21.5	15.5	5.02	6.17	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	7.0	B+	-	-	6.0	B	-	F	4.0	P	10.0	O	7.0	B+	9.0	A+	-	F	-	-	9.0	A+	-	-	-	-	-	-
275	**21695A0406**	21.5	18.5	6.33	7.19	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	7.0	B+	-	-	7.0	B+	6.0	B	6.0	B	10.0	O	9.0	A+	9.0	A+	-	F	-	-	8.0	A	-	-	-	-	-	-
276	**21695A0408**	21.5	21.5	9.3	9.24	-	-	-	-	-	-	-	-	9.0	A+	0.0	P	-	-	-	-	-	-	10.0	O	9.0	A+	10.0	O	10.0	O	8.0	A	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-
277	**21695A0409**	21.5	21.5	7.88	6.89	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	10.0	O	7.0	B+	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
278	**21695A0410**	21.5	21.5	9.44	9.26	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	10.0	O	9.0	A+	10.0	O	8.0	A	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	10.0	O	-	-
279	**21695A0411**	21.5	21.5	9.0	8.95	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	9.0	A+	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
280	**21695A0412**	21.5	21.5	7.47	7.48	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	9.0	A+	7.0	B+	9.0	A+	-	-	7.0	B+	6.0	B	-	-	-	-	-	-
281	**21695A0413**	21.5	18.5	6.4	6.7	-	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	10.0	O	8.0	A	9.0	A+	-	F	-	-	8.0	A	-	-	-	-	-	-
282	**21695A0414**	21.5	21.5	6.51	6.95	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	5.0	C	-	-	7.0	B+	6.0	B	5.0	C	10.0	O	7.0	B+	9.0	A+	6.0	B	-	-	7.0	B+	-	-	-	-	-	-
283	**21695A0415**	21.5	21.5	7.07	7.26	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	7.0	B+	6.0	B	7.0	B+	10.0	O	7.0	B+	9.0	A+	6.0	B	-	-	7.0	B+	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - ELECTRONICS AND COMMUNICATION ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																									
						18ECE115		18ECE211		18HUM903		20CE301		20CE302		20CE901		20CSE301		20CSE302		20CST301		20ECE111		20ECE112		20ECE113		20ECE209		20ECE210		20ECE211		20ECE4M03		20ECE4M06		20ECE608		20EEE302		20MAT301		20ME301	
						Credits: 3.0		Credits: 1.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
284	**21695A0416**	21.5	21.5	7.44	7.2	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	7.0	B+	-	-	8.0	A	7.0	B+	6.0	B	10.0	O	9.0	A+	9.0	A+	6.0	B	-	-	8.0	A	-	-	-	-	-	-
285	**21695A0417**	21.5	21.5	7.42	7.76	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	8.0	A	-	-	8.0	A	6.0	B	7.0	B+	9.0	A+	9.0	A+	9.0	A+	6.0	B	-	-	7.0	B+	-	-	-	-	-	-
286	**21695A0418**	21.5	21.5	9.49	9.5	-	-	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	-	-	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
287	**21695A0419**	21.5	21.5	6.63	6.92	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	6.0	B	-	-	7.0	B+	6.0	B	5.0	C	8.0	A	8.0	A	9.0	A+	-	-	7.0	B+	6.0	B	-	-	-	-	-	-
288	**21695A0421**	21.5	21.5	8.63	9.0	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	8.0	A	8.0	A	10.0	O	8.0	A	10.0	O	9.0	A+	10.0	O	-	-	8.0	A	8.0	A	-	-	-	-	-	-
289	**21695A0422**	21.5	21.5	8.35	8.14	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
290	**21695A0423**	21.5	18.5	6.88	7.24	-	-	-	-	-	-	-	-	-	-	0.0	P	6.0	B	-	-	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	9.0	A+	-	F	-	-	8.0	A	-	-	-	-	-	-
291	**21695A0424**	21.5	21.5	8.49	8.85	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
292	**21695A0425**	21.5	21.5	8.63	8.85	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	9.0	A+	8.0	A	10.0	O	9.0	A+	10.0	O	10.0	O	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
293	**21695A0426**	21.5	21.5	7.86	7.84	-	-	-	-	-	-	-	-	-	-	0.0	P	6.0	B	-	-	-	-	8.0	A	9.0	A+	8.0	A	9.0	A+	9.0	A+	10.0	O	-	-	6.0	B	8.0	A	-	-	-	-	-	-
294	**21695A0427**	21.5	18.5	6.23	6.65	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	7.0	B+	-	-	7.0	B+	7.0	B+	6.0	B	9.0	A+	8.0	A	9.0	A+	-	F	-	-	7.0	B+	-	-	-	-	-	-
295	**21695A0428**	21.5	21.5	9.23	9.2	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	10.0	O	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	8.0	A	10.0	O	-	-	-	-	-	-
296	**21695A0429**	21.5	21.5	9.58	9.45	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-
297	**21695A0430**	21.5	21.5	7.65	7.34	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	8.0	A	8.0	A	8.0	A	7.0	B+	10.0	O	-	-	6.0	B	8.0	A	-	-	-	-	6.0	B
298	**21695A0431**	21.5	21.5	8.51	8.87	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
299	**21695A0432**	21.5	21.5	9.16	9.27	-	-	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-
300	**21695A0433**	21.5	21.5	9.35	9.18	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
301	**21695A0434**	21.5	21.5	8.44	8.4	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	8.0	A	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
302	**21695A0435**	21.5	21.5	9.07	9.15	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
303	**21695A0436**	21.5	21.5	8.86	8.82	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+	-	-	9.0	A+	-	-
304	**21695A0437**	21.5	18.5	6.07	6.87	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	8.0	A	6.0	B	10.0	O	7.0	B+	10.0	O	-	-	-	F	6.0	B	-	-	5.0	C	-	-
305	**21695A0438**	21.5	18.5	5.81	6.18	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	7.0	B+	-	-	6.0	B	6.0	B	6.0	B	9.0	A+	8.0	A	7.0	B+	-	F	-	-	7.0	B+	-	-	-	-	-	-
306	**21695A0439**	21.5	21.5	8.51	8.34	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	8.0	A	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
307	**21695A0440**	21.5	21.5	7.6	7.01	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	7.0	B+	10.0	O	10.0	O	9.0	A+	6.0	B	-	-	9.0	A+	-	-	-	-	-	-
308	**21695A0441**	21.5	21.5	6.86	6.26	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	6.0	B	6.0	B	6.0	B	6.0	B	10.0	O	10.0	O	9.0	A+	-	-	6.0	B	7.0	B+	-	-	-	-	-	-
309	**21695A0443**	21.5	21.5	8.44	7.81	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	8.0	A	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
310	**21695A0444**	21.5	21.5	6.56	6.27	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	5.0	C	-	-	6.0	B	7.0	B+	5.0	C	10.0	O	9.0	A+	9.0	A+	6.0	B	-	-	6.0	B	-	-	-	-	-	-
311	**21695A0445**	21.5	21.5	8.51	8.73	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	8.0	A	-	-	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
312	**21695A0446**	21.5	21.5	7.86	7.6	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	8.0	A	-	-	7.0	B+	7.0	B+	7.0	B+	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
313	**21695A0447**	21.5	21.5	8.6	8.58	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	8.0	A	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-
314	**21695A0448**	21.5	21.5	8.79	8.61	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	9.0	A+	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
315	**21695A0449**	21.5	21.5	8.23	7.85	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	8.0	A	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
316	**21695A0450**	21.5	21.5	8.23	8.16	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	8.0	A	-	-	9.0	A+	9.0	A+	8.0	A	9.0	A+	8.0	A	9.0	A+	-	-	6.0	B	9.0	A+	-	-	-	-	-	-
317	**21695A0451**	21.5	21.5	8.65	8.45	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
318	**21695A0452**	21.5	21.5	8.42	8.69	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	8.0	A	9.0	A+	9.0	A+	10.0	O	8.0	A	10.0	O	-	-	8.0	A	8.0	A	-	-	-	-	-	-
319	**21695A0453**	21.5	21.5	8.47	8.39	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-	8.0	A	-	-
320	**21695A0454**	21.5	21.5	8.49	8.31	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	8.0	A	9.0	A+	-	-	8.0	A	8.0	A	-	-	-	-	-	-
321	**21695A0455**	21.5	21.5	8.16	7.92	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	8.0	A	9.0	A+	7.0	B+	9.0	A+	7.0	B+	9.0	A+	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
322	**21695A0456**	21.5	21.5	7.58	7.57	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	8.0	A	8.0	A	6.0	B	10.0	O	8.0	A	10.0	O	6.0	B	-	-	8.0	A	-	-	-	-	-	-
323	**21695A0457**	21.5	21.5	8.93	8.74	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	10.0	O	9.0	A+	9.0	A+	10.0	O	8.0	A	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
324	**21695A0458**	21.5	21.5	8.51	8.15	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	8.0	A	9.0	A+	9.0	A+	8.0	A	10.0	O	8.0	A	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - ELECTRONICS AND COMMUNICATION ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																									
						18ECE115		18ECE211		18HUM903		20CE301		20CE302		20CE901		20CSE301		20CSE302		20CST301		20ECE111		20ECE112		20ECE113		20ECE209		20ECE210		20ECE211		20ECE4M03		20ECE4M06		20ECE608		20EEE302		20MAT301		20ME301	
						Credits: 3.0		Credits: 1.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
325	**21695A0459**	21.5	21.5	8.86	8.8	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	8.0	A	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
326	**21695A0460**	21.5	21.5	8.72	8.12	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	9.0	A+	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
327	**21695A0461**	21.5	21.5	8.72	8.95	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	10.0	O	9.0	A+	9.0	A+	10.0	O	7.0	B+	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
328	**21695A0462**	21.5	21.5	9.07	9.01	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	8.0	A	10.0	O	10.0	O	10.0	O	10.0	O	8.0	A	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
329	**21695A0463**	21.5	21.5	7.26	7.37	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	6.0	B	7.0	B+	8.0	A	6.0	B	10.0	O	7.0	B+	9.0	A+	-	-	6.0	B	9.0	A+	-	-	-	-	-	-
330	**21695A0464**	21.5	18.5	6.95	7.73	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	8.0	A	10.0	O	-	F	-	-	8.0	A	-	-	-	-	7.0	B+
331	**21695A0465**	21.5	21.5	9.0	8.34	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	9.0	A+	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
332	**21695A0466**	21.5	21.5	8.72	8.69	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	8.0	A	-	-	10.0	O	8.0	A	9.0	A+	10.0	O	8.0	A	9.0	A+	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
333	**21695A0467**	21.5	21.5	7.98	7.9	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	9.0	A+	8.0	A	8.0	A	10.0	O	7.0	B+	10.0	O	-	-	7.0	B+	7.0	B+	-	-	-	-	-	-
334	**21695A0468**	21.5	21.5	7.56	7.53	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	8.0	A	8.0	A	7.0	B+	10.0	O	7.0	B+	10.0	O	-	-	6.0	B	7.0	B+	-	-	-	-	-	-
335	**21695A0469**	21.5	21.5	7.47	7.28	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	6.0	B	8.0	A	7.0	B+	7.0	B+	10.0	O	7.0	B+	10.0	O	-	-	6.0	B	9.0	A+	-	-	-	-	-	-
336	**21695A0470**	21.5	21.5	8.93	8.67	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	8.0	A	10.0	O	9.0	A+	9.0	A+	10.0	O	8.0	A	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
337	**21695A0471**	21.5	21.5	8.16	7.85	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	9.0	A+	8.0	A	8.0	A	10.0	O	8.0	A	9.0	A+	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
338	**21695A0472**	21.5	21.5	7.88	8.16	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	8.0	A	7.0	B+	6.0	B	10.0	O	8.0	A	9.0	A+	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
339	**21695A0473**	21.5	21.5	8.72	8.35	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	10.0	O	9.0	A+	8.0	A	10.0	O	9.0	A+	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
340	**21695A0474**	21.5	18.5	6.33	6.7	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	5.0	C	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	10.0	O	-	F	-	-	8.0	A	-	-	-	-	-	-
341	**21695A0475**	21.5	21.5	8.21	7.31	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	-	-	-	-	8.0	A	8.0	A	7.0	B+	10.0	O	8.0	A	9.0	A+	-	-	9.0	A+	8.0	A	-	-	-	-	-	-
342	**21695A0476**	21.5	21.5	8.79	8.41	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	8.0	A	10.0	O	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-
343	**21695A0477**	21.5	21.5	8.65	8.73	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	8.0	A	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
344	**21695A0478**	21.5	18.5	6.63	6.45	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	9.0	A+	8.0	A	10.0	O	-	F	-	-	9.0	A+	-	-	-	-	-	-
345	**21695A0479**	21.5	21.5	8.0	7.7	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	9.0	A+	8.0	A	8.0	A	10.0	O	7.0	B+	9.0	A+	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
346	**21695A0480**	21.5	21.5	8.42	8.02	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	8.0	A	10.0	O	6.0	B	-	-	8.0	A	-	-	-	-	-	-
347	**21695A0481**	21.5	21.5	9.42	9.37	-	-	-	-	-	-	-	-	-	-	0.0	P	10.0	O	-	-	-	-	10.0	O	10.0	O	9.0	A+	10.0	O	9.0	A+	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
348	**21695A0482**	21.5	21.5	8.0	7.98	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	9.0	A+	8.0	A	8.0	A	10.0	O	8.0	A	10.0	O	6.0	B	-	-	8.0	A	-	-	-	-	-	-
349	**21695A0483**	21.5	21.5	7.4	7.73	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	7.0	B+	-	-	7.0	B+	7.0	B+	7.0	B+	9.0	A+	8.0	A	9.0	A+	-	-	6.0	B	9.0	A+	-	-	-	-	-	-
350	**21695A0484**	21.5	21.5	8.93	9.09	-	-	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	8.0	A	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
351	**21695A0485**	21.5	21.5	8.72	8.69	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	10.0	O	8.0	A	10.0	O	8.0	A	9.0	A+	-	-	8.0	A	9.0	A+	-	-	-	-	8.0	A
352	**21695A0486**	21.5	21.5	7.74	8.11	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	8.0	A	7.0	B+	7.0	B+	10.0	O	9.0	A+	10.0	O	-	-	6.0	B	9.0	A+	-	-	-	-	-	-
353	**21695A0487**	21.5	21.5	7.49	7.65	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	8.0	A	8.0	A	7.0	B+	10.0	O	7.0	B+	7.0	B+	7.0	B+	-	-	7.0	B+	-	-	-	-	-	-
354	**21695A0488**	21.5	21.5	8.37	8.74	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	8.0	A	8.0	A	8.0	A	10.0	O	8.0	A	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
355	**21695A0489**	21.5	21.5	8.16	8.19	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	8.0	A	-	-	8.0	A	8.0	A	7.0	B+	10.0	O	9.0	A+	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
356	**21695A0490**	21.5	21.5	8.0	8.46	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	8.0	A	8.0	A	8.0	A	10.0	O	7.0	B+	9.0	A+	-	-	6.0	B	8.0	A	-	-	-	-	-	-
357	**21695A0491**	21.5	21.5	9.35	9.26	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	8.0	A	-	-	9.0	A+	-	-	10.0	O	-	-
358	**21695A0492**	21.5	21.5	8.72	8.77	-	-	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	8.0	A	9.0	A+	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
359	**21695A0493**	21.5	21.5	9.3	9.35	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	9.0	A+	10.0	O	10.0	O	9.0	A+	10.0	O	8.0	A	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-
360	**21695A0494**	21.5	21.5	8.79	8.7	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	10.0	O	9.0	A+	8.0	A	10.0	O	8.0	A	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
361	**21695A0495**	21.5	21.5	9.14	9.15	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	8.0	A	10.0	O	9.0	A+	9.0	A+	10.0	O	9.0	A+	10.0	O	-	-	9.0	A+	9.0	A+	-	-	-	-	-	-
362	**21695A0496**	21.5	21.5	7.44	7.67	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	7.0	B+	7.0	B+	6.0	B	8.0	A	9.0	A+	7.0	B+	10.0	O	-	-	7.0	B+	8.0	A	-	-	-	-	-	-
363	**21695A0497**	21.5	21.5	7.72	7.12	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	7.0	B+	9.0	A+	10.0	O	10.0	O	10.0	O	6.0	B	-	-	8.0	A	-	-	-	-	6.0	B
364	**21695A0498**	21.5	21.5	8.28	8.32	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	8.0	A	9.0	A+	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
365	**21695A0499**	21.5	21.5	8.23	7.98	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A	-	-	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	7.0	B+	9.0	A+	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - ELECTRONICS AND COMMUNICATION ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																									
						18ECE115		18ECE211		18HUM903		20CE301		20CE302		20CE901		20CSE301		20CSE302		20CST301		20ECE111		20ECE112		20ECE113		20ECE209		20ECE210		20ECE211		20ECE4M03		20ECE4M06		20ECE608		20EEE302		20MAT301		20ME301	
						Credits: 3.0		Credits: 1.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
366	**21695A04A0**	21.5	21.5	8.51	8.06	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	8.0	A	9.0	A+	6.0	B	-	-	9.0	A+	-	-	-	-	-	-
367	**21695A04A1**	21.5	21.5	9.56	9.47	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	10.0	O	-	-	10.0	O	10.0	O	10.0	O	10.0	O	9.0	A+	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
368	**21695A04A2**	21.5	21.5	8.93	8.96	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	10.0	O	-	-	8.0	A	10.0	O	8.0	A	10.0	O	9.0	A+	9.0	A+	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
369	**21695A04A3**	21.5	18.5	6.53	7.26	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	7.0	B+	-	-	8.0	A	6.0	B	7.0	B+	10.0	O	8.0	A	9.0	A+	-	F	-	-	8.0	A	-	-	-	-	-	-
370	**21695A04A4**	21.5	21.5	8.16	7.61	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	9.0	A+	8.0	A	7.0	B+	10.0	O	8.0	A	9.0	A+	-	-	6.0	B	9.0	A+	-	-	-	-	-	-
371	**21695A04A5**	21.5	21.5	8.65	8.89	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	8.0	A	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	7.0	B+
372	**21695A04A6**	21.5	21.5	7.16	6.6	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	6.0	B	8.0	A	6.0	B	6.0	B	9.0	A+	8.0	A	9.0	A+	7.0	B+	-	-	8.0	A	-	-	-	-	-	-
373	**21695A04A7**	21.5	21.5	8.93	9.19	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	9.0	A+
374	**21695A04A8**	21.5	21.5	9.49	9.44	-	-	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	-	-	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-
375	**21695A04A9**	21.5	21.5	8.65	8.45	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	8.0	A	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
376	**21695A04B1**	21.5	21.5	8.14	8.05	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	7.0	B+	9.0	A+	6.0	B	-	-	8.0	A	-	-	-	-	8.0	A
377	**21695A04B2**	21.5	21.5	6.86	6.97	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	8.0	A	6.0	B	9.0	A+	8.0	A	8.0	A	6.0	B	-	-	7.0	B+	-	-	-	-	5.0	C
378	**21695A04B3**	21.5	21.5	7.49	7.94	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	6.0	B	8.0	A	8.0	A	8.0	A	10.0	O	7.0	B+	9.0	A+	6.0	B	-	-	7.0	B+	-	-	-	-	-	-
379	**21695A04B4**	21.5	21.5	9.23	9.26	-	-	-	-	-	-	-	-	-	-	0.0	P	9.0	A+	-	-	-	-	10.0	O	10.0	O	9.0	A+	10.0	O	9.0	A+	10.0	O	7.0	B+	-	-	10.0	O	-	-	-	-	-	-
380	**21695A04B5**	21.5	21.5	7.14	7.3	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	7.0	B+	-	-	8.0	A	7.0	B+	6.0	B	9.0	A+	8.0	A	8.0	A	6.0	B	-	-	7.0	B+	-	-	-	-	-	-
381	**21695A04B6**	21.5	18.5	6.98	7.28	-	-	-	-	-	-	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	8.0	A	8.0	A	7.0	B+	10.0	O	8.0	A	10.0	O	-	F	-	-	9.0	A+	-	-	-	-	-	-
382	**21695A04B7**	21.5	21.5	8.3	8.57	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	8.0	A	-	-	8.0	A	9.0	A+	9.0	A+	10.0	O	8.0	A	9.0	A+	6.0	B	-	-	9.0	A+	-	-	-	-	-	-

Course Code	Course Name
18ECE115	COMPUTER COMMUNICATION NETWORKS
18ECE211	COMPUTER COMMUNICATION NETWORKS LABORATORY
18HUM903	ESSENCE OF INDIAN TRADITIONAL KNOWLEDGE
20CE301	GROUND IMPROVEMENT TECHNIQUES
20CE302	ENVIRONMENTAL IMPACT ASSESSMENT
20CE901	DISASTER MANAGEMENT
20CSE301	JAVA PROGRAMMING
20CSE302	MULTIMEDIA TECHNOLOGIES
20CST301	OPERATING SYSTEMS
20ECE111	VLSI DESIGN
20ECE112	ANTENNA AND MICROWAVE ENGINEERING
20ECE113	DIGITAL COMMUNICATION
20ECE209	VLSI DESIGN LABORATORY
20ECE210	MICROWAVE ENGINEERING LABORATORY
20ECE211	DIGITAL COMMUNICATION LABORATORY
20ECE4M03	COMPUTER NETWORKS AND INTERNET PROTOCOL (MOOC)
20ECE4M06	COMMUNICATION NETWORKS (MOOC)
20ECE608	INTERNET OF THINGS (SC)
20EEE302	INTRODUCTION TO MEMS
20MAT301	ADVANCED NUMERICAL METHODS
20ME301	MATERIALS SCIENCE FOR ENGINEERS

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

MADANAPALLE INSTITUTE OF TECHNOLOGY AND SCIENCE

(UGC - Autonomous)
(Approved by AICTE, New Delhi & Affiliated to JNTUA,Ananthapuramu)
P.B NO:14,Angallu,Kadiri Road,Madanapalle - 517325, Chittor Dist,A.P.

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - COMPUTER SCIENCE & ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						20CE301		20CE302		20CSE113		20CSE114		20CSE115		20CSE211		20CSE212		20CSE213		20CSE4M04		20CSE4M08		20CSE606		20ECE301		20ECE302		20EEE302		20HUM902		20MAT301		20ME301	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
1	**20691A0501**	21.5	21.5	8.26	8.1	7.0	B+	-	-	7.0	B+	9.0	A+	8.0	A	10.0	O	9.0	A+	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
2	**20691A0502**	21.5	21.5	7.33	7.12	6.0	B	-	-	5.0	C	8.0	A	7.0	B+	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	-	-
3	**20691A0503**	21.5	21.5	9.44	8.84	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	10.0	O	-	-
4	**20691A0504**	21.5	21.5	9.16	9.32	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	9.0	A+	-	-
5	**20691A0505**	21.5	21.5	7.84	7.28	-	-	-	-	7.0	B+	8.0	A	7.0	B+	9.0	A+	10.0	O	10.0	O	-	-	6.0	B	10.0	O	-	-	-	-	-	-	0.0	P	7.0	B+	-	-
6	**20691A0506**	21.5	18.5	7.81	8.25	-	-	-	-	9.0	A+	10.0	O	8.0	A	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	-	F	-	-
7	**20691A0507**	21.5	21.5	9.02	9.25	-	-	-	-	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	8.0	A
8	**20691A0508**	21.5	21.5	9.58	9.76	-	-	-	-	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	10.0	O	-	-
9	**20691A0509**	21.5	21.5	9.02	8.73	-	-	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	9.0	A+	-	-
10	**20691A0510**	21.5	21.5	9.3	9.02	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	10.0	O	-	-
11	**20691A0511**	21.5	21.5	7.74	8.36	-	-	-	-	7.0	B+	8.0	A	7.0	B+	10.0	O	9.0	A+	10.0	O	-	-	6.0	B	9.0	A+	-	-	-	-	-	-	0.0	P	7.0	B+	-	-
12	**20691A0512**	21.5	21.5	9.58	9.21	-	-	-	-	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	10.0	O	-	-
13	**20691A0513**	21.5	21.5	9.51	9.5	-	-	-	-	9.0	A+	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	10.0	O	-	-
14	**20691A0514**	21.5	21.5	9.3	9.39	-	-	-	-	9.0	A+	10.0	O	8.0	A	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	10.0	O	-	-
15	**20691A0515**	21.5	21.5	8.88	8.56	-	-	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	0.0	P	10.0	O	-	-
16	**20691A0516**	21.5	21.5	9.44	8.83	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	10.0	O	-	-
17	**20691A0518**	21.5	21.5	9.58	9.59	-	-	-	-	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	10.0	O	-	-
18	**20691A0519**	21.5	21.5	9.86	9.56	-	-	-	-	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	10.0	O	-	-
19	**20691A0520**	21.5	15.5	4.93	6.0	-	-	-	-	-	F	5.0	C	-	F	9.0	A+	8.0	A	9.0	A+	-	-	6.0	B	8.0	A	-	-	-	-	-	-	0.0	P	6.0	B	-	-
20	**20691A0521**	21.5	21.5	7.09	5.41	-	-	-	-	6.0	B	5.0	C	7.0	B+	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	8.0	A	-	-	-	-	7.0	B+	0.0	P	-	-	-	-
21	**20691A0522**	21.5	21.5	8.93	8.46	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	8.0	A	-	-
22	**20691A0523**	21.5	21.5	9.44	8.95	-	-	-	-	10.0	O	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	10.0	O	-	-
23	**20691A0524**	21.5	21.5	9.77	9.5	-	-	-	-	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	9.0	A+	-	-	-	-	-	-	0.0	P	10.0	O	-	-
24	**20691A0525**	21.5	21.5	9.58	8.78	-	-	-	-	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	10.0	O	-	-
25	**20691A0526**	21.5	21.5	8.58	8.63	-	-	-	-	9.0	A+	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	9.0	A+	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	7.0	B+
26	**20691A0527**	21.5	21.5	8.51	8.07	-	-	-	-	9.0	A+	7.0	B+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	8.0	A	-	-
27	**20691A0528**	21.5	15.5	5.35	5.48	-	-	-	-	-	F	5.0	C	6.0	B	9.0	A+	9.0	A+	10.0	O	-	-	8.0	A	8.0	A	-	-	-	-	-	-	0.0	P	-	-	-	F
28	**20691A0529**	21.5	21.5	7.74	7.95	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	10.0	O	9.0	A+	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	6.0	B
29	**20691A0530**	21.5	21.5	9.23	9.02	-	-	-	-	10.0	O	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	9.0	A+	-	-
30	**20691A0531**	21.5	21.5	8.88	9.08	-	-	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	8.0	A
31	**20691A0532**	21.5	21.5	8.51	8.78	-	-	-	-	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	7.0	B+
32	**20691A0533**	21.5	21.5	8.23	8.63	-	-	-	-	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	7.0	B+
33	**20691A0534**	21.5	21.5	9.42	9.13	-	-	-	-	10.0	O	10.0	O	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	9.0	A+	9.0	A+	-	-	-	-	-	-	0.0	P	10.0	O	-	-
34	**20691A0535**	21.5	21.5	8.65	7.46	-	-	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	8.0	A	-	-
35	**20691A0536**	21.5	21.5	9.02	8.29	-	-	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	9.0	A+
36	**20691A0537**	21.5	21.5	9.3	8.03	-	-	-	-	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	9.0	A+	-	-
37	**20691A0538**	21.5	21.5	9.16	8.62	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	9.0	A+

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - COMPUTER SCIENCE & ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						20CE301		20CE302		20CSE113		20CSE114		20CSE115		20CSE211		20CSE212		20CSE213		20CSE4M04		20CSE4M08		20CSE606		20ECE301		20ECE302		20EEE302		20HUM902		20MAT301		20ME301	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
38	**20691A0539**	21.5	21.5	9.07	8.57	-	-	-	-	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	9.0	A+	-	-	-	-	-	-	0.0	P	10.0	O	-	-
39	**20691A0540**	21.5	21.5	8.81	8.21	-	-	-	-	9.0	A+	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	8.0	A	-	-
40	**20691A0541**	21.5	21.5	8.23	7.66	-	-	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-	0.0	P	8.0	A	-	-
41	**20691A0542**	21.5	21.5	9.23	9.13	-	-	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	9.0	A+	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	10.0	O	-	-
42	**20691A0543**	21.5	21.5	9.58	9.6	-	-	-	-	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	10.0	O	-	-
43	**20691A0544**	21.5	21.5	8.37	8.33	-	-	-	-	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	7.0	B+	-	-
44	**20691A0545**	21.5	21.5	8.58	8.46	8.0	A	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	9.0	A+	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	-	-
45	**20691A0546**	21.5	21.5	9.3	8.72	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	9.0	A+	-	-
46	**20691A0547**	21.5	21.5	9.3	9.47	-	-	-	-	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	9.0	A+	-	-
47	**20691A0548**	21.5	21.5	9.16	8.36	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	9.0	A+	-	-
48	**20691A0549**	21.5	21.5	7.33	6.45	-	-	-	-	6.0	B	7.0	B+	7.0	B+	10.0	O	9.0	A+	10.0	O	6.0	B	-	-	9.0	A+	-	-	-	-	-	-	0.0	P	6.0	B	-	-
49	**20691A0550**	21.5	21.5	9.44	9.08	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	10.0	O	-	-
50	**20691A0551**	21.5	21.5	9.16	8.91	-	-	-	-	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	9.0	A+	-	-
51	**20691A0552**	21.5	21.5	8.79	8.43	-	-	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	9.0	A+	-	-
52	**20691A0553**	21.5	21.5	9.0	8.54	-	-	-	-	9.0	A+	8.0	A	9.0	A+	10.0	O	9.0	A+	10.0	O	-	-	9.0	A+	9.0	A+	-	-	-	-	-	-	0.0	P	9.0	A+	-	-
53	**20691A0554**	21.5	21.5	8.09	6.82	-	-	-	-	8.0	A	7.0	B+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-	0.0	P	6.0	B	-	-
54	**20691A0555**	21.5	21.5	8.09	7.85	7.0	B+	-	-	9.0	A+	8.0	A	7.0	B+	9.0	A+	9.0	A+	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	-	-
55	**20691A0556**	21.5	21.5	9.3	9.1	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	10.0	O	-	-
56	**20691A0557**	21.5	21.5	8.51	8.19	-	-	-	-	8.0	A	7.0	B+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-	0.0	P	10.0	O	-	-
57	**20691A0558**	21.5	21.5	8.65	8.06	-	-	-	-	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	7.0	B+	-	-
58	**20691A0559**	21.5	18.5	6.91	6.74	-	-	-	-	8.0	A	7.0	B+	7.0	B+	9.0	A+	10.0	O	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-	0.0	P	-	F	-	-
59	**20691A0560**	21.5	21.5	7.6	6.74	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	9.0	A+	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	6.0	B
60	**20691A0561**	21.5	21.5	9.16	9.18	-	-	9.0	A+	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
61	**20691A0562**	21.5	21.5	9.16	8.44	-	-	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
62	**20691A0563**	21.5	21.5	8.58	7.87	-	-	9.0	A+	8.0	A	8.0	A	9.0	A+	10.0	O	9.0	A+	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	-	-
63	**20691A0564**	21.5	21.5	7.63	7.22	-	-	7.0	B+	7.0	B+	8.0	A	7.0	B+	10.0	O	10.0	O	10.0	O	-	-	6.0	B	7.0	B+	-	-	-	-	-	-	0.0	P	-	-	-	-
64	**20691A0565**	21.5	21.5	9.0	8.26	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	-	-
65	**20691A0566**	21.5	21.5	8.88	9.02	-	-	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	9.0	A+
66	**20691A0567**	21.5	21.5	8.93	8.02	-	-	8.0	A	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	-	-
67	**20691A0568**	21.5	21.5	9.58	9.65	-	-	-	-	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	10.0	O
68	**20691A0569**	21.5	21.5	8.37	8.0	-	-	8.0	A	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	-	-
69	**20691A0570**	21.5	21.5	9.42	9.46	-	-	-	-	10.0	O	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	9.0	A+	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	10.0	O
70	**20691A0571**	21.5	21.5	8.95	7.88	-	-	9.0	A+	9.0	A+	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
71	**20691A0572**	21.5	21.5	9.58	9.24	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	10.0	O	10.0	O	-	-	-	-	-	-	0.0	P	-	-	10.0	O
72	**20691A0573**	21.5	21.5	8.05	8.36	-	-	-	-	7.0	B+	7.0	B+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	7.0	B+	-	-	-	-	0.0	P	-	-	-	-
73	**20691A0574**	21.5	21.5	9.44	9.44	-	-	-	-	10.0	O	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	10.0	O
74	**20691A0575**	21.5	21.5	7.33	6.22	-	-	-	-	6.0	B	6.0	B	6.0	B	8.0	A	9.0	A+	10.0	O	-	-	8.0	A	9.0	A+	7.0	B+	-	-	-	-	0.0	P	-	-	-	-
75	**20691A0576**	21.5	21.5	8.79	8.24	-	-	9.0	A+	7.0	B+	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	-	-
76	**20691A0577**	21.5	21.5	9.02	9.01	-	-	-	-	10.0	O	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	7.0	B+	-	-	-	-	0.0	P	-	-	-	-
77	**20691A0578**	21.5	21.5	8.16	7.54	-	-	-	-	9.0	A+	8.0	A	7.0	B+	10.0	O	9.0	A+	10.0	O	7.0	B+	-	-	9.0	A+	7.0	B+	-	-	-	-	0.0	P	-	-	-	-
78	**20691A0579**	21.5	21.5	9.02	7.98	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	8.0	A	-	-	-	-	0.0	P	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - COMPUTER SCIENCE & ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						20CE301		20CE302		20CSE113		20CSE114		20CSE115		20CSE211		20CSE212		20CSE213		20CSE4M04		20CSE4M08		20CSE606		20ECE301		20ECE302		20EEE302		20HUM902		20MAT301		20ME301	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
79	**20691A0580**	21.5	21.5	8.88	8.64	-	-	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	8.0	A	-	-	-	-	0.0	P	-	-	-	-
80	**20691A0581**	21.5	21.5	8.47	8.72	-	-	-	-	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	8.0	A	-	-	-	-	0.0	P	-	-	-	-
81	**20691A0582**	21.5	21.5	9.3	9.38	-	-	-	-	10.0	O	10.0	O	8.0	A	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	8.0	A	-	-	-	-	0.0	P	-	-	-	-
82	**20691A0583**	21.5	21.5	9.02	8.76	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
83	**20691A0585**	21.5	21.5	9.02	9.08	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	7.0	B+	-	-	-	-	0.0	P	-	-	-	-
84	**20691A0586**	21.5	21.5	9.3	9.36	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	8.0	A	-	-	10.0	O	10.0	O	-	-	-	-	0.0	P	-	-	-	-
85	**20691A0587**	21.5	21.5	9.72	9.46	-	-	-	-	10.0	O	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	10.0	O	-	-
86	**20691A0588**	21.5	21.5	8.67	7.8	-	-	9.0	A+	8.0	A	9.0	A+	7.0	B+	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
87	**20691A0589**	21.5	21.5	9.16	9.02	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
88	**20691A0590**	21.5	12.5	3.72	3.72	-	-	0.0	F	-	F	4.0	P	5.0	C	9.0	A+	8.0	A	9.0	A+	-	-	-	F	7.0	B+	-	-	-	-	-	-	0.0	P	-	-	-	-
89	**20691A0591**	21.5	21.5	8.74	8.24	-	-	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	8.0	A	-	-	-	-	0.0	P	-	-	-	-
90	**20691A0592**	21.5	21.5	8.88	8.76	-	-	9.0	A+	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
91	**20691A0593**	21.5	21.5	9.58	9.64	-	-	-	-	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	10.0	O
92	**20691A0594**	21.5	21.5	9.02	9.16	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	8.0	A	-	-	-	-	0.0	P	-	-	-	-
93	**20691A0595**	21.5	21.5	8.93	8.64	-	-	9.0	A+	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	-	-
94	**20691A0596**	21.5	21.5	9.16	9.22	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	8.0	A	-	-	-	-	0.0	P	-	-	-	-
95	**20691A0597**	21.5	21.5	8.74	8.65	-	-	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	8.0	A	-	-	-	-	0.0	P	-	-	-	-
96	**20691A0598**	21.5	21.5	9.16	9.13	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	9.0	A+	-	-	-	-	0.0	P	-	-	-	-
97	**20691A0599**	21.5	21.5	8.88	9.04	-	-	-	-	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	9.0	A+
98	**20691A05A0**	21.5	21.5	9.44	9.49	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	10.0	O
99	**20691A05A1**	21.5	21.5	9.09	8.96	-	-	-	-	9.0	A+	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	10.0	O
100	**20691A05A2**	21.5	18.5	6.84	6.62	-	-	-	-	-	F	7.0	B+	7.0	B+	9.0	A+	9.0	A+	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	8.0	A
101	**20691A05A3**	21.5	21.5	9.16	8.92	-	-	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	10.0	O
102	**20691A05A4**	21.5	21.5	8.88	8.8	-	-	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	8.0	A	-	-	10.0	O	-	-	-	-	-	-	0.0	P	-	-	9.0	A+
103	**20691A05A5**	21.5	21.5	9.44	9.67	-	-	-	-	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	8.0	A	-	-	10.0	O	-	-	-	-	-	-	0.0	P	-	-	10.0	O
104	**20691A05A6**	21.5	21.5	8.4	7.82	-	-	7.0	B+	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
105	**20691A05A7**	21.5	21.5	7.74	6.96	-	-	6.0	B	8.0	A	7.0	B+	7.0	B+	8.0	A	9.0	A+	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	-	-
106	**20691A05A8**	21.5	21.5	8.95	9.05	-	-	8.0	A	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
107	**20691A05A9**	21.5	15.5	4.3	5.09	-	-	4.0	P	4.0	P	5.0	C	-	F	8.0	A	8.0	A	9.0	A+	-	-	-	F	8.0	A	-	-	-	-	-	-	0.0	P	-	-	-	-
108	**20691A05B1**	21.5	21.5	8.4	7.98	-	-	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	8.0	A
109	**20691A05B2**	21.5	21.5	8.81	8.28	-	-	-	-	9.0	A+	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	10.0	O
110	**20691A05B3**	21.5	21.5	8.65	8.64	-	-	-	-	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	8.0	A
111	**20691A05B4**	21.5	21.5	9.3	9.06	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	9.0	A+
112	**20691A05B5**	21.5	21.5	8.88	9.02	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	8.0	A	-	-	-	-	0.0	P	-	-	-	-
113	**20691A05B6**	21.5	21.5	9.3	9.08	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
114	**20691A05B8**	21.5	21.5	9.72	9.68	-	-	-	-	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	10.0	O	10.0	O	-	-	-	-	-	-	0.0	P	-	-	10.0	O
115	**20691A05B9**	21.5	21.5	8.88	8.78	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
116	**20691A05C0**	21.5	21.5	8.88	8.71	-	-	-	-	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	9.0	A+	-	-	-	-	0.0	P	-	-	-	-
117	**20691A05C1**	21.5	21.5	8.09	7.8	-	-	7.0	B+	7.0	B+	8.0	A	7.0	B+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	-	-
118	**20691A05C2**	21.5	21.5	8.81	7.6	-	-	9.0	A+	8.0	A	9.0	A+	8.0	A	10.0	O	9.0	A+	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
119	**20691A05C3**	21.5	21.5	9.16	9.24	-	-	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - COMPUTER SCIENCE & ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						20CE301		20CE302		20CSE113		20CSE114		20CSE115		20CSE211		20CSE212		20CSE213		20CSE4M04		20CSE4M08		20CSE606		20ECE301		20ECE302		20EEE302		20HUM902		20MAT301		20ME301	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
120	**20691A05C4**	21.5	21.5	9.3	9.32	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
121	**20691A05C5**	21.5	21.5	9.02	8.7	-	-	9.0	A+	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
122	**20691A05C6**	21.5	21.5	8.88	8.46	-	-	8.0	A	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
123	**20691A05C7**	21.5	21.5	8.07	8.34	-	-	7.0	B+	8.0	A	9.0	A+	8.0	A	8.0	A	9.0	A+	8.0	A	-	-	8.0	A	8.0	A	-	-	-	-	-	-	0.0	P	-	-	-	-
124	**20691A05C8**	21.5	21.5	9.44	9.51	-	-	-	-	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	9.0	A+	-	-	-	-	0.0	P	-	-	-	-
125	**20691A05C9**	21.5	21.5	8.37	8.21	-	-	-	-	9.0	A+	8.0	A	7.0	B+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	7.0	B+	-	-	-	-	0.0	P	-	-	-	-
126	**20691A05D0**	21.5	21.5	9.44	9.47	-	-	-	-	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	9.0	A+	-	-	-	-	0.0	P	-	-	-	-
127	**20691A05D1**	21.5	21.5	7.95	8.33	-	-	-	-	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+	6.0	B	-	-	-	-	0.0	P	-	-	-	-
128	**20691A05D2**	21.5	21.5	7.79	7.56	-	-	7.0	B+	7.0	B+	7.0	B+	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	8.0	A	8.0	A	-	-	-	-	-	-	0.0	P	-	-	-	-
129	**20691A05D3**	21.5	21.5	9.21	9.17	-	-	9.0	A+	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	-	-
130	**20691A05D4**	21.5	21.5	8.16	8.45	-	-	8.0	A	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	-	-
131	**20691A05D5**	21.5	21.5	9.3	9.04	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
132	**20691A05D6**	21.5	21.5	9.3	9.08	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
133	**20691A05D7**	21.5	21.5	7.93	8.15	-	-	8.0	A	7.0	B+	8.0	A	9.0	A+	7.0	B+	9.0	A+	9.0	A+	-	-	7.0	B+	8.0	A	-	-	-	-	-	-	0.0	P	-	-	-	-
134	**20691A05D8**	21.5	21.5	7.16	7.15	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	8.0	A	9.0	A+	9.0	A+	7.0	B+	-	-	8.0	A	-	-	-	-	-	-	0.0	P	-	-	5.0	C
135	**20691A05D9**	21.5	21.5	9.44	9.48	-	-	9.0	A+	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
136	**20691A05E0**	21.5	21.5	8.88	9.01	-	-	8.0	A	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
137	**20691A05E1**	21.5	21.5	9.72	9.4	-	-	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
138	**20691A05E2**	21.5	21.5	9.44	8.87	-	-	9.0	A+	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
139	**20691A05E3**	21.5	21.5	7.4	6.81	-	-	7.0	B+	6.0	B	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	-	-	8.0	A	6.0	B	-	-	-	-	-	-	0.0	P	-	-	-	-
140	**20691A05E4**	21.5	21.5	7.77	7.66	-	-	-	-	8.0	A	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-	8.0	A	7.0	B+	7.0	B+	-	-	-	-	0.0	P	-	-	-	-
141	**20691A05E6**	21.5	21.5	9.3	9.14	-	-	-	-	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	8.0	A	-	-	10.0	O	9.0	A+	-	-	-	-	0.0	P	-	-	-	-
142	**20691A05E7**	21.5	21.5	9.07	8.64	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	9.0	A+	-	-	-	-	0.0	P	-	-	-	-
143	**20691A05E8**	21.5	21.5	9.02	8.93	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	8.0	A	-	-	-	-	0.0	P	-	-	-	-
144	**20691A05E9**	21.5	21.5	8.6	8.46	-	-	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	9.0	A+	9.0	A+	-	-	8.0	A	10.0	O	7.0	B+	-	-	-	-	0.0	P	-	-	-	-
145	**20691A05F0**	21.5	21.5	8.74	8.91	-	-	8.0	A	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
146	**20691A05F1**	21.5	21.5	9.3	9.38	-	-	9.0	A+	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
147	**20691A05F2**	21.5	21.5	8.53	8.4	-	-	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	6.0	B	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
148	**20691A05F3**	21.5	21.5	8.53	7.98	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	-	-	8.0	A	7.0	B+	8.0	A	-	-	-	-	0.0	P	-	-	-	-
149	**20691A05F4**	21.5	21.5	9.72	9.14	-	-	-	-	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	9.0	A+	-	-	-	-	0.0	P	-	-	-	-
150	**20691A05F5**	21.5	21.5	8.35	8.5	-	-	-	-	8.0	A	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	8.0	A	8.0	A	-	-	-	-	0.0	P	-	-	-	-
151	**20691A05F6**	21.5	21.5	8.88	8.68	-	-	-	-	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	8.0	A	-	-	-	-	0.0	P	-	-	-	-
152	**20691A05F7**	21.5	21.5	9.16	8.48	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
153	**20691A05F8**	21.5	21.5	9.3	8.66	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
154	**20691A05F9**	21.5	21.5	9.02	9.1	-	-	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
155	**20691A05G0**	21.5	21.5	9.58	9.15	-	-	9.0	A+	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	10.0	O	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
156	**20691A05G1**	21.5	21.5	8.67	8.11	-	-	8.0	A	9.0	A+	9.0	A+	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
157	**20691A05G2**	21.5	21.5	8.88	8.88	-	-	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
158	**20691A05G3**	21.5	21.5	9.07	9.04	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	-	-
159	**20691A05G4**	21.5	21.5	9.21	9.53	-	-	9.0	A+	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	-	-
160	**20691A05G5**	21.5	21.5	7.88	7.34	-	-	7.0	B+	7.0	B+	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	6.0	B	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - COMPUTER SCIENCE & ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						20CE301		20CE302		20CSE113		20CSE114		20CSE115		20CSE211		20CSE212		20CSE213		20CSE4M04		20CSE4M08		20CSE606		20ECE301		20ECE302		20EEE302		20HUM902		20MAT301		20ME301	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
161	**20691A05G6**	21.5	21.5	8.47	8.43	-	-	8.0	A	7.0	B+	9.0	A+	8.0	A	10.0	O	9.0	A+	9.0	A+	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
162	**20691A05G7**	21.5	21.5	7.09	7.48	-	-	-	-	7.0	B+	7.0	B+	6.0	B	9.0	A+	9.0	A+	9.0	A+	-	-	6.0	B	8.0	A	6.0	B	-	-	-	-	0.0	P	-	-	-	-
163	**20691A05G8**	21.5	21.5	9.16	8.95	-	-	-	-	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	8.0	A	-	-	-	-	0.0	P	-	-	-	-
164	**20691A05G9**	21.5	21.5	7.3	6.9	-	-	-	-	7.0	B+	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	-	-	6.0	B	8.0	A	6.0	B	-	-	-	-	0.0	P	-	-	-	-
165	**20691A05H0**	21.5	21.5	9.72	9.56	-	-	-	-	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	9.0	A+	-	-	-	-	0.0	P	-	-	-	-
166	**20691A05H1**	21.5	21.5	9.02	9.26	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	8.0	A	-	-	-	-	0.0	P	-	-	-	-
167	**20691A05H2**	21.5	21.5	8.47	8.21	-	-	-	-	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	7.0	B+	-	-	-	-	0.0	P	-	-	-	-
168	**20691A05H3**	21.5	21.5	9.16	8.8	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
169	**20691A05H4**	21.5	21.5	8.93	8.31	-	-	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	-	-
170	**20691A05H5**	21.5	21.5	8.47	8.43	-	-	7.0	B+	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
171	**20691A05H6**	21.5	21.5	8.12	7.8	-	-	7.0	B+	6.0	B	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
172	**20691A05H7**	21.5	21.5	9.07	9.3	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	-	-
173	**20691A05H8**	21.5	21.5	8.79	8.1	-	-	8.0	A	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	-	-
174	**20691A05H9**	21.5	7.5	2.86	3.23	-	-	-	F	-	F	-	F	-	F	8.0	A	8.0	A	9.0	A+	-	-	8.0	A	-	Ab	-	-	-	-	-	-	-	F	-	-	-	-
175	**20691A05I0**	21.5	21.5	8.65	8.77	-	-	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	-	-
176	**20691A05I1**	21.5	21.5	8.23	8.62	-	-	-	-	8.0	A	8.0	A	7.0	B+	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	8.0	A
177	**20691A05I2**	21.5	21.5	7.56	8.23	-	-	-	-	7.0	B+	6.0	B	8.0	A	9.0	A+	10.0	O	10.0	O	7.0	B+	-	-	10.0	O	-	-	-	-	-	-	0.0	P	5.0	C	-	-
178	**20691A05I4**	21.5	21.5	9.44	9.23	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	10.0	O	-	-
179	**20691A05I5**	21.5	21.5	8.05	7.94	-	-	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	10.0	O	6.0	B	-	-	-	-	0.0	P	-	-	-	-
180	**20691A05I6**	21.5	21.5	7.88	7.19	-	-	-	-	8.0	A	7.0	B+	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+	6.0	B	-	-	-	-	0.0	P	-	-	-	-
181	**20691A05I7**	21.5	21.5	7.84	7.45	-	-	-	-	7.0	B+	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	6.0	B	10.0	O	-	-	-	-	-	-	0.0	P	-	-	6.0	B
182	**20691A05I8**	21.5	21.5	8.74	8.39	-	-	-	-	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	7.0	B+	-	-	-	-	0.0	P	-	-	-	-
183	**20691A05I9**	21.5	21.5	9.44	9.3	-	-	-	-	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	9.0	A+	-	-	-	-	0.0	P	-	-	-	-
184	**20691A05J0**	21.5	21.5	9.3	9.4	-	-	-	-	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	9.0	A+	-	-	-	-	0.0	P	-	-	-	-
185	**20691A05J1**	21.5	21.5	8.26	7.54	-	-	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	7.0	B+	-	-	-	-	0.0	P	-	-	-	-
186	**20691A05J2**	21.5	21.5	8.88	8.64	-	-	-	-	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	8.0	A	-	-	-	-	0.0	P	-	-	-	-
187	**20691A05J3**	21.5	21.5	9.02	8.38	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	7.0	B+	-	-	-	-	0.0	P	-	-	-	-
188	**20691A05J4**	21.5	21.5	9.58	9.3	-	-	-	-	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	-	-	10.0	O	10.0	O	8.0	A	-	-	-	-	0.0	P	-	-	-	-
189	**20691A05J5**	21.5	21.5	9.02	8.48	-	-	-	-	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	7.0	B+	-	-	-	-	0.0	P	-	-	-	-
190	**20691A05J6**	21.5	21.5	8.74	8.04	-	-	-	-	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	7.0	B+	-	-	-	-	0.0	P	-	-	-	-
191	**20691A05J7**	21.5	21.5	7.72	7.98	-	-	-	-	8.0	A	7.0	B+	8.0	A	10.0	O	9.0	A+	9.0	A+	-	-	8.0	A	8.0	A	5.0	C	-	-	-	-	0.0	P	-	-	-	-
192	**20691A05J8**	21.5	21.5	8.6	8.64	-	-	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	8.0	A
193	**20691A05J9**	21.5	21.5	9.16	8.56	-	-	-	-	9.0	A+	8.0	A	10.0	O	10.0	O	8.0	A	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	9.0	A+
194	**20691A05K0**	21.5	21.5	9.3	8.68	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	9.0	A+
195	**20691A05K1**	21.5	21.5	9.72	9.42	-	-	-	-	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	10.0	O	-	-
196	**20691A05K2**	21.5	21.5	9.3	9.66	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	9.0	A+	-	-
197	**20691A05K3**	21.5	21.5	9.3	9.08	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	9.0	A+	-	-
198	**20691A05K4**	21.5	21.5	8.53	8.06	-	-	-	-	9.0	A+	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	8.0	A
199	**20691A05K5**	21.5	21.5	6.91	5.82	-	-	-	-	6.0	B	7.0	B+	6.0	B	9.0	A+	9.0	A+	9.0	A+	6.0	B	-	-	9.0	A+	5.0	C	-	-	-	-	0.0	P	-	-	-	-
200	**20691A05K6**	21.5	21.5	7.47	7.31	-	-	-	-	7.0	B+	7.0	B+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	6.0	B	9.0	A+	4.0	P	-	-	-	-	0.0	P	-	-	-	-
201	**20691A05K7**	21.5	21.5	8.95	8.02	-	-	-	-	9.0	A+	8.0	A	9.0	A+	10.0	O	9.0	A+	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	9.0	A+

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - COMPUTER SCIENCE & ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						20CE301		20CE302		20CSE113		20CSE114		20CSE115		20CSE211		20CSE212		20CSE213		20CSE4M04		20CSE4M08		20CSE606		20ECE301		20ECE302		20EEE302		20HUM902		20MAT301		20ME301	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
202	**20691A05K8**	21.5	21.5	7.91	7.19	-	-	-	-	8.0	A	8.0	A	7.0	B+	10.0	O	9.0	A+	9.0	A+	-	-	7.0	B+	10.0	O	6.0	B	-	-	-	-	0.0	P	-	-	-	-
203	**20691A05K9**	21.5	18.5	6.02	6.5	-	-	-	-	6.0	B	6.0	B	6.0	B	9.0	A+	9.0	A+	9.0	A+	-	-	-	F	10.0	O	5.0	C	-	-	-	-	0.0	P	-	-	-	-
204	**20691A05L0**	21.5	15.5	5.23	5.46	-	-	-	-	5.0	C	6.0	B	-	F	9.0	A+	8.0	A	8.0	A	-	-	8.0	A	9.0	A+	-	F	-	-	-	-	0.0	P	-	-	-	-
205	**20691A05L1**	21.5	21.5	8.95	8.9	-	-	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	9.0	A+	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	9.0	A+
206	**20691A05L2**	21.5	21.5	8.33	7.57	-	-	-	-	9.0	A+	8.0	A	7.0	B+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	7.0	B+
207	**20691A05L3**	21.5	21.5	8.74	8.23	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	6.0	B	10.0	O	8.0	A	-	-	-	-	0.0	P	-	-	-	-
208	**20691A05L4**	21.5	21.5	8.67	8.18	-	-	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	9.0	A+	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	7.0	B+
209	**20691A05L5**	21.5	21.5	8.6	7.75	-	-	-	-	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	8.0	A
210	**20691A05L6**	21.5	21.5	9.44	9.33	9.0	A+	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	10.0	O	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
211	**20691A05L7**	21.5	21.5	8.6	7.6	-	-	-	-	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	8.0	A
212	**20691A05L8**	21.5	21.5	9.3	8.49	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	9.0	A+	-	-	10.0	O	-	-	-	-	-	-	0.0	P	9.0	A+	-	-
213	**20691A05L9**	21.5	21.5	9.44	8.96	-	-	-	-	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	9.0	A+
214	**20691A05M0**	21.5	21.5	9.02	8.94	7.0	B+	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
215	**20691A05M1**	21.5	21.5	8.67	8.44	-	-	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	9.0	A+	10.0	O	7.0	B+	-	-	-	-	0.0	P	-	-	-	-
216	**20691A05M2**	21.5	21.5	8.6	7.86	-	-	-	-	9.0	A+	9.0	A+	7.0	B+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	8.0	A
217	**20691A05M3**	21.5	21.5	8.67	8.05	-	-	-	-	9.0	A+	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	6.0	B	-	-	-	-	0.0	P	-	-	-	-
218	**20691A05M4**	21.5	21.5	9.02	9.08	8.0	A	-	-	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
219	**20691A05M5**	21.5	21.5	9.58	9.29	-	-	-	-	10.0	O	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	9.0	A+	-	-	-	-	0.0	P	-	-	-	-
220	**20691A05M6**	21.5	21.5	9.44	9.27	-	-	-	-	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	9.0	A+
221	**20691A05M7**	21.5	21.5	8.88	8.95	-	-	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	8.0	A	-	-	-	-	0.0	P	-	-	-	-
222	**20691A05M8**	21.5	21.5	9.16	8.35	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	9.0	A+	-	-
223	**20691A05M9**	21.5	21.5	8.26	7.79	-	-	-	-	7.0	B+	8.0	A	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	7.0	B+
224	**20691A05N0**	21.5	21.5	7.98	8.06	6.0	B	-	-	8.0	A	9.0	A+	7.0	B+	10.0	O	10.0	O	9.0	A+	6.0	B	-	-	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
225	**20691A05N1**	21.5	21.5	9.16	9.11	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	9.0	A+	-	-	-	-	0.0	P	-	-	-	-
226	**20691A05N2**	21.5	21.5	8.4	7.66	7.0	B+	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	9.0	A+	10.0	O	7.0	B+	-	-	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
227	**20691A05N3**	21.5	21.5	9.16	8.43	8.0	A	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
228	**21695A0501**	21.5	21.5	8.88	8.23	-	-	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	7.0	B+	-	-
229	**21695A0502**	21.5	21.5	9.21	8.48	-	-	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	9.0	A+	-	-	-	-	-	-	0.0	P	10.0	O	-	-
230	**21695A0503**	21.5	21.5	7.95	7.88	-	-	-	-	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	-	-	6.0	B	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	8.0	A
231	**21695A0504**	21.5	21.5	8.37	8.2	-	-	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-	0.0	P	7.0	B+	-	-
232	**21695A0505**	21.5	21.5	8.44	7.96	-	-	-	-	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	8.0	A
233	**21695A0506**	21.5	21.5	8.74	8.35	-	-	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	7.0	B+	-	-	-	-	0.0	P	-	-	-	-
234	**21695A0507**	21.5	21.5	9.02	8.56	-	-	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	9.0	A+
235	**21695A0508**	21.5	21.5	9.02	8.79	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	7.0	B+	-	-
236	**21695A0509**	21.5	21.5	8.88	8.6	-	-	-	-	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	8.0	A	-	-
237	**21695A0511**	21.5	21.5	8.33	8.06	-	-	-	-	7.0	B+	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	7.0	B+
238	**21695A0512**	21.5	21.5	9.3	8.75	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	10.0	O	10.0	O	-	-	-	-	-	-	0.0	P	8.0	A	-	-
239	**21695A0513**	21.5	21.5	8.37	7.94	-	-	8.0	A	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	-	-
240	**21695A0514**	21.5	21.5	7.81	7.87	-	-	-	-	7.0	B+	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	7.0	B+	-	-	9.0	A+	6.0	B	-	-	-	-	0.0	P	-	-	-	-
241	**21695A0515**	21.5	21.5	8.23	7.97	-	-	-	-	8.0	A	8.0	A	7.0	B+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	7.0	B+	-	-	-	-	0.0	P	-	-	-	-
242	**21695A0516**	21.5	21.5	7.84	7.4	-	-	-	-	8.0	A	9.0	A+	8.0	A	8.0	A	9.0	A+	10.0	O	-	-	7.0	B+	7.0	B+	6.0	B	-	-	-	-	0.0	P	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - COMPUTER SCIENCE & ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						20CE301		20CE302		20CSE113		20CSE114		20CSE115		20CSE211		20CSE212		20CSE213		20CSE4M04		20CSE4M08		20CSE606		20ECE301		20ECE302		20EEE302		20HUM902		20MAT301		20ME301	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
243	**21695A0517**	21.5	21.5	7.6	7.93	-	-	-	-	6.0	B	7.0	B+	7.0	B+	9.0	A+	10.0	O	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	7.0	B+
244	**21695A0518**	21.5	21.5	8.09	8.05	-	-	-	-	7.0	B+	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+	8.0	A	-	-	-	-	0.0	P	-	-	-	-
245	**21695A0519**	21.5	21.5	8.88	8.85	-	-	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	8.0	A	-	-	-	-	0.0	P	-	-	-	-
246	**21695A0520**	21.5	21.5	8.6	8.57	-	-	7.0	B+	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
247	**21695A0521**	21.5	21.5	8.23	7.98	-	-	7.0	B+	7.0	B+	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	-	-	9.0	A+	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	-	-
248	**21695A0522**	21.5	21.5	8.02	7.97	-	-	7.0	B+	8.0	A	8.0	A	7.0	B+	8.0	A	9.0	A+	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	-	-
249	**21695A0523**	21.5	21.5	8.51	8.16	-	-	-	-	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	8.0	A
250	**21695A0524**	21.5	21.5	8.44	7.91	-	-	-	-	7.0	B+	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	9.0	A+
251	**21695A0527**	21.5	21.5	9.72	9.44	-	-	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	-	-	10.0	O	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
252	**21695A0528**	21.5	21.5	9.16	9.09	-	-	9.0	A+	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
253	**21695A0529**	21.5	21.5	8.81	8.93	-	-	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	9.0	A+	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
254	**21695A0530**	21.5	21.5	8.07	7.75	-	-	8.0	A	6.0	B	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	8.0	A	-	-	-	-	-	-	0.0	P	-	-	-	-
255	**21695A0531**	21.5	21.5	9.44	9.09	-	-	-	-	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	9.0	A+	-	-
256	**21695A0532**	21.5	21.5	9.16	8.83	-	-	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
257	**21695A0533**	21.5	21.5	7.88	7.43	-	-	7.0	B+	6.0	B	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	-	-
258	**21695A0534**	21.5	21.5	8.6	8.51	-	-	6.0	B	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
259	**21695A0535**	21.5	21.5	9.16	8.79	-	-	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	-	-
260	**21695A0536**	21.5	21.5	7.81	7.73	-	-	6.0	B	5.0	C	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	-	-	-	-
261	**21695A0537**	21.5	21.5	7.79	7.32	-	-	7.0	B+	6.0	B	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	-	-	8.0	A	8.0	A	-	-	-	-	-	-	0.0	P	-	-	-	-
262	**21695A0538**	21.5	21.5	8.74	8.37	-	-	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	8.0	A
263	**21695A0539**	21.5	21.5	8.88	8.26	-	-	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	9.0	A+
264	**21695A0540**	21.5	21.5	8.19	8.05	-	-	-	-	7.0	B+	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	7.0	B+
265	**21695A0541**	21.5	21.5	9.44	9.02	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	10.0	O	-	-
266	**21695A0542**	21.5	21.5	9.02	9.02	-	-	-	-	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	6.0	B	10.0	O	-	-	-	-	-	-	0.0	P	-	-	9.0	A+
267	**21695A0543**	21.5	21.5	8.95	7.23	-	-	-	-	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	-	-	-	-	0.0	P	-	-	8.0	A
268	**21695A0544**	21.5	21.5	8.74	7.86	-	-	-	-	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-	8.0	A	-	-	0.0	P	-	-	-	-
269	**21695A0545**	21.5	21.5	8.88	8.23	-	-	-	-	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	8.0	A
270	**21695A0546**	21.5	21.5	9.16	8.83	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	9.0	A+
271	**21695A0547**	21.5	21.5	8.33	7.7	-	-	-	-	7.0	B+	8.0	A	8.0	A	9.0	A+	8.0	A	9.0	A+	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-	9.0	A+
272	**21695A0548**	21.5	21.5	8.26	7.61	-	-	-	-	7.0	B+	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	7.0	B+	-	-	-	-	-	-	0.0	P	-	-	8.0	A

Course Code	Course Name
20CE301	GROUND IMPROVEMENT TECHNIQUES
20CE302	ENVIRONMENTAL IMPACT ASSESSMENT
20CSE113	COMPILER DESIGN
20CSE114	INTERNET OF THINGS
20CSE115	SOFTWARE ENGINEERING
20CSE211	COMPILER DESIGN LABORATORY
20CSE212	INTERNET OF THINGS LABORATORY
20CSE213	SOFTWARE ENGINEERING LABORATORY

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - COMPUTER SCIENCE & ENGINEERING (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						20CE301		20CE302		20CSE113		20CSE114		20CSE115		20CSE211		20CSE212		20CSE213		20CSE4M04		20CSE4M08		20CSE606		20ECE301		20ECE302		20EEE302		20HUM902		20MAT301		20ME301	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G

Course Code	Course Name
20CSE4M04	PRIVACY AND SECURITY IN ONLINE SOCIAL MEDIA (MOOC)
20CSE4M08	CLOUD COMPUTING AND DISTRIBUTED SYSTEMS (MOOC)
20CSE606	AI TOOLS, TECHNIQUES AND APPLICATIONS (SC)
20ECE301	BIO-MEDICAL ELECTRONICS
20ECE302	VLSI DESIGN
20EEE302	INTRODUCTION TO MEMS
20HUM902	UNIVERSAL HUMAN VALUES
20MAT301	ADVANCED NUMERICAL METHODS
20ME301	MATERIALS SCIENCE FOR ENGINEERS

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

MADANAPALLE INSTITUTE OF TECHNOLOGY AND SCIENCE

(UGC - Autonomous)
(Approved by AICTE, New Delhi & Affiliated to JNTUA,Ananthapuramu)
P.B NO:14,Angallu,Kadiri Road,Madanapalle - 517325, Chittor Dist,A.P.

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - COMPUTER SCIENCE & TECHNOLOGY (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						20CE301		20CE302		20CE901		20CST111		20CST112		20CST113		20CST209		20CST210		20CST211		20CST4M02		20CST4M04		20CST605		20ECE301		20ECE302		20EEE302		20MAT301		20ME301	
						Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
1	**19691A2811**	21.5	21.5	7.67	7.15	-	-	8.0	A	0.0	P	8.0	A	8.0	A	6.0	B	7.0	B+	8.0	A	9.0	A+	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-	-	-	-	-
2	**20691A2801**	21.5	18.5	5.79	5.83	-	-	-	F	0.0	P	7.0	B+	6.0	B	6.0	B	7.0	B+	7.0	B+	7.0	B+	-	-	6.0	B	9.0	A+	-	-	-	-	-	-	-	-	-	-
3	**20691A2802**	21.5	21.5	7.6	7.64	-	-	-	-	0.0	P	9.0	A+	6.0	B	7.0	B+	9.0	A+	7.0	B+	7.0	B+	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-	-	-	8.0	A
4	**20691A2805**	21.5	21.5	6.81	6.81	-	-	6.0	B	0.0	P	6.0	B	8.0	A	6.0	B	8.0	A	8.0	A	7.0	B+	6.0	B	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-
5	**20691A2806**	21.5	21.5	8.6	6.41	-	-	-	-	0.0	P	9.0	A+	9.0	A+	8.0	A	10.0	O	9.0	A+	9.0	A+	-	-	7.0	B+	10.0	O	8.0	A	-	-	-	-	-	-	-	-
6	**20691A2807**	21.5	21.5	7.88	7.72	-	-	6.0	B	0.0	P	8.0	A	8.0	A	8.0	A	10.0	O	8.0	A	9.0	A+	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-
7	**20691A2808**	21.5	18.5	6.86	6.9	-	-	6.0	B	0.0	P	9.0	A+	8.0	A	7.0	B+	10.0	O	8.0	A	7.0	B+	-	-	-	F	10.0	O	-	-	-	-	-	-	-	-	-	-
8	**20691A2809**	21.5	15.5	5.65	5.9	-	F	-	-	0.0	P	7.0	B+	7.0	B+	0.0	F	10.0	O	7.0	B+	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-	-	-	-	-
9	**20691A2810**	21.5	21.5	7.47	6.94	-	-	-	-	0.0	P	9.0	A+	8.0	A	7.0	B+	8.0	A	7.0	B+	6.0	B	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-	6.0	B	-	-
10	**20691A2811**	21.5	21.5	7.65	7.0	-	-	-	-	0.0	P	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	9.0	A+	6.0	B	-	-	8.0	A	-	-	-	-	-	-	-	-	7.0	B+
11	**20691A2812**	21.5	15.5	4.88	6.2	-	-	-	-	0.0	P	-	F	6.0	B	6.0	B	7.0	B+	7.0	B+	8.0	A	-	-	6.0	B	9.0	A+	-	F	-	-	-	-	-	-	-	-
12	**20691A2813**	21.5	21.5	6.65	5.72	-	-	-	-	0.0	P	7.0	B+	7.0	B+	6.0	B	9.0	A+	6.0	B	7.0	B+	-	-	6.0	B	7.0	B+	6.0	B	-	-	-	-	-	-	-	-
13	**20691A2814**	21.5	21.5	8.09	8.34	-	-	-	-	0.0	P	9.0	A+	8.0	A	7.0	B+	10.0	O	9.0	A+	9.0	A+	8.0	A	-	-	9.0	A+	6.0	B	-	-	-	-	-	-	-	-
14	**20691A2815**	21.5	18.5	6.35	6.47	-	-	-	-	0.0	P	8.0	A	7.0	B+	5.0	C	10.0	O	8.0	A	9.0	A+	6.0	B	-	-	9.0	A+	-	-	-	-	-	-	-	F	-	-
15	**20691A2816**	21.5	21.5	8.19	8.3	-	-	-	-	0.0	P	9.0	A+	8.0	A	6.0	B	9.0	A+	8.0	A	9.0	A+	-	-	8.0	A	10.0	O	-	-	-	-	-	-	8.0	A	-	-
16	**20691A2817**	21.5	21.5	8.02	7.82	7.0	B+	-	-	0.0	P	8.0	A	8.0	A	8.0	A	9.0	A+	7.0	B+	9.0	A+	8.0	A	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-
17	**20691A2818**	21.5	18.5	6.14	5.64	-	-	-	-	0.0	P	6.0	B	7.0	B+	6.0	B	8.0	A	7.0	B+	9.0	A+	-	-	-	F	9.0	A+	7.0	B+	-	-	-	-	-	-	-	-
18	**20691A2819**	21.5	21.5	9.21	9.32	-	-	-	-	0.0	P	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	9.0	A+	-	-	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-
19	**20691A2820**	21.5	21.5	9.23	8.46	-	-	-	-	0.0	P	10.0	O	10.0	O	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	8.0	A	10.0	O	8.0	A	-	-	-	-	-	-	-	-
20	**20691A2822**	21.5	21.5	8.44	7.97	-	-	-	-	0.0	P	9.0	A+	8.0	A	8.0	A	10.0	O	9.0	A+	10.0	O	8.0	A	-	-	9.0	A+	-	-	-	-	7.0	B+	-	-	-	-
21	**20691A2823**	21.5	21.5	8.26	7.88	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	10.0	O	7.0	B+	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	-	-	8.0	A
22	**20691A2824**	21.5	21.5	7.88	7.5	-	-	-	-	0.0	P	8.0	A	8.0	A	7.0	B+	9.0	A+	8.0	A	8.0	A	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-	-	-	8.0	A
23	**20691A2825**	21.5	21.5	9.09	8.98	-	-	-	-	0.0	P	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	8.0	A	10.0	O	9.0	A+	-	-	-	-	-	-	-	-
24	**20691A2826**	21.5	15.5	5.79	6.58	-	-	-	-	0.0	P	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	7.0	B+	-	-	-	F	9.0	A+	-	-	-	-	-	-	-	F	-	-
25	**20691A2827**	21.5	18.5	5.09	4.33	-	-	-	-	0.0	P	4.0	P	6.0	B	6.0	B	7.0	B+	6.0	B	8.0	A	-	-	6.0	B	6.0	B	-	-	-	-	-	-	-	-	-	F
26	**20691A2828**	21.5	21.5	7.98	7.74	-	-	-	-	0.0	P	9.0	A+	8.0	A	7.0	B+	10.0	O	9.0	A+	10.0	O	-	-	6.0	B	10.0	O	-	-	-	-	-	-	6.0	B	-	-
27	**20691A2829**	21.5	21.5	7.47	7.3	-	-	-	-	0.0	P	7.0	B+	7.0	B+	7.0	B+	9.0	A+	7.0	B+	9.0	A+	8.0	A	-	-	9.0	A+	6.0	B	-	-	-	-	-	-	-	-
28	**20691A2830**	21.5	18.5	6.21	6.25	-	-	-	-	0.0	P	-	F	7.0	B+	7.0	B+	8.0	A	8.0	A	7.0	B+	7.0	B+	-	-	9.0	A+	6.0	B	-	-	-	-	-	-	-	-
29	**20691A2831**	21.5	21.5	8.65	8.67	-	-	-	-	0.0	P	10.0	O	8.0	A	9.0	A+	9.0	A+	6.0	B	9.0	A+	8.0	A	-	-	9.0	A+	-	-	-	-	-	-	9.0	A+	-	-
30	**20691A2832**	21.5	21.5	7.63	7.27	-	-	-	-	0.0	P	8.0	A	7.0	B+	7.0	B+	9.0	A+	7.0	B+	10.0	O	6.0	B	-	-	10.0	O	-	-	-	-	-	-	-	-	7.0	B+
31	**20691A2833**	21.5	21.5	7.4	7.16	-	-	-	-	0.0	P	7.0	B+	6.0	B	6.0	B	9.0	A+	8.0	A	9.0	A+	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-	8.0	A	-	-
32	**20691A2834**	21.5	18.5	5.47	4.99	-	-	-	-	0.0	P	5.0	C	6.0	B	6.0	B	7.0	B+	8.0	A	8.0	A	-	-	6.0	B	7.0	B+	-	-	-	-	-	-	-	-	-	F
33	**20691A2835**	21.5	21.5	7.07	6.52	-	-	-	-	0.0	P	8.0	A	7.0	B+	6.0	B	8.0	A	9.0	A+	7.0	B+	-	-	7.0	B+	7.0	B+	-	-	-	-	-	-	-	-	6.0	B
34	**20691A2836**	21.5	21.5	7.09	6.88	-	-	-	-	0.0	P	7.0	B+	6.0	B	6.0	B	9.0	A+	6.0	B	8.0	A	-	-	7.0	B+	8.0	A	-	-	-	-	-	-	-	-	8.0	A
35	**20691A2837**	21.5	18.5	5.33	4.94	-	-	-	-	0.0	P	6.0	B	6.0	B	6.0	B	7.0	B+	5.0	C	7.0	B+	-	-	-	F	7.0	B+	6.0	B	-	-	-	-	-	-	-	-
36	**20691A2838**	21.5	21.5	8.95	8.85	-	-	-	-	0.0	P	10.0	O	9.0	A+	8.0	A	10.0	O	9.0	A+	8.0	A	8.0	A	-	-	10.0	O	-	-	-	-	9.0	A+	-	-	-	-
37	**20691A2839**	21.5	21.5	8.51	7.93	-	-	-	-	0.0	P	10.0	O	9.0	A+	7.0	B+	10.0	O	9.0	A+	9.0	A+	7.0	B+	-	-	9.0	A+	-	-	-	-	8.0	A	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - COMPUTER SCIENCE & TECHNOLOGY (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						20CE301		20CE302		20CE901		20CST111		20CST112		20CST113		20CST209		20CST210		20CST211		20CST4M02		20CST4M04		20CST605		20ECE301		20ECE302		20EEE302		20MAT301		20ME301	
						Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
38	**20691A2840**	21.5	21.5	7.12	6.73	5.0	C	-	-	0.0	P	8.0	A	8.0	A	6.0	B	8.0	A	7.0	B+	9.0	A+	-	-	6.0	B	9.0	A+	-	-	-	-	-	-	-	-	-	-
39	**20691A2841**	21.5	21.5	6.88	7.27	6.0	B	-	-	0.0	P	7.0	B+	7.0	B+	6.0	B	8.0	A	5.0	C	9.0	A+	7.0	B+	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-
40	**20691A2842**	21.5	21.5	8.95	8.56	8.0	A	-	-	0.0	P	9.0	A+	9.0	A+	8.0	A	10.0	O	9.0	A+	10.0	O	9.0	A+	-	-	10.0	O	-	-	-	-	-	-	-	-	-	-
41	**20691A2843**	21.5	21.5	8.88	8.35	-	-	-	-	0.0	P	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	9.0	A+	-	-	10.0	O	-	-	-	-	8.0	A	-	-	-	-
42	**20691A2844**	21.5	21.5	8.86	8.55	-	-	-	-	0.0	P	10.0	O	9.0	A+	8.0	A	10.0	O	10.0	O	9.0	A+	8.0	A	-	-	9.0	A+	-	-	-	-	8.0	A	-	-	-	-
43	**20691A2845**	21.5	21.5	7.91	8.24	-	-	-	-	0.0	P	9.0	A+	7.0	B+	6.0	B	10.0	O	7.0	B+	9.0	A+	7.0	B+	-	-	10.0	O	-	-	-	-	8.0	A	-	-	-	-
44	**20691A2846**	21.5	21.5	7.21	7.01	6.0	B	-	-	0.0	P	7.0	B+	7.0	B+	7.0	B+	9.0	A+	7.0	B+	8.0	A	-	-	6.0	B	10.0	O	-	-	-	-	-	-	-	-	-	-
45	**20691A2848**	21.5	18.5	6.28	6.13	-	F	-	-	0.0	P	8.0	A	6.0	B	7.0	B+	10.0	O	6.0	B	8.0	A	-	-	6.0	B	9.0	A+	-	-	-	-	-	-	-	-	-	-
46	**20691A2849**	21.5	21.5	8.16	7.99	-	-	-	-	0.0	P	7.0	B+	8.0	A	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-	9.0	A+	-	-	-	-	8.0	A	-	-	-	-
47	**20691A2850**	21.5	21.5	6.58	6.55	-	-	5.0	C	0.0	P	7.0	B+	6.0	B	5.0	C	9.0	A+	7.0	B+	9.0	A+	-	-	7.0	B+	7.0	B+	-	-	-	-	-	-	-	-	-	-
48	**20691A2851**	21.5	21.5	9.72	9.6	-	-	-	-	0.0	P	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	-	-	10.0	O	10.0	O	-	-	-	-	-	-	-	-
49	**20691A2852**	21.5	21.5	9.44	9.29	-	-	-	-	0.0	P	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	9.0	A+	-	-	10.0	O	-	-	-	-	-	-	9.0	A+	-	-
50	**20691A2853**	21.5	21.5	9.3	9.26	-	-	-	-	0.0	P	10.0	O	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	8.0	A	-	-	10.0	O	-	-	-	-	-	-	8.0	A	-	-
51	**20691A2854**	21.5	21.5	9.02	8.6	-	-	-	-	0.0	P	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	8.0	A	-	-	10.0	O	9.0	A+	-	-	-	-	-	-	-	-
52	**20691A2855**	21.5	15.5	4.98	6.67	-	-	-	-	0.0	P	7.0	B+	6.0	B	-	F	9.0	A+	7.0	B+	10.0	O	-	-	-	F	7.0	B+	-	-	-	-	5.0	C	-	-	-	-
53	**20691A2856**	21.5	18.5	6.7	7.48	-	-	-	-	0.0	P	8.0	A	8.0	A	-	F	9.0	A+	7.0	B+	10.0	O	6.0	B	-	-	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+
54	**20691A2857**	21.5	17.0	4.91	4.56	-	-	-	-	0.0	P	5.0	C	7.0	B+	0.0	F	7.0	B+	6.0	B	-	Ab	-	-	6.0	B	7.0	B+	-	-	-	-	6.0	B	-	-	-	-
55	**20691A2858**	21.5	5.0	1.3	2.68	-	-	-	-	0.0	P	-	F	-	F	-	F	-	Ab	-	Ab	-	Ab	-	-	6.0	B	5.0	C	-	-	-	-	-	Ab	-	-	-	-
56	**20691A2859**	21.5	21.5	8.86	8.8	-	-	-	-	0.0	P	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	9.0	A+	-	-
57	**20691A2860**	21.5	11.0	2.42	3.53	-	-	-	-	0.0	P	4.0	P	0.0	F	-	F	6.0	B	6.0	B	-	Ab	-	-	-	F	5.0	C	-	-	-	-	4.0	P	-	-	-	-
58	**20691A2861**	21.5	18.5	4.67	5.42	-	-	4.0	P	0.0	P	4.0	P	4.0	P	0.0	F	7.0	B+	6.0	B	8.0	A	-	-	7.0	B+	6.0	B	-	-	-	-	-	-	-	-	-	-
59	**20691A2862**	21.5	21.5	7.58	6.54	-	-	-	-	0.0	P	8.0	A	9.0	A+	6.0	B	9.0	A+	10.0	O	9.0	A+	-	-	6.0	B	8.0	A	-	-	-	-	6.0	B	-	-	-	-
60	**20691A2863**	21.5	14.0	4.07	5.74	-	-	-	-	0.0	P	6.0	B	5.0	C	-	F	9.0	A+	-	F	8.0	A	-	-	-	F	7.0	B+	5.0	C	-	-	-	-	-	-	-	-
61	**20691A2864**	21.5	21.5	7.81	8.07	-	-	-	-	0.0	P	9.0	A+	8.0	A	7.0	B+	10.0	O	9.0	A+	9.0	A+	6.0	B	-	-	6.0	B	8.0	A	-	-	-	-	-	-	-	-
62	**20691A2866**	21.5	15.5	4.53	4.98	-	-	-	-	0.0	P	5.0	C	7.0	B+	-	F	9.0	A+	7.0	B+	7.0	B+	-	-	-	F	6.0	B	5.0	C	-	-	-	-	-	-	-	-
63	**20691A2867**	21.5	21.5	7.79	8.16	-	-	7.0	B+	0.0	P	8.0	A	7.0	B+	7.0	B+	10.0	O	9.0	A+	10.0	O	7.0	B+	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-
64	**20691A2868**	21.5	21.5	8.51	8.46	-	-	-	-	0.0	P	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	7.0	B+	-	-	-	-
65	**20691A2869**	21.5	21.5	9.07	9.07	-	-	-	-	0.0	P	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	8.0	A	-	-	9.0	A+	-	-	-	-	-	-	9.0	A+	-	-
66	**20691A2870**	21.5	18.5	6.3	7.18	-	-	6.0	B	0.0	P	7.0	B+	6.0	B	6.0	B	10.0	O	8.0	A	9.0	A+	-	-	-	F	10.0	O	-	-	-	-	-	-	-	-	-	-
67	**20691A2871**	21.5	18.5	5.79	5.71	-	-	-	-	0.0	P	6.0	B	6.0	B	6.0	B	9.0	A+	8.0	A	8.0	A	-	-	-	F	9.0	A+	5.0	C	-	-	-	-	-	-	-	-
68	**20691A2872**	21.5	21.5	8.56	8.42	-	-	-	-	0.0	P	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	8.0	A	-	-	-	-	7.0	B+	-	-	-	-
69	**20691A2873**	21.5	21.5	8.47	8.58	-	-	-	-	0.0	P	9.0	A+	7.0	B+	8.0	A	10.0	O	8.0	A	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	-	-	9.0	A+
70	**20691A2874**	21.5	18.5	5.93	6.78	-	-	-	-	0.0	P	7.0	B+	7.0	B+	7.0	B+	9.0	A+	7.0	B+	7.0	B+	-	-	-	F	6.0	B	6.0	B	-	-	-	-	-	-	-	-
71	**20691A2875**	21.5	21.5	9.44	8.36	8.0	A	-	-	0.0	P	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	8.0	A	-	-	10.0	O	-	-	-	-	-	-	-	-	-	-
72	**20691A2876**	21.5	18.5	4.67	5.45	-	-	-	-	0.0	P	5.0	C	4.0	P	5.0	C	9.0	A+	4.0	P	6.0	B	-	-	6.0	B	6.0	B	-	F	-	-	-	-	-	-	-	-
73	**20691A2877**	21.5	21.5	7.81	7.26	-	-	-	-	0.0	P	8.0	A	8.0	A	6.0	B	10.0	O	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+	7.0	B+	-	-	-	-	-	-	-	-
74	**20691A2878**	21.5	21.5	8.72	8.59	-	-	-	-	0.0	P	9.0	A+	8.0	A	9.0	A+	10.0	O	9.0	A+	10.0	O	8.0	A	-	-	9.0	A+	8.0	A	-	-	-	-	-	-	-	-
75	**20691A2879**	21.5	21.5	8.12	8.08	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	10.0	O	8.0	A	9.0	A+	-	-	7.0	B+	10.0	O	-	-	-	-	7.0	B+	-	-	-	-
76	**20691A2880**	21.5	21.5	8.37	8.21	-	-	-	-	0.0	P	9.0	A+	8.0	A	8.0	A	10.0	O	8.0	A	10.0	O	-	-	6.0	B	9.0	A+	-	-	-	-	-	-	-	-	9.0	A+
77	**20691A2881**	21.5	21.5	7.6	7.46	-	-	-	-	0.0	P	7.0	B+	7.0	B+	8.0	A	10.0	O	9.0	A+	10.0	O	6.0	B	-	-	6.0	B	-	-	-	-	-	-	8.0	A	-	-
78	**20691A2882**	21.5	21.5	6.81	6.96	-	-	-	-	0.0	P	6.0	B	7.0	B+	5.0	C	9.0	A+	7.0	B+	9.0	A+	-	-	7.0	B+	8.0	A	-	-	-	-	6.0	B	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - COMPUTER SCIENCE & TECHNOLOGY (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						20CE301		20CE302		20CE901		20CST111		20CST112		20CST113		20CST209		20CST210		20CST211		20CST4M02		20CST4M04		20CST605		20ECE301		20ECE302		20EEE302		20MAT301		20ME301	
						Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
79	**20691A2883**	21.5	21.5	8.51	8.69	-	-	-	-	0.0	P	9.0	A+	8.0	A	9.0	A+	10.0	O	9.0	A+	9.0	A+	9.0	A+	-	-	9.0	A+	-	-	-	-	6.0	B	-	-	-	-
80	**20691A2884**	21.5	21.5	7.6	6.92	-	-	7.0	B+	0.0	P	7.0	B+	7.0	B+	8.0	A	9.0	A+	7.0	B+	9.0	A+	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-
81	**20691A2886**	21.5	21.5	6.98	6.68	-	-	-	-	0.0	P	7.0	B+	6.0	B	8.0	A	9.0	A+	6.0	B	9.0	A+	-	-	6.0	B	9.0	A+	-	-	-	-	5.0	C	-	-	-	-
82	**20691A2887**	21.5	21.5	5.42	5.91	-	-	-	-	0.0	P	6.0	B	4.0	P	4.0	P	9.0	A+	4.0	P	6.0	B	-	-	6.0	B	5.0	C	6.0	B	-	-	-	-	-	-	-	-
83	**20691A2888**	21.5	21.5	7.02	6.86	-	-	-	-	0.0	P	7.0	B+	7.0	B+	6.0	B	9.0	A+	7.0	B+	8.0	A	-	-	7.0	B+	8.0	A	-	-	-	-	-	-	-	-	6.0	B
84	**20691A2889**	21.5	21.5	7.14	7.61	-	-	-	-	0.0	P	7.0	B+	7.0	B+	8.0	A	9.0	A+	7.0	B+	7.0	B+	-	-	6.0	B	7.0	B+	7.0	B+	-	-	-	-	-	-	-	-
85	**20691A2890**	21.5	21.5	7.07	7.35	-	-	-	-	0.0	P	6.0	B	6.0	B	7.0	B+	9.0	A+	8.0	A	9.0	A+	-	-	6.0	B	10.0	O	-	-	-	-	6.0	B	-	-	-	-
86	**20691A2891**	21.5	21.5	6.63	6.68	-	-	-	-	0.0	P	6.0	B	6.0	B	7.0	B+	9.0	A+	6.0	B	8.0	A	-	-	7.0	B+	6.0	B	-	-	-	-	6.0	B	-	-	-	-
87	**20691A2892**	21.5	18.5	6.3	6.7	-	-	-	-	0.0	P	6.0	B	7.0	B+	8.0	A	9.0	A+	7.0	B+	9.0	A+	-	-	-	F	7.0	B+	-	-	-	-	7.0	B+	-	-	-	-
88	**20691A2893**	21.5	18.5	5.56	5.58	6.0	B	-	-	0.0	P	6.0	B	6.0	B	7.0	B+	9.0	A+	6.0	B	8.0	A	-	-	-	F	5.0	C	-	-	-	-	-	-	-	-	-	-
89	**20691A2894**	21.5	14.0	3.6	4.24	-	F	-	-	0.0	P	4.0	P	5.0	C	6.0	B	9.0	A+	6.0	B	-	F	-	-	-	F	5.0	C	-	-	-	-	-	-	-	-	-	-
90	**20691A2895**	21.5	21.5	6.67	5.76	-	-	-	-	0.0	P	6.0	B	7.0	B+	7.0	B+	9.0	A+	7.0	B+	7.0	B+	-	-	6.0	B	5.0	C	-	-	-	-	7.0	B+	-	-	-	-
91	**20691A2896**	21.5	20.0	6.23	6.47	-	-	-	-	0.0	P	6.0	B	7.0	B+	6.0	B	10.0	O	-	F	6.0	B	-	-	7.0	B+	7.0	B+	-	-	-	-	6.0	B	-	-	-	-
92	**20691A2897**	21.5	21.5	7.91	8.47	-	-	-	-	0.0	P	8.0	A	7.0	B+	8.0	A	10.0	O	9.0	A+	9.0	A+	7.0	B+	-	-	10.0	O	-	-	-	-	6.0	B	-	-	-	-
93	**20691A2898**	21.5	21.5	6.21	5.41	-	-	-	-	0.0	P	6.0	B	5.0	C	6.0	B	9.0	A+	4.0	P	8.0	A	7.0	B+	-	-	6.0	B	-	-	-	-	6.0	B	-	-	-	-
94	**20691A2899**	21.5	15.5	4.14	4.51	-	-	-	-	0.0	P	5.0	C	0.0	F	5.0	C	9.0	A+	6.0	B	7.0	B+	-	-	-	F	4.0	P	-	-	-	-	6.0	B	-	-	-	-
95	**20691A28A0**	21.5	21.5	8.4	8.46	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	10.0	O	8.0	A	-	-	10.0	O	7.0	B+	-	-	-	-	-	-	-	-
96	**20691A28A1**	21.5	21.5	8.65	7.98	-	-	-	-	0.0	P	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	8.0	A	-	-	9.0	A+	-	-	-	-	7.0	B+	-	-	-	-
97	**20691A28A2**	21.5	21.5	8.53	9.24	-	-	9.0	A+	0.0	P	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	10.0	O	7.0	B+	-	-	10.0	O	-	-	-	-	-	-	-	-	-	-
98	**20691A28A4**	21.5	21.5	7.47	7.48	-	-	-	-	0.0	P	7.0	B+	7.0	B+	7.0	B+	10.0	O	10.0	O	9.0	A+	7.0	B+	-	-	6.0	B	7.0	B+	-	-	-	-	-	-	-	-
99	**20691A28A5**	21.5	21.5	7.6	7.68	-	-	-	-	0.0	P	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	9.0	A+	7.0	B+	-	-	9.0	A+	-	-	-	-	7.0	B+	-	-	-	-
100	**20691A28A6**	21.5	21.5	8.26	8.33	-	-	7.0	B+	0.0	P	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	10.0	O	7.0	B+	-	-	10.0	O	-	-	-	-	-	-	-	-	-	-
101	**20691A28A7**	21.5	21.5	8.37	8.48	-	-	-	-	0.0	P	8.0	A	7.0	B+	8.0	A	10.0	O	8.0	A	10.0	O	8.0	A	-	-	9.0	A+	-	-	-	-	-	-	-	-	9.0	A+
102	**20691A28A8**	21.5	21.5	7.07	6.74	-	-	-	-	0.0	P	6.0	B	7.0	B+	7.0	B+	9.0	A+	9.0	A+	10.0	O	-	-	6.0	B	7.0	B+	-	-	-	-	6.0	B	-	-	-	-
103	**20691A28A9**	21.5	21.5	6.91	5.81	-	-	-	-	0.0	P	6.0	B	6.0	B	6.0	B	9.0	A+	7.0	B+	9.0	A+	-	-	7.0	B+	9.0	A+	-	-	-	-	6.0	B	-	-	-	-
104	**20691A28B0**	21.5	21.5	8.26	8.13	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	10.0	O	8.0	A	9.0	A+	6.0	B	-	-	10.0	O	-	-	-	-	-	-	-	-	9.0	A+
105	**20691A28B1**	21.5	21.5	7.84	7.46	-	-	-	-	0.0	P	8.0	A	8.0	A	7.0	B+	10.0	O	8.0	A	9.0	A+	8.0	A	-	-	7.0	B+	7.0	B+	-	-	-	-	-	-	-	-
106	**20691A28B2**	21.5	10.5	3.14	5.78	-	-	-	-	0.0	P	6.0	B	-	F	6.0	B	9.0	A+	5.0	C	7.0	B+	-	-	-	F	-	F	-	F	-	-	-	-	-	-	-	-
107	**20691A28B3**	21.5	21.5	7.33	7.75	-	-	-	-	0.0	P	7.0	B+	6.0	B	7.0	B+	9.0	A+	7.0	B+	9.0	A+	-	-	7.0	B+	9.0	A+	7.0	B+	-	-	-	-	-	-	-	-
108	**20691A28B4**	21.5	21.5	7.49	7.89	-	-	-	-	0.0	P	8.0	A	6.0	B	7.0	B+	9.0	A+	8.0	A	9.0	A+	7.0	B+	-	-	10.0	O	6.0	B	-	-	-	-	-	-	-	-
109	**20691A28B5**	21.5	21.5	8.12	8.45	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	10.0	O	8.0	A	9.0	A+	6.0	B	-	-	10.0	O	8.0	A	-	-	-	-	-	-	-	-
110	**20691A28B6**	21.5	21.5	7.49	8.06	-	-	8.0	A	0.0	P	8.0	A	8.0	A	8.0	A	9.0	A+	6.0	B	7.0	B+	-	-	6.0	B	7.0	B+	-	-	-	-	-	-	-	-	-	-
111	**20691A28B7**	21.5	21.5	7.84	8.41	-	-	8.0	A	0.0	P	8.0	A	7.0	B+	7.0	B+	9.0	A+	7.0	B+	9.0	A+	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	-	-	-	-
112	**20691A28B9**	21.5	21.5	6.35	6.61	-	-	-	-	0.0	P	6.0	B	6.0	B	6.0	B	9.0	A+	5.0	C	7.0	B+	-	-	6.0	B	6.0	B	-	-	-	-	-	-	-	-	7.0	B+
113	**20691A28C0**	21.5	21.5	7.98	7.89	-	-	-	-	0.0	P	8.0	A	7.0	B+	7.0	B+	10.0	O	8.0	A	9.0	A+	7.0	B+	-	-	10.0	O	8.0	A	-	-	-	-	-	-	-	-
114	**20691A28C1**	21.5	21.5	6.93	6.98	-	-	-	-	0.0	P	7.0	B+	6.0	B	7.0	B+	10.0	O	6.0	B	10.0	O	-	-	6.0	B	7.0	B+	-	-	-	-	6.0	B	-	-	-	-
115	**20691A28C2**	21.5	18.5	6.3	6.33	-	-	-	-	0.0	P	6.0	B	7.0	B+	7.0	B+	9.0	A+	8.0	A	10.0	O	7.0	B+	-	-	7.0	B+	-	F	-	-	-	-	-	-	-	-
116	**20691A28C3**	21.5	18.5	6.16	6.52	-	-	-	-	0.0	P	7.0	B+	6.0	B	8.0	A	9.0	A+	7.0	B+	9.0	A+	-	-	-	F	7.0	B+	-	-	-	-	6.0	B	-	-	-	-
117	**20691A28C4**	21.5	21.5	6.37	4.99	-	-	-	-	0.0	P	6.0	B	5.0	C	6.0	B	9.0	A+	6.0	B	9.0	A+	6.0	B	-	-	7.0	B+	6.0	B	-	-	-	-	-	-	-	-
118	**20691A28C5**	21.5	21.5	8.74	8.7	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	8.0	A	-	-	10.0	O	9.0	A+	-	-	-	-	-	-	-	-
119	**20691A28C6**	21.5	21.5	8.6	8.22	8.0	A	-	-	0.0	P	10.0	O	8.0	A	8.0	A	10.0	O	9.0	A+	9.0	A+	7.0	B+	-	-	10.0	O	-	-	-	-	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - COMPUTER SCIENCE & TECHNOLOGY (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						20CE301		20CE302		20CE901		20CST111		20CST112		20CST113		20CST209		20CST210		20CST211		20CST4M02		20CST4M04		20CST605		20ECE301		20ECE302		20EEE302		20MAT301		20ME301	
						Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
120	**20691A28C8**	21.5	21.5	7.95	7.29	-	-	7.0	B+	0.0	P	9.0	A+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-	-	-	-	-
121	**20691A28C9**	21.5	10.5	2.51	4.21	-	-	-	-	0.0	P	6.0	B	-	F	4.0	P	6.0	B	-	Ab	-	F	-	-	-	F	-	Ab	-	-	-	-	5.0	C	-	-	-	-
122	**20691A28D0**	21.5	10.5	2.51	4.3	-	-	-	-	0.0	P	6.0	B	4.0	P	-	F	6.0	B	-	Ab	-	Ab	-	-	-	Ab	-	F	-	-	-	-	5.0	C	-	-	-	-
123	**20691A28D1**	21.5	21.5	7.7	6.7	6.0	B	-	-	0.0	P	9.0	A+	7.0	B+	6.0	B	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	-	-	-	-
124	**20691A28D2**	21.5	18.5	6.21	5.13	-	-	7.0	B+	0.0	P	6.0	B	6.0	B	6.0	B	8.0	A	9.0	A+	10.0	O	-	-	-	F	9.0	A+	-	-	-	-	-	-	-	-	-	-
125	**20691A28D3**	21.5	17.0	4.91	4.85	-	-	-	-	0.0	P	6.0	B	6.0	B	6.0	B	6.0	B	7.0	B+	-	F	-	-	-	F	7.0	B+	-	-	-	-	6.0	B	-	-	-	-
126	**20691A28D5**	21.5	18.5	6.21	6.01	-	-	7.0	B+	0.0	P	6.0	B	6.0	B	7.0	B+	7.0	B+	9.0	A+	9.0	A+	-	-	-	F	9.0	A+	-	-	-	-	-	-	-	-	-	-
127	**20691A28D6**	21.5	21.5	7.7	7.38	7.0	B+	-	-	0.0	P	8.0	A	7.0	B+	6.0	B	9.0	A+	9.0	A+	9.0	A+	7.0	B+	-	-	10.0	O	-	-	-	-	-	-	-	-	-	-
128	**20691A28D7**	21.5	18.5	7.49	7.25	-	-	-	-	0.0	P	9.0	A+	8.0	A	-	F	10.0	O	9.0	A+	9.0	A+	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	-	-	9.0	A+
129	**20691A28D8**	21.5	21.5	7.95	8.11	-	-	-	-	0.0	P	9.0	A+	7.0	B+	7.0	B+	10.0	O	8.0	A	10.0	O	-	-	6.0	B	9.0	A+	-	-	-	-	-	-	-	-	8.0	A
130	**20691A28D9**	21.5	21.5	7.23	7.36	-	-	7.0	B+	0.0	P	8.0	A	6.0	B	6.0	B	9.0	A+	7.0	B+	9.0	A+	7.0	B+	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-
131	**20691A28E0**	21.5	21.5	9.02	8.83	-	-	9.0	A+	0.0	P	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	8.0	A	-	-	10.0	O	-	-	-	-	-	-	-	-	-	-
132	**20691A28E1**	21.5	21.5	7.33	6.83	-	-	7.0	B+	0.0	P	8.0	A	8.0	A	4.0	P	8.0	A	9.0	A+	8.0	A	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-	-	-	-	-
133	**20691A28E2**	21.5	21.5	9.3	9.19	-	-	9.0	A+	0.0	P	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	8.0	A	-	-	10.0	O	-	-	-	-	-	-	-	-	-	-
134	**20691A28E4**	21.5	21.5	9.58	9.01	-	-	-	-	0.0	P	10.0	O	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	8.0	A	-	-	10.0	O	-	-	-	-	-	-	-	-	10.0	O
135	**20691A28E5**	21.5	21.5	8.05	7.05	-	-	-	-	0.0	P	8.0	A	7.0	B+	7.0	B+	9.0	A+	9.0	A+	10.0	O	7.0	B+	-	-	10.0	O	-	-	-	-	-	-	-	-	8.0	A
136	**20691A28E6**	21.5	21.5	8.53	8.4	-	-	-	-	0.0	P	9.0	A+	8.0	A	7.0	B+	10.0	O	10.0	O	9.0	A+	8.0	A	-	-	10.0	O	-	-	-	-	8.0	A	-	-	-	-
137	**20691A28E7**	21.5	21.5	8.4	7.78	-	-	8.0	A	0.0	P	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	-	-	-	-
138	**20691A28E8**	21.5	21.5	8.88	8.65	-	-	9.0	A+	0.0	P	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	8.0	A	-	-	10.0	O	-	-	-	-	-	-	-	-	-	-
139	**20691A28E9**	21.5	21.5	8.02	7.74	7.0	B+	-	-	0.0	P	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	9.0	A+	8.0	A	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-
140	**20691A28F0**	21.5	18.5	5.07	5.16	-	-	-	-	0.0	P	4.0	P	6.0	B	-	F	7.0	B+	7.0	B+	8.0	A	6.0	B	-	-	8.0	A	-	-	-	-	4.0	P	-	-	-	-
141	**20691A28F1**	21.5	18.5	5.72	5.86	-	-	-	-	0.0	P	6.0	B	-	F	4.0	P	7.0	B+	7.0	B+	8.0	A	-	-	7.0	B+	9.0	A+	-	-	-	-	7.0	B+	-	-	-	-
142	**20691A28F2**	21.5	21.5	8.37	7.72	-	-	-	-	0.0	P	9.0	A+	8.0	A	7.0	B+	10.0	O	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-	-	-	9.0	A+
143	**20691A28F3**	21.5	21.5	7.98	7.81	-	-	7.0	B+	0.0	P	8.0	A	8.0	A	7.0	B+	10.0	O	9.0	A+	8.0	A	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	-	-	-	-
144	**20691A28F4**	21.5	21.5	7.58	7.43	-	-	-	-	0.0	P	8.0	A	8.0	A	6.0	B	9.0	A+	8.0	A	9.0	A+	7.0	B+	-	-	8.0	A	-	-	-	-	7.0	B+	-	-	-	-
145	**20691A28F5**	21.5	21.5	8.02	7.68	-	-	-	-	0.0	P	9.0	A+	7.0	B+	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	6.0	B	9.0	A+	-	-	-	-	7.0	B+	-	-	-	-
146	**20691A28F6**	21.5	14.0	4.02	5.45	-	-	-	-	0.0	P	6.0	B	4.0	P	-	F	7.0	B+	8.0	A	-	F	-	-	-	F	8.0	A	-	-	-	-	-	-	-	-	6.0	B
147	**20691A28F7**	21.5	21.5	8.81	8.14	-	-	-	-	0.0	P	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	9.0	A+	8.0	A	-	-	10.0	O	-	-	-	-	-	-	-	-	9.0	A+
148	**20691A28F8**	21.5	21.5	8.09	8.42	-	-	-	-	0.0	P	9.0	A+	7.0	B+	8.0	A	9.0	A+	9.0	A+	8.0	A	-	-	7.0	B+	9.0	A+	8.0	A	-	-	-	-	-	-	-	-
149	**20691A28F9**	21.5	21.5	7.21	6.42	-	-	-	-	0.0	P	7.0	B+	6.0	B	6.0	B	9.0	A+	9.0	A+	8.0	A	6.0	B	-	-	10.0	O	-	-	-	-	-	-	-	-	7.0	B+
150	**20691A28G0**	21.5	21.5	7.77	6.98	-	-	-	-	0.0	P	8.0	A	7.0	B+	5.0	C	9.0	A+	10.0	O	9.0	A+	6.0	B	-	-	10.0	O	-	-	-	-	-	-	-	-	9.0	A+
151	**20691A28G1**	21.5	21.5	7.56	7.21	-	-	-	-	0.0	P	8.0	A	6.0	B	7.0	B+	8.0	A	9.0	A+	8.0	A	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	-	-	7.0	B+
152	**20691A28G2**	21.5	21.5	7.19	6.77	-	-	-	-	0.0	P	7.0	B+	7.0	B+	6.0	B	9.0	A+	8.0	A	8.0	A	-	-	6.0	B	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+
153	**20691A28G3**	21.5	18.5	5.91	6.79	-	-	-	-	0.0	P	7.0	B+	6.0	B	6.0	B	9.0	A+	7.0	B+	8.0	A	-	-	6.0	B	8.0	A	-	-	-	-	-	F	-	-	-	-
154	**20691A28G4**	21.5	21.5	8.26	7.94	-	-	-	-	0.0	P	9.0	A+	8.0	A	7.0	B+	9.0	A+	9.0	A+	9.0	A+	8.0	A	-	-	10.0	O	-	-	-	-	7.0	B+	-	-	-	-
155	**20691A28G5**	21.5	21.5	7.63	7.14	-	-	-	-	0.0	P	8.0	A	7.0	B+	6.0	B	9.0	A+	8.0	A	9.0	A+	-	-	8.0	A	10.0	O	-	-	-	-	6.0	B	-	-	-	-
156	**20691A28G6**	21.5	21.5	9.58	9.14	-	-	-	-	0.0	P	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	8.0	A	-	-	10.0	O	10.0	O	-	-	-	-	-	-	-	-
157	**20691A28G7**	21.5	21.5	8.53	8.0	-	-	-	-	0.0	P	9.0	A+	8.0	A	8.0	A	10.0	O	9.0	A+	10.0	O	-	-	7.0	B+	10.0	O	8.0	A	-	-	-	-	-	-	-	-
158	**20691A28G8**	21.5	21.5	6.84	5.99	-	-	-	-	0.0	P	8.0	A	5.0	C	5.0	C	9.0	A+	7.0	B+	6.0	B	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+
159	**20691A28G9**	21.5	21.5	9.51	9.31	-	-	-	-	0.0	P	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	10.0	O	-	-	10.0	O	9.0	A+	-	-	-	-	-	-	-	-
160	**20691A28H0**	21.5	21.5	7.88	7.4	6.0	B	-	-	0.0	P	9.0	A+	8.0	A	7.0	B+	10.0	O	8.0	A	9.0	A+	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - COMPUTER SCIENCE & TECHNOLOGY (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						20CE301		20CE302		20CE901		20CST111		20CST112		20CST113		20CST209		20CST210		20CST211		20CST4M02		20CST4M04		20CST605		20ECE301		20ECE302		20EEE302		20MAT301		20ME301	
						Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
161	**20691A28H1**	21.5	21.5	8.6	8.2	8.0	A	-	-	0.0	P	10.0	O	8.0	A	8.0	A	10.0	O	9.0	A+	9.0	A+	7.0	B+	-	-	10.0	O	-	-	-	-	-	-	-	-	-	-
162	**20691A28H2**	21.5	21.5	8.26	7.88	-	-	-	-	0.0	P	9.0	A+	8.0	A	8.0	A	9.0	A+	9.0	A+	7.0	B+	7.0	B+	-	-	10.0	O	-	-	-	-	-	-	-	-	8.0	A
163	**20691A28H3**	21.5	21.5	7.53	7.1	-	-	-	-	0.0	P	7.0	B+	7.0	B+	7.0	B+	9.0	A+	8.0	A	9.0	A+	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+
164	**20691A28H4**	21.5	21.5	7.26	6.39	-	-	-	-	0.0	P	7.0	B+	7.0	B+	7.0	B+	9.0	A+	8.0	A	9.0	A+	6.0	B	-	-	9.0	A+	-	-	-	-	6.0	B	-	-	-	-
165	**20691A28H5**	21.5	21.5	7.91	7.08	-	-	-	-	0.0	P	7.0	B+	7.0	B+	7.0	B+	8.0	A	9.0	A+	9.0	A+	8.0	A	-	-	10.0	O	8.0	A	-	-	-	-	-	-	-	-
166	**20691A28H6**	21.5	21.5	7.84	6.83	-	-	-	-	0.0	P	8.0	A	7.0	B+	6.0	B	10.0	O	10.0	O	9.0	A+	-	-	6.0	B	10.0	O	-	-	-	-	-	-	-	-	8.0	A
167	**20691A28H8**	21.5	21.5	8.95	8.38	-	-	9.0	A+	0.0	P	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	9.0	A+	9.0	A+	-	-	10.0	O	-	-	-	-	-	-	-	-	-	-
168	**20691A28H9**	21.5	21.5	7.47	6.65	-	-	-	-	0.0	P	7.0	B+	7.0	B+	7.0	B+	9.0	A+	8.0	A	8.0	A	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+
169	**20691A28I0**	21.5	21.5	8.53	7.89	-	-	-	-	0.0	P	9.0	A+	8.0	A	8.0	A	10.0	O	9.0	A+	8.0	A	8.0	A	-	-	10.0	O	-	-	-	-	-	-	-	-	8.0	A
170	**20691A28I1**	21.5	21.5	8.26	7.71	-	-	-	-	0.0	P	9.0	A+	8.0	A	7.0	B+	9.0	A+	10.0	O	10.0	O	6.0	B	-	-	10.0	O	-	-	-	-	-	-	-	-	8.0	A
171	**20691A28I2**	21.5	21.5	9.14	8.27	-	-	10.0	O	0.0	P	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	8.0	A	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-
172	**20691A28I3**	21.5	21.5	7.19	6.54	-	-	8.0	A	0.0	P	7.0	B+	6.0	B	6.0	B	9.0	A+	7.0	B+	9.0	A+	-	-	6.0	B	9.0	A+	-	-	-	-	-	-	-	-	-	-
173	**20691A28I4**	21.5	21.5	8.77	9.0	-	-	-	-	0.0	P	9.0	A+	10.0	O	9.0	A+	10.0	O	8.0	A	9.0	A+	8.0	A	-	-	8.0	A	-	-	-	-	8.0	A	-	-	-	-
174	**20691A28I5**	21.5	21.5	9.16	8.68	-	-	10.0	O	0.0	P	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	8.0	A	-	-	10.0	O	-	-	-	-	-	-	-	-	-	-
175	**20691A28I6**	21.5	21.5	7.98	7.84	-	-	-	-	0.0	P	8.0	A	7.0	B+	7.0	B+	8.0	A	10.0	O	9.0	A+	-	-	8.0	A	10.0	O	-	-	-	-	7.0	B+	-	-	-	-
176	**20691A28I7**	21.5	21.5	7.51	7.44	-	-	8.0	A	0.0	P	8.0	A	7.0	B+	7.0	B+	9.0	A+	8.0	A	8.0	A	6.0	B	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-
177	**20691A28J0**	21.5	15.5	5.53	6.36	-	-	-	-	0.0	P	7.0	B+	6.0	B	7.0	B+	9.0	A+	9.0	A+	8.0	A	-	-	-	F	10.0	O	-	-	-	-	-	-	-	-	-	F
178	**21695A2801**	21.5	21.5	7.53	7.26	-	-	8.0	A	0.0	P	7.0	B+	7.0	B+	7.0	B+	9.0	A+	8.0	A	9.0	A+	6.0	B	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-
179	**21695A2802**	21.5	21.5	9.02	8.85	-	-	-	-	0.0	P	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	8.0	A	-	-	10.0	O	9.0	A+	-	-	-	-	-	-	-	-
180	**21695A2803**	21.5	21.5	7.7	7.69	-	-	7.0	B+	0.0	P	8.0	A	7.0	B+	7.0	B+	10.0	O	8.0	A	9.0	A+	6.0	B	-	-	10.0	O	-	-	-	-	-	-	-	-	-	-
181	**21695A2804**	21.5	21.5	9.23	9.38	-	-	-	-	0.0	P	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	9.0	A+	8.0	A	-	-	10.0	O	9.0	A+	-	-	-	-	-	-	-	-
182	**21695A2805**	21.5	21.5	8.02	8.1	-	-	-	-	0.0	P	8.0	A	7.0	B+	7.0	B+	9.0	A+	9.0	A+	9.0	A+	8.0	A	-	-	9.0	A+	-	-	-	-	8.0	A	-	-	-	-
183	**21695A2806**	21.5	21.5	8.47	8.22	-	-	-	-	0.0	P	8.0	A	8.0	A	8.0	A	10.0	O	8.0	A	10.0	O	8.0	A	-	-	10.0	O	-	-	-	-	8.0	A	-	-	-	-
184	**21695A2807**	21.5	21.5	7.88	8.01	-	-	-	-	0.0	P	8.0	A	8.0	A	7.0	B+	9.0	A+	8.0	A	10.0	O	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+
185	**21695A2808**	21.5	21.5	8.19	7.45	-	-	-	-	0.0	P	8.0	A	9.0	A+	7.0	B+	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-
186	**21695A2809**	21.5	21.5	7.21	7.25	-	-	-	-	0.0	P	7.0	B+	8.0	A	7.0	B+	9.0	A+	8.0	A	9.0	A+	-	-	6.0	B	7.0	B+	6.0	B	-	-	-	-	-	-	-	-
187	**21695A2810**	21.5	21.5	8.77	8.77	-	-	-	-	0.0	P	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	8.0	A	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	-	-
188	**21695A2811**	21.5	21.5	7.56	7.19	-	-	7.0	B+	0.0	P	8.0	A	8.0	A	7.0	B+	9.0	A+	7.0	B+	9.0	A+	7.0	B+	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-
189	**21695A2812**	21.5	21.5	8.09	7.18	-	-	-	-	0.0	P	8.0	A	8.0	A	7.0	B+	10.0	O	9.0	A+	9.0	A+	-	-	8.0	A	9.0	A+	-	-	-	-	7.0	B+	-	-	-	-
190	**21695A2813**	21.5	21.5	7.7	7.28	-	-	-	-	0.0	P	8.0	A	8.0	A	7.0	B+	10.0	O	8.0	A	9.0	A+	7.0	B+	-	-	7.0	B+	-	-	-	-	7.0	B+	-	-	-	-
191	**21695A2814**	21.5	21.5	8.09	8.03	-	-	-	-	0.0	P	8.0	A	8.0	A	9.0	A+	10.0	O	9.0	A+	9.0	A+	8.0	A	-	-	6.0	B	-	-	-	-	-	-	-	-	7.0	B+
192	**21695A2815**	21.5	21.5	7.21	7.04	-	-	-	-	0.0	P	7.0	B+	8.0	A	6.0	B	8.0	A	8.0	A	8.0	A	-	-	6.0	B	10.0	O	-	-	-	-	6.0	B	-	-	-	-
193	**21695A2816**	21.5	21.5	6.63	6.45	-	-	-	-	0.0	P	6.0	B	7.0	B+	5.0	C	8.0	A	9.0	A+	8.0	A	-	-	6.0	B	9.0	A+	-	-	-	-	5.0	C	-	-	-	-
194	**21695A2817**	21.5	21.5	7.81	7.48	-	-	-	-	0.0	P	8.0	A	9.0	A+	7.0	B+	8.0	A	9.0	A+	9.0	A+	6.0	B	-	-	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+
195	**21695A2818**	21.5	21.5	8.58	8.51	-	-	-	-	0.0	P	8.0	A	9.0	A+	8.0	A	10.0	O	9.0	A+	10.0	O	8.0	A	-	-	9.0	A+	-	-	-	-	8.0	A	-	-	-	-
196	**21695A2819**	21.5	21.5	8.53	8.29	-	-	-	-	0.0	P	9.0	A+	9.0	A+	7.0	B+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	-	-	10.0	O	-	-	-	-	7.0	B+	-	-	-	-
197	**21695A2820**	21.5	21.5	7.26	7.02	-	-	-	-	0.0	P	6.0	B	8.0	A	5.0	C	8.0	A	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+
198	**21695A2821**	21.5	21.5	7.19	7.0	-	-	-	-	0.0	P	6.0	B	7.0	B+	6.0	B	8.0	A	9.0	A+	8.0	A	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-	-	-	7.0	B+

Course Code	Course Name

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - COMPUTER SCIENCE & TECHNOLOGY (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						20CE301		20CE302		20CE901		20CST111		20CST112		20CST113		20CST209		20CST210		20CST211		20CST4M02		20CST4M04		20CST605		20ECE301		20ECE302		20EEE302		20MAT301		20ME301	
						Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G

Course Code	Course Name
20CE301	GROUND IMPROVEMENT TECHNIQUES
20CE302	ENVIRONMENTAL IMPACT ASSESSMENT
20CE901	DISASTER MANAGEMENT
20CST111	CRYPTOGRAPHY AND NETWORK SECURITY
20CST112	CLOUD COMPUTING
20CST113	INTERNET AND WEB PROGRAMMING
20CST209	CRYPTOGRAPHY AND NETWORK SECURITY LABORATORY
20CST210	CLOUD COMPUTING LABORATORY
20CST211	INTERNET AND WEB PROGRAMMING LABORATORY
20CST4M02	INTRODUCTION TO SOFT COMPUTING (MOOC)
20CST4M04	PRIVACY AND SECURITY IN ONLINE SOCIAL MEDIA (MOOC)
20CST605	SOFTWARE TESTING (SC)
20ECE301	BIO-MEDICAL ELECTRONICS
20ECE302	VLSI DESIGN
20EEE302	INTRODUCTION TO MEMS
20MAT301	ADVANCED NUMERICAL METHODS
20ME301	MATERIALS SCIENCE FOR ENGINEERS

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

MADANAPALLE INSTITUTE OF TECHNOLOGY AND SCIENCE

(UGC - Autonomous)
(Approved by AICTE, New Delhi & Affiliated to JNTUA,Ananthapuramu)
P.B NO:14,Angallu,Kadiri Road,Madanapalle - 517325, Chittor Dist,A.P.

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - COMPUTER SCIENCE AND ENGINEERING (ARTIFICIAL INTELLIGENCE) (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																					
						20CAI113		20CAI114		20CAI115		20CAI211		20CAI212		20CAI213		20CAI4M04		20CAI605		20CE302		20ECE301		20HUM902	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 0.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
1	**20691A3101**	21.5	21.5	8.4	9.04	9.0	A+	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	7.0	B+	10.0	O	8.0	A	-	-	0.0	P
2	**20691A3102**	21.5	21.5	9.16	9.45	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	9.0	A+	8.0	A	10.0	O	9.0	A+	-	-	0.0	P
3	**20691A3103**	21.5	11.0	3.49	3.68	6.0	B	-	F	-	F	9.0	A+	-	F	5.0	C	-	F	9.0	A+	6.0	B	-	-	0.0	P
4	**20691A3104**	21.5	21.5	8.6	9.01	9.0	A+	8.0	A	8.0	A	10.0	O	8.0	A	10.0	O	8.0	A	10.0	O	-	-	8.0	A	0.0	P
5	**20691A3105**	21.5	21.5	8.95	9.33	9.0	A+	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	8.0	A	10.0	O	-	-	9.0	A+	0.0	P
6	**20691A3106**	21.5	21.5	8.95	9.09	9.0	A+	9.0	A+	8.0	A	10.0	O	9.0	A+	10.0	O	8.0	A	10.0	O	9.0	A+	-	-	0.0	P
7	**20691A3107**	21.5	21.5	9.3	9.56	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	8.0	A	10.0	O	9.0	A+	-	-	0.0	P
8	**20691A3108**	21.5	21.5	8.44	9.29	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	9.0	A+	-	-	6.0	B	0.0	P
9	**20691A3109**	21.5	21.5	7.47	7.67	8.0	A	8.0	A	7.0	B+	10.0	O	9.0	A+	6.0	B	7.0	B+	9.0	A+	-	-	5.0	C	0.0	P
10	**20691A3110**	21.5	21.5	8.81	8.66	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	9.0	A+	8.0	A	10.0	O	8.0	A	-	-	0.0	P
11	**20691A3111**	21.5	21.5	7.98	8.21	8.0	A	8.0	A	7.0	B+	10.0	O	7.0	B+	8.0	A	7.0	B+	10.0	O	8.0	A	-	-	0.0	P
12	**20691A3112**	21.5	21.5	9.44	9.46	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	9.0	A+	10.0	O	-	-	9.0	A+	0.0	P
13	**20691A3113**	21.5	21.5	8.47	8.92	9.0	A+	9.0	A+	8.0	A	10.0	O	9.0	A+	7.0	B+	7.0	B+	10.0	O	-	-	8.0	A	0.0	P
14	**20691A3114**	21.5	21.5	9.23	8.94	8.0	A	9.0	A+	10.0	O	10.0	O	9.0	A+	10.0	O	8.0	A	10.0	O	10.0	O	-	-	0.0	P
15	**20691A3115**	21.5	21.5	9.3	9.51	9.0	A+	10.0	O	9.0	A+	10.0	O	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	0.0	P
16	**20691A3116**	21.5	18.5	7.0	8.02	9.0	A+	8.0	A	6.0	B	10.0	O	8.0	A	9.0	A+	-	F	10.0	O	-	-	7.0	B+	0.0	P
17	**20691A3117**	21.5	21.5	7.81	8.19	8.0	A	9.0	A+	5.0	C	10.0	O	8.0	A	8.0	A	7.0	B+	9.0	A+	8.0	A	-	-	0.0	P
18	**20691A3118**	21.5	21.5	8.88	8.74	9.0	A+	9.0	A+	8.0	A	10.0	O	9.0	A+	9.0	A+	8.0	A	10.0	O	9.0	A+	-	-	0.0	P
19	**20691A3119**	21.5	21.5	7.67	8.36	8.0	A	9.0	A+	6.0	B	10.0	O	9.0	A+	9.0	A+	6.0	B	9.0	A+	-	-	6.0	B	0.0	P
20	**20691A3120**	21.5	21.5	8.4	8.96	8.0	A	9.0	A+	9.0	A+	10.0	O	9.0	A+	8.0	A	7.0	B+	10.0	O	-	-	7.0	B+	0.0	P
21	**20691A3121**	21.5	21.5	8.47	8.63	9.0	A+	9.0	A+	7.0	B+	10.0	O	9.0	A+	7.0	B+	7.0	B+	10.0	O	9.0	A+	-	-	0.0	P
22	**20691A3122**	21.5	18.5	5.14	5.35	6.0	B	6.0	B	4.0	P	9.0	A+	6.0	B	6.0	B	-	F	8.0	A	-	-	5.0	C	0.0	P
23	**20691A3123**	21.5	21.5	8.3	8.56	9.0	A+	8.0	A	8.0	A	10.0	O	8.0	A	9.0	A+	7.0	B+	9.0	A+	8.0	A	-	-	0.0	P
24	**20691A3124**	21.5	18.5	6.21	6.35	8.0	A	6.0	B	4.0	P	10.0	O	7.0	B+	8.0	A	-	F	9.0	A+	8.0	A	-	-	0.0	P
25	**20691A3125**	21.5	21.5	8.67	8.16	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	9.0	A+	8.0	A	10.0	O	9.0	A+	-	-	0.0	P
26	**20691A3126**	21.5	21.5	7.84	7.84	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	7.0	B+	10.0	O	-	-	6.0	B	0.0	P
27	**20691A3127**	21.5	21.5	8.44	8.21	8.0	A	9.0	A+	7.0	B+	10.0	O	9.0	A+	10.0	O	8.0	A	9.0	A+	-	-	8.0	A	0.0	P
28	**20691A3128**	21.5	21.5	7.53	7.68	7.0	B+	7.0	B+	6.0	B	10.0	O	8.0	A	8.0	A	6.0	B	9.0	A+	9.0	A+	-	-	0.0	P
29	**20691A3129**	21.5	21.5	7.12	7.3	7.0	B+	7.0	B+	5.0	C	9.0	A+	9.0	A+	8.0	A	7.0	B+	9.0	A+	-	-	6.0	B	0.0	P
30	**20691A3130**	21.5	21.5	8.4	8.54	8.0	A	9.0	A+	8.0	A	10.0	O	9.0	A+	10.0	O	7.0	B+	10.0	O	-	-	7.0	B+	0.0	P
31	**20691A3131**	21.5	21.5	7.74	7.73	8.0	A	8.0	A	6.0	B	10.0	O	8.0	A	9.0	A+	7.0	B+	9.0	A+	-	-	7.0	B+	0.0	P
32	**20691A3132**	21.5	21.5	8.16	8.52	8.0	A	9.0	A+	7.0	B+	10.0	O	8.0	A	9.0	A+	7.0	B+	9.0	A+	-	-	8.0	A	0.0	P
33	**20691A3133**	21.5	21.5	9.02	8.55	9.0	A+	9.0	A+	8.0	A	10.0	O	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	0.0	P
34	**20691A3134**	21.5	21.5	8.93	8.99	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	7.0	B+	9.0	A+	10.0	O	-	-	0.0	P
35	**20691A3135**	21.5	21.5	8.09	8.26	8.0	A	8.0	A	7.0	B+	10.0	O	9.0	A+	9.0	A+	7.0	B+	9.0	A+	-	-	8.0	A	0.0	P
36	**20691A3136**	21.5	21.5	9.37	9.4	9.0	A+	10.0	O	8.0	A	10.0	O	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	-	-	0.0	P
37	**20691A3137**	21.5	21.5	9.44	9.59	8.0	A	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	9.0	A+	10.0	O	-	-	9.0	A+	0.0	P

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - COMPUTER SCIENCE AND ENGINEERING (ARTIFICIAL INTELLIGENCE) (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																					
						20CAI113		20CAI114		20CAI115		20CAI211		20CAI212		20CAI213		20CAI4M04		20CAI605		20CE302		20ECE301		20HUM902	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 0.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
38	**20691A3138**	21.5	21.5	8.23	8.26	8.0	A	9.0	A+	7.0	B+	10.0	O	9.0	A+	9.0	A+	7.0	B+	9.0	A+	-	-	8.0	A	0.0	P
39	**20691A3139**	21.5	21.5	9.28	9.1	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	9.0	A+	8.0	A	9.0	A+	10.0	O	-	-	0.0	P
40	**20691A3140**	21.5	21.5	8.23	8.5	8.0	A	8.0	A	8.0	A	10.0	O	8.0	A	10.0	O	7.0	B+	9.0	A+	8.0	A	-	-	0.0	P
41	**20691A3141**	21.5	21.5	8.02	7.75	8.0	A	8.0	A	7.0	B+	10.0	O	8.0	A	9.0	A+	7.0	B+	9.0	A+	8.0	A	-	-	0.0	P
42	**20691A3142**	21.5	21.5	9.0	9.45	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	8.0	A	9.0	A+	-	-	9.0	A+	0.0	P
43	**20691A3143**	21.5	21.5	8.12	8.87	7.0	B+	9.0	A+	8.0	A	10.0	O	8.0	A	9.0	A+	7.0	B+	10.0	O	-	-	7.0	B+	0.0	P
44	**20691A3145**	21.5	21.5	7.53	7.65	7.0	B+	8.0	A	6.0	B	9.0	A+	8.0	A	7.0	B+	7.0	B+	9.0	A+	8.0	A	-	-	0.0	P
45	**20691A3146**	21.5	21.5	6.35	6.3	6.0	B	5.0	C	4.0	P	10.0	O	7.0	B+	6.0	B	7.0	B+	9.0	A+	6.0	B	-	-	0.0	P
46	**20691A3147**	21.5	21.5	8.74	8.72	9.0	A+	8.0	A	8.0	A	10.0	O	9.0	A+	9.0	A+	7.0	B+	10.0	O	10.0	O	-	-	0.0	P
47	**20691A3148**	21.5	21.5	9.37	9.06	9.0	A+	10.0	O	10.0	O	10.0	O	9.0	A+	10.0	O	8.0	A	10.0	O	9.0	A+	-	-	0.0	P
48	**20691A3149**	21.5	21.5	9.16	9.1	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	8.0	A	10.0	O	-	-	9.0	A+	0.0	P
49	**20691A3150**	21.5	21.5	8.23	8.69	9.0	A+	9.0	A+	6.0	B	10.0	O	7.0	B+	9.0	A+	8.0	A	9.0	A+	-	-	8.0	A	0.0	P
50	**20691A3151**	21.5	21.5	8.86	8.83	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	10.0	O	8.0	A	9.0	A+	-	-	8.0	A	0.0	P
51	**20691A3152**	21.5	21.5	7.6	7.42	8.0	A	7.0	B+	6.0	B	10.0	O	8.0	A	7.0	B+	6.0	B	9.0	A+	9.0	A+	-	-	0.0	P
52	**20691A3153**	21.5	21.5	9.58	9.24	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	8.0	A	10.0	O	10.0	O	-	-	0.0	P
53	**20691A3154**	21.5	21.5	8.88	9.11	9.0	A+	9.0	A+	9.0	A+	10.0	O	8.0	A	10.0	O	7.0	B+	10.0	O	-	-	9.0	A+	0.0	P
54	**20691A3155**	21.5	21.5	7.84	7.87	8.0	A	8.0	A	7.0	B+	10.0	O	9.0	A+	10.0	O	6.0	B	10.0	O	-	-	6.0	B	0.0	P
55	**20691A3156**	21.5	21.5	7.7	8.09	7.0	B+	8.0	A	6.0	B	10.0	O	9.0	A+	8.0	A	7.0	B+	10.0	O	7.0	B+	-	-	0.0	P
56	**20691A3157**	21.5	21.5	9.16	9.01	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	7.0	B+	10.0	O	10.0	O	-	-	0.0	P
57	**20691A3158**	21.5	21.5	8.47	7.59	8.0	A	8.0	A	6.0	B	10.0	O	8.0	A	10.0	O	8.0	A	10.0	O	10.0	O	-	-	0.0	P
58	**20691A3159**	21.5	21.5	7.81	7.79	7.0	B+	8.0	A	7.0	B+	10.0	O	9.0	A+	9.0	A+	7.0	B+	9.0	A+	-	-	7.0	B+	0.0	P
59	**20691A3160**	21.5	21.5	9.28	8.84	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	9.0	A+	8.0	A	9.0	A+	10.0	O	-	-	0.0	P
60	**20691A3161**	21.5	21.5	9.02	9.06	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	9.0	A+	8.0	A	10.0	O	-	-	9.0	A+	0.0	P
61	**20691A3162**	21.5	21.5	7.47	7.83	7.0	B+	7.0	B+	6.0	B	10.0	O	9.0	A+	8.0	A	7.0	B+	9.0	A+	-	-	7.0	B+	0.0	P
62	**21695A3101**	21.5	21.5	8.81	8.76	8.0	A	8.0	A	9.0	A+	10.0	O	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	-	-	0.0	P
63	**21695A3102**	21.5	21.5	9.0	8.94	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	9.0	A+	8.0	A	9.0	A+	10.0	O	-	-	0.0	P
64	**21695A3103**	21.5	21.5	7.05	7.41	7.0	B+	6.0	B	5.0	C	10.0	O	8.0	A	7.0	B+	6.0	B	9.0	A+	8.0	A	-	-	0.0	P
65	**21695A3104**	21.5	21.5	7.4	7.37	8.0	A	7.0	B+	7.0	B+	10.0	O	8.0	A	8.0	A	6.0	B	9.0	A+	-	-	6.0	B	0.0	P
66	**21695A3105**	21.5	20.0	6.77	7.66	8.0	A	7.0	B+	6.0	B	9.0	A+	-	F	8.0	A	6.0	B	9.0	A+	-	-	7.0	B+	0.0	P
67	**21695A3106**	21.5	21.5	8.86	8.57	9.0	A+	9.0	A+	8.0	A	10.0	O	8.0	A	9.0	A+	8.0	A	9.0	A+	10.0	O	-	-	0.0	P
68	**21695A3107**	21.5	21.5	8.44	8.33	8.0	A	8.0	A	7.0	B+	10.0	O	9.0	A+	10.0	O	8.0	A	9.0	A+	9.0	A+	-	-	0.0	P
69	**21695A3108**	21.5	21.5	8.05	8.3	9.0	A+	7.0	B+	7.0	B+	10.0	O	9.0	A+	9.0	A+	7.0	B+	10.0	O	-	-	7.0	B+	0.0	P

Course Code	Course Name
20CAI113	BIG DATA ANALYTICS
20CAI114	DEEP LEARNING
20CAI115	DATA SCIENCE
20CAI211	BIG DATA ANALYTICS LABORATORY
20CAI212	DEEP LEARNING LABORATORY
20CAI213	DATA SCIENCE LABORATORY

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - COMPUTER SCIENCE AND ENGINEERING (ARTIFICIAL INTELLIGENCE) (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																					
						20CAI113		20CAI114		20CAI115		20CAI211		20CAI212		20CAI213		20CAI4M04		20CAI605		20CE302		20ECE301		20HUM902	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 0.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G

Course Code	Course Name
20CAI4M04	PRIVACY AND SECURITY IN ONLINE SOCIAL MEDIA (MOOC)
20CAI605	FULL STACK DEVELOPMENT (SC)
20CE302	ENVIRONMENTAL IMPACT ASSESSMENT
20ECE301	BIO-MEDICAL ELECTRONICS
20HUM902	UNIVERSAL HUMAN VALUES

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

MADANAPALLE INSTITUTE OF TECHNOLOGY AND SCIENCE

(UGC - Autonomous)
(Approved by AICTE, New Delhi & Affiliated to JNTUA,Ananthapuramu)
P.B NO:14,Angallu,Kadiri Road,Madanapalle - 517325, Chittor Dist,A.P.

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - COMPUTER SCIENCE AND ENGINEERING (DATA SCIENCE) (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																					
						20CE302		20CSD113		20CSD114		20CSD115		20CSD211		20CSD212		20CSD213		20CSD4M04		20CSD607		20ECE301		20HUM902	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 0.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
1	**20691A3201**	21.5	21.5	7.88	8.16	7.0	B+	8.0	A	7.0	B+	7.0	B+	9.0	A+	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-	0.0	P
2	**20691A3202**	21.5	21.5	8.58	8.16	10.0	O	8.0	A	8.0	A	9.0	A+	10.0	O	8.0	A	9.0	A+	7.0	B+	9.0	A+	-	-	0.0	P
3	**20691A3203**	21.5	21.5	8.93	7.88	10.0	O	9.0	A+	8.0	A	9.0	A+	9.0	A+	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	0.0	P
4	**20691A3204**	21.5	21.5	9.72	9.76	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	9.0	A+	10.0	O	-	-	0.0	P
5	**20691A3205**	21.5	21.5	8.47	8.83	-	-	9.0	A+	9.0	A+	10.0	O	9.0	A+	8.0	A	9.0	A+	6.0	B	10.0	O	7.0	B+	0.0	P
6	**20691A3206**	21.5	21.5	8.77	8.79	-	-	9.0	A+	10.0	O	9.0	A+	10.0	O	9.0	A+	8.0	A	7.0	B+	8.0	A	9.0	A+	0.0	P
7	**20691A3207**	21.5	21.5	9.3	9.42	10.0	O	9.0	A+	9.0	A+	10.0	O	9.0	A+	10.0	O	9.0	A+	8.0	A	10.0	O	-	-	0.0	P
8	**20691A3208**	21.5	21.5	9.37	9.39	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	9.0	A+	7.0	B+	10.0	O	-	-	0.0	P
9	**20691A3209**	21.5	21.5	6.58	6.08	7.0	B+	6.0	B	4.0	P	7.0	B+	9.0	A+	7.0	B+	7.0	B+	7.0	B+	7.0	B+	-	-	0.0	P
10	**20691A3210**	21.5	21.5	7.79	8.12	-	-	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	8.0	A	8.0	A	8.0	A	4.0	P	0.0	P
11	**20691A3211**	21.5	21.5	8.67	8.66	-	-	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	7.0	B+	10.0	O	8.0	A	0.0	P
12	**20691A3212**	21.5	21.5	8.28	7.92	9.0	A+	8.0	A	7.0	B+	9.0	A+	9.0	A+	8.0	A	9.0	A+	8.0	A	8.0	A	-	-	0.0	P
13	**20691A3213**	21.5	21.5	9.44	9.38	10.0	O	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	8.0	A	10.0	O	-	-	0.0	P
14	**20691A3214**	21.5	21.5	7.86	7.52	8.0	A	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	8.0	A	7.0	B+	8.0	A	-	-	0.0	P
15	**20691A3215**	21.5	21.5	8.14	7.88	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	8.0	A	8.0	A	7.0	B+	8.0	A	-	-	0.0	P
16	**20691A3216**	21.5	21.5	9.44	9.05	10.0	O	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	8.0	A	10.0	O	-	-	0.0	P
17	**20691A3217**	21.5	21.5	9.37	9.38	10.0	O	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	9.0	A+	8.0	A	10.0	O	-	-	0.0	P
18	**20691A3218**	21.5	21.5	8.6	8.5	-	-	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	7.0	B+	10.0	O	8.0	A	0.0	P
19	**20691A3219**	21.5	21.5	8.42	8.22	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	9.0	A+	6.0	B	8.0	A	-	-	0.0	P
20	**20691A3220**	21.5	21.5	8.49	8.44	-	-	8.0	A	10.0	O	8.0	A	10.0	O	10.0	O	9.0	A+	7.0	B+	8.0	A	8.0	A	0.0	P
21	**20691A3221**	21.5	18.5	7.12	7.83	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	8.0	A	8.0	A	7.0	B+	9.0	A+	-	F	0.0	P
22	**20691A3222**	21.5	18.5	6.79	7.39	8.0	A	8.0	A	8.0	A	8.0	A	9.0	A+	7.0	B+	8.0	A	-	F	7.0	B+	-	-	0.0	P
23	**20691A3223**	21.5	21.5	9.16	8.7	-	-	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	7.0	B+	10.0	O	8.0	A	0.0	P
24	**20691A3224**	21.5	21.5	7.44	7.63	-	-	8.0	A	7.0	B+	8.0	A	9.0	A+	7.0	B+	8.0	A	7.0	B+	8.0	A	6.0	B	0.0	P
25	**20691A3225**	21.5	21.5	6.95	5.99	-	-	7.0	B+	6.0	B	8.0	A	10.0	O	7.0	B+	8.0	A	7.0	B+	8.0	A	4.0	P	0.0	P
26	**20691A3226**	21.5	21.5	8.16	7.64	-	-	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	9.0	A+	7.0	B+	9.0	A+	7.0	B+	0.0	P
27	**20691A3227**	21.5	21.5	8.26	8.24	-	-	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	9.0	A+	6.0	B	10.0	O	7.0	B+	0.0	P
28	**20691A3228**	21.5	21.5	9.58	9.7	-	-	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	9.0	A+	10.0	O	9.0	A+	0.0	P
29	**20691A3229**	21.5	21.5	9.23	9.34	-	-	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	9.0	A+	8.0	A	10.0	O	8.0	A	0.0	P
30	**20691A3230**	21.5	21.5	8.02	7.71	-	-	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	9.0	A+	7.0	B+	9.0	A+	6.0	B	0.0	P
31	**20691A3231**	21.5	21.5	9.44	9.07	-	-	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	8.0	A	10.0	O	9.0	A+	0.0	P
32	**20691A3232**	21.5	21.5	8.67	8.84	-	-	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	7.0	B+	10.0	O	8.0	A	0.0	P
33	**20691A3233**	21.5	21.5	8.33	8.34	-	-	7.0	B+	8.0	A	9.0	A+	10.0	O	9.0	A+	9.0	A+	8.0	A	10.0	O	7.0	B+	0.0	P
34	**20691A3234**	21.5	21.5	9.58	9.62	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	8.0	A	10.0	O	-	-	0.0	P
35	**20691A3235**	21.5	21.5	9.37	9.36	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	9.0	A+	7.0	B+	10.0	O	-	-	0.0	P
36	**20691A3236**	21.5	21.5	8.6	8.72	-	-	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	8.0	A	10.0	O	7.0	B+	0.0	P
37	**20691A3237**	21.5	21.5	8.88	9.1	-	-	8.0	A	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	8.0	A	10.0	O	7.0	B+	0.0	P

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - COMPUTER SCIENCE AND ENGINEERING (DATA SCIENCE) (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																					
						20CE302		20CSD113		20CSD114		20CSD115		20CSD211		20CSD212		20CSD213		20CSD4M04		20CSD607		20ECE301		20HUM902	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 0.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
38	**20691A3238**	21.5	21.5	7.72	8.15	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	8.0	A	9.0	A+	7.0	B+	8.0	A	6.0	B	0.0	P
39	**20691A3239**	21.5	21.5	7.72	7.63	-	-	8.0	A	8.0	A	9.0	A+	9.0	A+	8.0	A	9.0	A+	6.0	B	8.0	A	6.0	B	0.0	P
40	**20691A3240**	21.5	21.5	9.51	9.15	10.0	O	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	9.0	A+	9.0	A+	10.0	O	-	-	0.0	P
41	**20691A3241**	21.5	21.5	8.81	8.75	7.0	B+	8.0	A	10.0	O	9.0	A+	10.0	O	10.0	O	9.0	A+	8.0	A	10.0	O	-	-	0.0	P
42	**20691A3242**	21.5	21.5	8.77	8.77	-	-	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	9.0	A+	7.0	B+	8.0	A	8.0	A	0.0	P
43	**20691A3243**	21.5	21.5	8.23	7.71	-	-	8.0	A	9.0	A+	9.0	A+	9.0	A+	8.0	A	9.0	A+	7.0	B+	9.0	A+	7.0	B+	0.0	P
44	**20691A3244**	21.5	21.5	7.86	6.79	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	8.0	A	9.0	A+	8.0	A	8.0	A	-	-	0.0	P
45	**20691A3245**	21.5	21.5	9.58	9.52	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	8.0	A	10.0	O	-	-	0.0	P
46	**20691A3246**	21.5	21.5	9.02	9.4	-	-	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	10.0	O	7.0	B+	10.0	O	7.0	B+	0.0	P
47	**20691A3247**	21.5	21.5	7.26	7.27	-	-	7.0	B+	7.0	B+	8.0	A	10.0	O	7.0	B+	9.0	A+	6.0	B	9.0	A+	5.0	C	0.0	P
48	**20691A3248**	21.5	21.5	8.35	7.82	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	9.0	A+	7.0	B+	8.0	A	-	-	0.0	P
49	**20691A3249**	21.5	21.5	8.67	8.04	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	9.0	A+	8.0	A	10.0	O	-	-	0.0	P
50	**20691A3250**	21.5	21.5	7.93	7.51	8.0	A	8.0	A	7.0	B+	8.0	A	10.0	O	8.0	A	9.0	A+	7.0	B+	8.0	A	-	-	0.0	P
51	**20691A3251**	21.5	21.5	8.58	8.36	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	6.0	B	9.0	A+	-	-	0.0	P
52	**20691A3252**	21.5	21.5	9.37	8.72	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	9.0	A+	7.0	B+	10.0	O	-	-	0.0	P
53	**20691A3253**	21.5	21.5	8.4	8.05	9.0	A+	8.0	A	9.0	A+	7.0	B+	9.0	A+	9.0	A+	9.0	A+	7.0	B+	10.0	O	-	-	0.0	P
54	**20691A3254**	21.5	21.5	8.74	9.07	-	-	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	8.0	A	10.0	O	7.0	B+	0.0	P
55	**20691A3255**	21.5	18.5	6.33	7.04	-	-	7.0	B+	6.0	B	8.0	A	9.0	A+	8.0	A	9.0	A+	-	F	8.0	A	6.0	B	0.0	P
56	**20691A3256**	21.5	21.5	8.07	7.45	9.0	A+	8.0	A	7.0	B+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	6.0	B	8.0	A	-	-	0.0	P
57	**20691A3257**	21.5	15.5	5.42	4.8	-	-	7.0	B+	-	F	7.0	B+	9.0	A+	7.0	B+	9.0	A+	7.0	B+	8.0	A	-	F	0.0	P
58	**20691A3258**	21.5	21.5	8.81	9.08	-	-	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	9.0	A+	8.0	A	10.0	O	8.0	A	0.0	P
59	**20691A3259**	21.5	21.5	9.09	8.89	10.0	O	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	8.0	A	10.0	O	-	-	0.0	P
60	**20691A3260**	21.5	18.5	6.47	7.33	-	-	8.0	A	7.0	B+	7.0	B+	9.0	A+	8.0	A	9.0	A+	-	F	8.0	A	6.0	B	0.0	P
61	**20691A3261**	21.5	15.5	5.19	5.21	-	-	7.0	B+	0.0	F	7.0	B+	9.0	A+	7.0	B+	9.0	A+	6.0	B	7.0	B+	-	F	0.0	P
62	**21695A3201**	21.5	21.5	7.67	7.16	7.0	B+	7.0	B+	7.0	B+	8.0	A	9.0	A+	8.0	A	9.0	A+	7.0	B+	9.0	A+	-	-	0.0	P
63	**21695A3202**	21.5	21.5	8.88	8.61	9.0	A+	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	7.0	B+	10.0	O	-	-	0.0	P
64	**21695A3203**	21.5	21.5	7.86	7.68	8.0	A	8.0	A	6.0	B	9.0	A+	10.0	O	7.0	B+	9.0	A+	7.0	B+	8.0	A	-	-	0.0	P
65	**21695A3204**	21.5	21.5	7.91	8.15	-	-	8.0	A	8.0	A	9.0	A+	9.0	A+	8.0	A	9.0	A+	7.0	B+	10.0	O	5.0	C	0.0	P
66	**21695A3205**	21.5	21.5	7.33	7.63	-	-	8.0	A	6.0	B	8.0	A	9.0	A+	7.0	B+	9.0	A+	6.0	B	9.0	A+	6.0	B	0.0	P
67	**21695A3207**	21.5	21.5	7.12	7.12	-	-	7.0	B+	5.0	C	7.0	B+	10.0	O	7.0	B+	9.0	A+	7.0	B+	9.0	A+	6.0	B	0.0	P
68	**21695A3208**	21.5	21.5	8.33	8.08	-	-	9.0	A+	8.0	A	9.0	A+	9.0	A+	8.0	A	9.0	A+	7.0	B+	10.0	O	7.0	B+	0.0	P
69	**21695A3209**	21.5	21.5	8.19	7.61	-	-	8.0	A	7.0	B+	9.0	A+	9.0	A+	10.0	O	9.0	A+	7.0	B+	10.0	O	7.0	B+	0.0	P

Course Code	Course Name
20CE302	ENVIRONMENTAL IMPACT ASSESSMENT
20CSD113	BIG DATA ANALYTICS
20CSD114	DEEP LEARNING
20CSD115	COMPUTER NETWORKS
20CSD211	BIG DATA ANALYTICS LABORATORY
20CSD212	DEEP LEARNING LABORATORY

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - COMPUTER SCIENCE AND ENGINEERING (DATA SCIENCE) (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																					
						20CE302		20CSD113		20CSD114		20CSD115		20CSD211		20CSD212		20CSD213		20CSD4M04		20CSD607		20ECE301		20HUM902	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 0.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G

Course Code	Course Name
20CSD213	COMPUTER NETWORKS LABORATORY
20CSD4M04	PRIVACY AND SECURITY IN ONLINE SOCIAL MEDIA (MOOC)
20CSD607	DEVOPS (SC)
20ECE301	BIO-MEDICAL ELECTRONICS
20HUM902	UNIVERSAL HUMAN VALUES

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

MADANAPALLE INSTITUTE OF TECHNOLOGY AND SCIENCE

(UGC - Autonomous)
(Approved by AICTE, New Delhi & Affiliated to JNTUA,Ananthapuramu)
P.B NO:14,Angallu,Kadiri Road,Madanapalle - 517325, Chittor Dist,A.P.

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - COMPUTER SCIENCE AND ENGINEERING (IOT) (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																					
						20CSO113		20CSO114		20CSO115		20CSO211		20CSO212		20CSO213		20CSO4M04		20CSO4M08		20CSO606		20ECE302		20EEE302		20HUM902	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 0.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
1	**20691A3503**	21.5	21.5	8.09	7.89	7.0	B+	9.0	A+	7.0	B+	9.0	A+	10.0	O	9.0	A+	-	-	8.0	A	9.0	A+	-	-	7.0	B+	0.0	P
2	**20691A3504**	21.5	15.5	4.81	4.45	5.0	C	6.0	B	4.0	P	10.0	O	8.0	A	9.0	A+	-	-	-	F	9.0	A+	0.0	F	-	-	0.0	P
3	**20691A3505**	21.5	21.5	8.4	8.86	7.0	B+	8.0	A	7.0	B+	9.0	A+	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	8.0	A	-	-	0.0	P
4	**20691A3506**	21.5	21.5	8.23	8.34	8.0	A	9.0	A+	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+	-	-	7.0	B+	0.0	P
5	**20691A3507**	21.5	21.5	8.23	8.37	7.0	B+	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	7.0	B+	0.0	P
6	**20691A3508**	21.5	21.5	8.19	8.32	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	7.0	B+	-	-	10.0	O	8.0	A	-	-	0.0	P
7	**20691A3509**	21.5	21.5	8.37	9.02	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+	-	-	8.0	A	0.0	P
8	**20691A3510**	21.5	21.5	8.81	9.19	8.0	A	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	8.0	A	0.0	P
9	**20691A3511**	21.5	21.5	7.63	8.52	6.0	B	8.0	A	6.0	B	9.0	A+	9.0	A+	10.0	O	-	-	7.0	B+	10.0	O	7.0	B+	-	-	0.0	P
10	**20691A3512**	21.5	21.5	7.12	7.33	5.0	C	7.0	B+	6.0	B	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+	-	-	6.0	B	0.0	P
11	**20691A3513**	21.5	21.5	7.93	8.31	7.0	B+	8.0	A	7.0	B+	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	8.0	A	-	-	7.0	B+	0.0	P
12	**20691A3514**	21.5	21.5	8.93	9.26	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	9.0	A+	0.0	P
13	**20691A3515**	21.5	21.5	8.16	7.9	8.0	A	8.0	A	7.0	B+	10.0	O	9.0	A+	8.0	A	-	-	8.0	A	9.0	A+	-	-	8.0	A	0.0	P
14	**20691A3516**	21.5	21.5	6.7	7.11	6.0	B	7.0	B+	5.0	C	9.0	A+	9.0	A+	8.0	A	-	-	7.0	B+	9.0	A+	-	-	4.0	P	0.0	P
15	**20691A3517**	21.5	21.5	8.44	8.84	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	8.0	A	0.0	P
16	**20691A3518**	21.5	18.5	6.28	7.26	5.0	C	7.0	B+	6.0	B	10.0	O	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+	-	-	-	F	0.0	P
17	**20691A3519**	21.5	21.5	8.33	8.82	8.0	A	9.0	A+	7.0	B+	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	10.0	O	8.0	A	-	-	0.0	P
18	**20691A3520**	21.5	21.5	7.74	7.48	7.0	B+	8.0	A	7.0	B+	9.0	A+	9.0	A+	9.0	A+	7.0	B+	-	-	9.0	A+	7.0	B+	-	-	0.0	P
19	**20691A3522**	21.5	21.5	7.95	7.88	7.0	B+	8.0	A	7.0	B+	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+	8.0	A	-	-	0.0	P
20	**20691A3523**	21.5	21.5	6.51	6.38	6.0	B	7.0	B+	5.0	C	9.0	A+	8.0	A	9.0	A+	-	-	7.0	B+	7.0	B+	-	-	4.0	P	0.0	P
21	**20691A3524**	21.5	21.5	8.09	8.24	8.0	A	9.0	A+	7.0	B+	9.0	A+	9.0	A+	10.0	O	6.0	B	-	-	9.0	A+	-	-	8.0	A	0.0	P
22	**20691A3525**	21.5	21.5	8.67	8.8	8.0	A	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	10.0	O	-	-	8.0	A	0.0	P
23	**20691A3526**	21.5	21.5	8.16	8.07	8.0	A	8.0	A	7.0	B+	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	7.0	B+	0.0	P
24	**20691A3527**	21.5	21.5	7.95	7.93	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	10.0	O	-	-	7.0	B+	9.0	A+	7.0	B+	-	-	0.0	P
25	**20691A3528**	21.5	21.5	7.81	8.05	7.0	B+	8.0	A	7.0	B+	9.0	A+	9.0	A+	10.0	O	7.0	B+	-	-	9.0	A+	7.0	B+	-	-	0.0	P
26	**20691A3529**	21.5	21.5	7.81	7.98	6.0	B	8.0	A	7.0	B+	10.0	O	9.0	A+	9.0	A+	-	-	8.0	A	9.0	A+	-	-	7.0	B+	0.0	P
27	**20691A3530**	21.5	21.5	7.81	7.98	5.0	C	9.0	A+	7.0	B+	9.0	A+	8.0	A	9.0	A+	-	-	8.0	A	9.0	A+	8.0	A	-	-	0.0	P
28	**20691A3531**	21.5	21.5	9.0	8.85	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	9.0	A+	9.0	A+	9.0	A+	-	-	0.0	P
29	**20691A3532**	21.5	21.5	7.19	7.75	6.0	B	7.0	B+	6.0	B	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+	6.0	B	-	-	0.0	P
30	**20691A3533**	21.5	21.5	6.81	6.08	4.0	P	7.0	B+	5.0	C	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	8.0	A	-	-	7.0	B+	0.0	P
31	**20691A3534**	21.5	21.5	7.4	6.87	6.0	B	8.0	A	6.0	B	9.0	A+	9.0	A+	10.0	O	-	-	7.0	B+	9.0	A+	-	-	6.0	B	0.0	P
32	**20691A3535**	21.5	21.5	7.74	7.54	6.0	B	9.0	A+	6.0	B	10.0	O	9.0	A+	10.0	O	-	-	7.0	B+	9.0	A+	-	-	7.0	B+	0.0	P
33	**20691A3536**	21.5	17.0	5.35	5.34	5.0	C	6.0	B	6.0	B	-	Ab	8.0	A	10.0	O	-	-	7.0	B+	8.0	A	-	F	-	-	0.0	P
34	**20691A3537**	21.5	21.5	7.95	8.02	7.0	B+	9.0	A+	6.0	B	10.0	O	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+	8.0	A	-	-	0.0	P
35	**20691A3538**	21.5	21.5	7.67	7.56	6.0	B	8.0	A	7.0	B+	9.0	A+	9.0	A+	10.0	O	6.0	B	-	-	9.0	A+	8.0	A	-	-	0.0	P
36	**20691A3539**	21.5	21.5	7.4	7.63	5.0	C	8.0	A	6.0	B	9.0	A+	9.0	A+	10.0	O	-	-	6.0	B	9.0	A+	8.0	A	-	-	0.0	P
37	**20691A3540**	21.5	21.5	8.65	8.97	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	8.0	A	-	-	9.0	A+	-	-	7.0	B+	0.0	P

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - COMPUTER SCIENCE AND ENGINEERING (IOT) (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																					
						20CSO113		20CSO114		20CSO115		20CSO211		20CSO212		20CSO213		20CSO4M04		20CSO4M08		20CSO606		20ECE302		20EEE302		20HUM902	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 0.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
38	**20691A3541**	21.5	21.5	8.65	8.85	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	8.0	A	-	-	0.0	P
39	**20691A3542**	21.5	21.5	7.4	7.66	6.0	B	8.0	A	6.0	B	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+	-	-	6.0	B	0.0	P
40	**20691A3543**	21.5	12.5	3.51	5.88	4.0	P	5.0	C	-	F	7.0	B+	8.0	A	8.0	A	-	-	-	F	7.0	B+	-	F	-	-	0.0	P
41	**20691A3544**	21.5	21.5	7.6	7.92	6.0	B	8.0	A	7.0	B+	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+	-	-	7.0	B+	0.0	P
42	**20691A3545**	21.5	9.5	3.47	4.78	-	F	6.0	B	-	F	10.0	O	9.0	A+	8.0	A	-	-	-	F	8.0	A	-	-	-	F	0.0	P
43	**20691A3546**	21.5	21.5	8.74	8.19	7.0	B+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	8.0	A	-	-	0.0	P
44	**20691A3547**	21.5	21.5	8.09	7.8	6.0	B	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	7.0	B+	-	-	9.0	A+	9.0	A+	-	-	0.0	P
45	**20691A3548**	21.5	21.5	6.91	6.31	6.0	B	7.0	B+	4.0	P	9.0	A+	9.0	A+	9.0	A+	-	-	6.0	B	9.0	A+	7.0	B+	-	-	0.0	P
46	**21695A3501**	21.5	21.5	7.95	7.9	7.0	B+	8.0	A	7.0	B+	8.0	A	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	7.0	B+	0.0	P
47	**21695A3502**	21.5	21.5	8.53	8.69	7.0	B+	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	8.0	A	0.0	P
48	**21695A3503**	21.5	21.5	8.53	9.02	7.0	B+	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	10.0	O	9.0	A+	-	-	0.0	P
49	**21695A3504**	21.5	21.5	9.02	8.7	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	9.0	A+	0.0	P
50	**21695A3505**	21.5	21.5	7.95	8.17	7.0	B+	8.0	A	7.0	B+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+	-	-	7.0	B+	0.0	P
51	**21695A3506**	21.5	21.5	7.47	7.61	6.0	B	7.0	B+	6.0	B	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	9.0	A+	-	-	7.0	B+	0.0	P
52	**21695A3507**	21.5	21.5	8.02	7.75	7.0	B+	8.0	A	7.0	B+	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+	8.0	A	-	-	0.0	P
53	**21695A3508**	21.5	21.5	9.02	8.72	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	9.0	A+	10.0	O	-	-	9.0	A+	0.0	P
54	**21695A3509**	21.5	21.5	7.74	7.72	6.0	B	8.0	A	6.0	B	9.0	A+	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	-	-	7.0	B+	0.0	P
55	**21695A3510**	21.5	21.5	7.33	7.34	6.0	B	7.0	B+	5.0	C	9.0	A+	10.0	O	10.0	O	7.0	B+	-	-	9.0	A+	7.0	B+	-	-	0.0	P

Course Code	Course Name
20CSO113	EMBEDDED SYSTEMS
20CSO114	WEB TECHNOLOGIES
20CSO115	BIG DATA ANALYTICS
20CSO211	EMBEDDED SYSTEMS LABORATORY
20CSO212	WEB TECHNOLOGIES LABORATORY
20CSO213	BIG DATA ANALYTICS LABORATORY
20CSO4M04	PRIVACY AND SECURITY IN ONLINE SOCIAL MEDIA (MOOC)
20CSO4M08	CLOUD COMPUTING AND DISTRIBUTED SYSTEMS (MOOC)
20CSO606	SOFTWARE ENGINEERING (SC)
20ECE302	VLSI DESIGN
20EEE302	INTRODUCTION TO MEMS
20HUM902	UNIVERSAL HUMAN VALUES

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

MADANAPALLE INSTITUTE OF TECHNOLOGY AND SCIENCE

(UGC - Autonomous)
(Approved by AICTE, New Delhi & Affiliated to JNTUA,Ananthapuramu)
P.B NO:14,Angallu,Kadiri Road,Madanapalle - 517325, Chittor Dist,A.P.

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - COMPUTER SCIENCE AND ENGINEERING (CYBER SECURITY) (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																															
						20CE301		20CE302		20CSC113		20CSC114		20CSC115		20CSC211		20CSC212		20CSC213		20CSC4M02		20CSC4M04		20CSC606		20ECE301		20ECE302		20EEE302		20HUM902		20ME301	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
1	**20691A3701**	21.5	21.5	8.4	8.2	7.0	B+	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	9.0	A+	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	0.0	P	-	-
2	**20691A3702**	21.5	21.5	9.72	9.17	10.0	O	-	-	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	9.0	A+	-	-	10.0	O	-	-	-	-	-	-	0.0	P	-	-
3	**20691A3703**	21.5	21.5	7.12	6.61	6.0	B	-	-	7.0	B+	6.0	B	6.0	B	9.0	A+	9.0	A+	8.0	A	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-	0.0	P	-	-
4	**20691A3704**	21.5	21.5	8.6	7.92	-	-	8.0	A	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	0.0	P	-	-
5	**20691A3705**	21.5	21.5	7.67	6.89	-	-	-	-	7.0	B+	8.0	A	8.0	A	9.0	A+	8.0	A	9.0	A+	-	-	6.0	B	9.0	A+	7.0	B+	-	-	-	-	0.0	P	-	-
6	**20691A3706**	21.5	21.5	8.88	8.84	-	-	-	-	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	8.0	A	-	-	10.0	O	-	-	-	-	8.0	A	0.0	P	-	-
7	**20691A3707**	21.5	21.5	7.12	5.66	-	-	7.0	B+	6.0	B	8.0	A	6.0	B	8.0	A	8.0	A	8.0	A	-	-	6.0	B	9.0	A+	-	-	-	-	-	-	0.0	P	-	-
8	**20691A3708**	21.5	21.5	7.12	6.58	-	-	-	-	7.0	B+	8.0	A	7.0	B+	7.0	B+	8.0	A	7.0	B+	6.0	B	-	-	9.0	A+	-	-	-	-	6.0	B	0.0	P	-	-
9	**20691A3709**	21.5	18.5	7.05	7.73	-	-	-	-	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	9.0	A+	8.0	A	-	-	9.0	A+	-	-	-	-	-	F	0.0	P	-	-
10	**20691A3710**	21.5	21.5	7.91	7.44	6.0	B	-	-	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	9.0	A+	6.0	B	-	-	10.0	O	-	-	-	-	-	-	0.0	P	-	-
11	**20691A3711**	21.5	21.5	7.47	7.32	6.0	B	-	-	7.0	B+	8.0	A	7.0	B+	8.0	A	9.0	A+	8.0	A	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-	0.0	P	-	-
12	**20691A3712**	21.5	21.5	8.6	7.97	-	-	9.0	A+	8.0	A	9.0	A+	7.0	B+	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	10.0	O	-	-	-	-	-	-	0.0	P	-	-
13	**20691A3713**	21.5	21.5	7.81	7.46	6.0	B	-	-	8.0	A	9.0	A+	7.0	B+	8.0	A	8.0	A	8.0	A	-	-	8.0	A	9.0	A+	-	-	-	-	-	-	0.0	P	-	-
14	**20691A3714**	21.5	21.5	9.23	9.02	-	-	10.0	O	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	10.0	O	8.0	A	-	-	10.0	O	-	-	-	-	-	-	0.0	P	-	-
15	**20691A3715**	21.5	21.5	7.26	7.26	-	-	6.0	B	7.0	B+	8.0	A	6.0	B	8.0	A	8.0	A	8.0	A	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-	0.0	P	-	-
16	**20691A3716**	21.5	21.5	6.6	7.16	-	-	-	-	6.0	B	7.0	B+	5.0	C	9.0	A+	9.0	A+	8.0	A	6.0	B	-	-	8.0	A	5.0	C	-	-	-	-	0.0	P	-	-
17	**20691A3717**	21.5	21.5	9.09	8.92	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	9.0	A+	-	-	10.0	O	8.0	A	-	-	-	-	0.0	P	-	-
18	**20691A3718**	21.5	21.5	8.88	7.96	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	10.0	O	7.0	B+	-	-	-	-	0.0	P	-	-
19	**20691A3719**	21.5	21.5	8.02	8.05	-	-	-	-	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	8.0	A	-	-	6.0	B	9.0	A+	7.0	B+	-	-	-	-	0.0	P	-	-
20	**20691A3720**	21.5	21.5	7.67	7.03	-	-	-	-	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	8.0	A	-	-	6.0	B	9.0	A+	7.0	B+	-	-	-	-	0.0	P	-	-
21	**20691A3721**	21.5	21.5	8.09	7.94	-	-	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	8.0	A	8.0	A	7.0	B+	-	-	9.0	A+	6.0	B	-	-	-	-	0.0	P	-	-
22	**20691A3722**	21.5	18.5	7.12	6.31	-	-	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	8.0	A	-	-	-	F	9.0	A+	-	-	8.0	A	-	-	0.0	P	-	-
23	**20691A3723**	21.5	21.5	7.33	7.12	-	-	-	-	8.0	A	7.0	B+	7.0	B+	9.0	A+	9.0	A+	7.0	B+	-	-	6.0	B	9.0	A+	-	-	-	-	-	-	0.0	P	6.0	B
24	**20691A3725**	21.5	21.5	8.88	8.34	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	7.0	B+	-	-	10.0	O	-	-	-	-	-	-	0.0	P	8.0	A
25	**20691A3726**	21.5	21.5	7.05	6.73	-	-	-	-	7.0	B+	8.0	A	6.0	B	9.0	A+	8.0	A	8.0	A	6.0	B	-	-	9.0	A+	5.0	C	-	-	-	-	0.0	P	-	-
26	**20691A3727**	21.5	21.5	7.88	7.49	-	-	-	-	8.0	A	8.0	A	7.0	B+	10.0	O	9.0	A+	8.0	A	7.0	B+	-	-	9.0	A+	-	-	-	-	7.0	B+	0.0	P	-	-
27	**20691A3728**	21.5	21.5	7.6	6.91	-	-	-	-	8.0	A	8.0	A	7.0	B+	8.0	A	8.0	A	7.0	B+	-	-	7.0	B+	9.0	A+	-	-	-	-	7.0	B+	0.0	P	-	-
28	**20691A3729**	21.5	18.5	5.35	5.45	-	-	-	-	4.0	P	7.0	B+	5.0	C	8.0	A	9.0	A+	7.0	B+	-	-	-	F	8.0	A	-	-	-	-	-	-	0.0	P	5.0	C
29	**20691A3730**	21.5	21.5	9.3	8.77	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	9.0	A+	-	-	10.0	O	-	-	-	-	9.0	A+	0.0	P	-	-
30	**20691A3731**	21.5	21.5	7.33	7.11	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	8.0	A	9.0	A+	8.0	A	7.0	B+	-	-	9.0	A+	-	-	-	-	6.0	B	0.0	P	-	-
31	**20691A3732**	21.5	21.5	7.6	7.66	-	-	-	-	7.0	B+	8.0	A	7.0	B+	9.0	A+	9.0	A+	9.0	A+	-	-	6.0	B	9.0	A+	-	-	7.0	B+	-	-	0.0	P	-	-
32	**20691A3733**	21.5	21.5	7.91	6.99	-	-	-	-	7.0	B+	9.0	A+	6.0	B	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	10.0	O	-	-	-	-	7.0	B+	0.0	P	-	-
33	**20691A3734**	21.5	21.5	8.23	7.86	-	-	-	-	8.0	A	9.0	A+	8.0	A	9.0	A+	9.0	A+	8.0	A	7.0	B+	-	-	9.0	A+	-	-	-	-	8.0	A	0.0	P	-	-
34	**20691A3735**	21.5	21.5	9.58	9.49	-	-	-	-	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	-	-	10.0	O	-	-	-	-	9.0	A+	0.0	P	-	-
35	**20691A3736**	21.5	21.5	8.44	8.04	-	-	-	-	9.0	A+	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	8.0	A	-	-	9.0	A+	-	-	-	-	7.0	B+	0.0	P	-	-
36	**20691A3737**	21.5	21.5	8.47	7.97	-	-	-	-	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	8.0	A	-	-	10.0	O	7.0	B+	-	-	-	-	0.0	P	-	-
37	**20691A3738**	21.5	15.5	4.3	5.79	-	-	-	-	5.0	C	6.0	B	0.0	F	7.0	B+	8.0	A	6.0	B	-	-	-	F	8.0	A	4.0	P	-	-	-	-	0.0	P	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - COMPUTER SCIENCE AND ENGINEERING (CYBER SECURITY) (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																															
						20CE301		20CE302		20CSC113		20CSC114		20CSC115		20CSC211		20CSC212		20CSC213		20CSC4M02		20CSC4M04		20CSC606		20ECE301		20ECE302		20EEE302		20HUM902		20ME301	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
38	**20691A3739**	21.5	18.5	6.07	6.77	-	-	-	-	7.0	B+	7.0	B+	6.0	B	8.0	A	8.0	A	7.0	B+	-	-	6.0	B	9.0	A+	-	F	-	-	-	-	0.0	P	-	-
39	**20691A3740**	21.5	21.5	9.02	8.42	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	8.0	A	-	-	10.0	O	8.0	A	-	-	-	-	0.0	P	-	-
40	**20691A3741**	21.5	21.5	8.09	8.62	-	-	-	-	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	9.0	A+	-	-	6.0	B	9.0	A+	8.0	A	-	-	-	-	0.0	P	-	-
41	**20691A3742**	21.5	18.5	6.37	7.64	-	-	-	-	8.0	A	8.0	A	5.0	C	9.0	A+	10.0	O	9.0	A+	-	-	-	Ab	10.0	O	4.0	P	-	-	-	-	0.0	P	-	-
42	**20691A3743**	21.5	21.5	8.26	7.97	-	-	-	-	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	10.0	O	7.0	B+	-	-	-	-	0.0	P	-	-
43	**20691A3744**	21.5	21.5	9.16	8.48	-	-	10.0	O	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	0.0	P	-	-
44	**20691A3745**	21.5	21.5	8.37	8.37	-	-	-	-	9.0	A+	9.0	A+	8.0	A	9.0	A+	9.0	A+	8.0	A	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-	0.0	P	8.0	A
45	**20691A3746**	21.5	21.5	8.95	8.48	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	10.0	O	-	-	-	-	-	-	0.0	P	9.0	A+
46	**20691A3747**	21.5	21.5	7.33	7.18	-	-	-	-	6.0	B	8.0	A	6.0	B	8.0	A	9.0	A+	8.0	A	-	-	7.0	B+	9.0	A+	-	-	-	-	-	-	0.0	P	7.0	B+
47	**20691A3748**	21.5	21.5	8.09	7.64	-	-	8.0	A	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	8.0	A	8.0	A	-	-	9.0	A+	-	-	-	-	-	-	0.0	P	-	-
48	**20691A3749**	21.5	21.5	7.49	7.08	-	-	6.0	B	8.0	A	7.0	B+	7.0	B+	9.0	A+	9.0	A+	8.0	A	-	-	6.0	B	10.0	O	-	-	-	-	-	-	0.0	P	-	-
49	**20691A3750**	21.5	21.5	8.74	8.73	-	-	8.0	A	9.0	A+	8.0	A	9.0	A+	10.0	O	9.0	A+	9.0	A+	-	-	8.0	A	10.0	O	-	-	-	-	-	-	0.0	P	-	-
50	**20691A3751**	21.5	21.5	7.91	7.62	-	-	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	8.0	A	7.0	B+	-	-	10.0	O	6.0	B	-	-	-	-	0.0	P	-	-
51	**20691A3752**	21.5	21.5	8.02	7.95	-	-	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+	7.0	B+	-	-	-	-	0.0	P	-	-
52	**21695A3701**	21.5	21.5	8.37	8.35	-	-	-	-	8.0	A	9.0	A+	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	7.0	B+	9.0	A+	8.0	A	-	-	-	-	0.0	P	-	-
53	**21695A3702**	21.5	21.5	8.02	7.44	-	-	7.0	B+	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	9.0	A+	8.0	A	-	-	9.0	A+	-	-	-	-	-	-	0.0	P	-	-
54	**21695A3703**	21.5	21.5	7.74	7.7	-	-	8.0	A	7.0	B+	8.0	A	7.0	B+	9.0	A+	9.0	A+	9.0	A+	6.0	B	-	-	9.0	A+	-	-	-	-	-	-	0.0	P	-	-
55	**21695A3704**	21.5	21.5	8.81	8.35	-	-	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	10.0	O	7.0	B+	-	-	10.0	O	-	-	-	-	-	-	0.0	P	-	-
56	**21695A3706**	21.5	21.5	7.98	7.56	-	-	-	-	8.0	A	8.0	A	7.0	B+	10.0	O	10.0	O	9.0	A+	7.0	B+	-	-	10.0	O	-	-	-	-	6.0	B	0.0	P	-	-
57	**21695A3707**	21.5	21.5	8.81	8.3	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	7.0	B+	-	-	10.0	O	-	-	-	-	9.0	A+	0.0	P	-	-
58	**21695A3708**	21.5	21.5	7.26	7.51	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	8.0	A	7.0	B+	-	-	9.0	A+	-	-	-	-	5.0	C	0.0	P	-	-
59	**21695A3709**	21.5	21.5	8.58	8.79	-	-	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	9.0	A+	8.0	A	-	-	9.0	A+	-	-	-	-	8.0	A	0.0	P	-	-
60	**21695A3710**	21.5	21.5	8.16	7.58	-	-	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	9.0	A+	-	-	-	-	8.0	A	0.0	P	-	-
61	**21695A3711**	21.5	18.5	6.58	7.09	-	-	-	-	7.0	B+	6.0	B	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	-	F	10.0	O	-	-	-	-	6.0	B	0.0	P	-	-
62	**21695A3712**	21.5	21.5	7.95	7.58	-	-	-	-	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	8.0	A	7.0	B+	-	-	9.0	A+	-	-	-	-	8.0	A	0.0	P	-	-
63	**21695A3713**	21.5	21.5	8.53	8.35	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	-	-	6.0	B	10.0	O	-	-	-	-	8.0	A	0.0	P	-	-
64	**21695A3714**	21.5	21.5	8.67	8.37	-	-	-	-	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	10.0	O	-	-	-	-	8.0	A	0.0	P	-	-
65	**21695A3715**	21.5	21.5	8.33	8.17	-	-	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	9.0	A+	9.0	A+	7.0	B+	-	-	10.0	O	-	-	-	-	7.0	B+	0.0	P	-	-

Course Code	Course Name
20CE301	GROUND IMPROVEMENT TECHNIQUES
20CE302	ENVIRONMENTAL IMPACT ASSESSMENT
20CSC113	CLOUD COMPUTING
20CSC114	FOUNDATION OF CRYPTOGRAPHY
20CSC115	AI TOOLS, TECHNIQUES AND APPLICATIONS
20CSC211	CLOUD COMPUTING LABORATORY
20CSC212	CRYPTOGRAPHY LABORATORY
20CSC213	AI TOOLS, TECHNIQUES AND APPLICATIONS LABORATORY
20CSC4M02	INTRODUCTION TO SOFT COMPUTING (MOOC)
20CSC4M04	PRIVACY AND SECURITY IN ONLINE SOCIAL MEDIA (MOOC)

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations

B.Tech. III YEAR II SEMESTER - REGULAR (R20) END SEMESTER EXAMINATION - JUNE 2023

RESULTS - COMPUTER SCIENCE AND ENGINEERING (CYBER SECURITY) (2020 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																															
						20CE301		20CE302		20CSC113		20CSC114		20CSC115		20CSC211		20CSC212		20CSC213		20CSC4M02		20CSC4M04		20CSC606		20ECE301		20ECE302		20EEE302		20HUM902		20ME301	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 1.5		Credits: 1.5		Credits: 1.5		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G

Course Code	Course Name
20CSC606	ETHICAL HACKING (SC)
20ECE301	BIO-MEDICAL ELECTRONICS
20ECE302	VLSI DESIGN
20EEE302	INTRODUCTION TO MEMS
20HUM902	UNIVERSAL HUMAN VALUES
20ME301	MATERIALS SCIENCE FOR ENGINEERS

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

Controller of Examinations